



**04/2019** Product Price Reference  
參考價目表

[schneider-electric.com.hk](http://schneider-electric.com.hk)

Life Is On

**Schneider**  
Electric  
施耐德電氣

## Table of Contents

# 目錄

Electrical Distribution 電力輸配	Final Distribution Circuit Breakers 終端輸配斷路器	1
	Power Distribution Circuit Breakers 電力輸配斷路器	2
	Power Factor Correction 功率因數補償	3
	Power Management System 電力管理系統	4
	MV & LV Electrical Network Protection 中低壓配電系統電流或電壓保護	5
Automation & Control 自動化及控制	Power Switching, Control & Protection 電力開關、控制及保護	6
	Variable Speed Drives & Soft Starters 變頻器及軟起動器	7
	Control & Signaling Units 控制及信號產品	8
	Detection Devices 傳感器	9
	Enclosures & Cabling Accessories 機櫃及接線附件	10
Building Automation 樓宇自動化	Programmable Logic Controllers & Human Machine Interfaces 可編程控制器及人機界面	11
	Building Automation 樓宇自動化	12

# Final Distribution Circuit Breakers

## 終端輸配斷路器

Acti 9 MCB & AI Switches .....	1 - 1
微型斷路器及隔離開關	
Multi 9/Acti 9 MCB, RCCB & RCBO .....	1 - 2
微型斷路器、漏電保護器及漏電保護斷路器	
Acti 9 Remote Control, Integrated Control Circuit Breakers, iDPN N Vigi, iC60/iC120 Auxiliaries & Accessories .....	1 - 3
微型斷路器控制、iDPN N Vigi 漏電保護斷路器、iC60/iC120輔件及附件	
Acti 9 Surge Protection Devices .....	1 - 4
電衝保護器	
Acti 9/Multi 9 Command Control Devices .....	1 - 5
指令控制裝置	
Kaedra Weatherproof Enclosures .....	1 - 5
防水箱	
Lineryg DS Screw Distribution Blocks .....	1 - 5
接線盒	
Acti 9 Impulse Relays .....	1 - 6
脈衝繼電器	
MCB/RCBO Distribution Boards (with IEC 61439 Certification) .....	1 - 7
微型斷路器/漏電斷路保護器配電箱 (配備IEC 61439證書)	
MCB/RCBO Distribution Boards .....	1 - 9
微型斷路器/漏電斷路保護器配電箱	
QOVs Plug-On Type MCB & RCBO .....	1 - 10
插入式微型斷路器及漏電保護斷路器	
Plug-On Type SPN, TP & TPN MCB Boards .....	1 - 11
插入式微型斷路器配電箱	

iC60N, iC60H, B Curve, C Curve  
AI Switches

1



A9F74206

iC60N (6kA): C Tripping Curve, Magnetic Releases operate at  $8 I_n \pm 20\%$   
Conform to 符合標準: IEC 60898 & IEC 60947-2

Type	Rating A	Unit Reference	Unit Price HK\$									
iC60N	1-pole			2-pole			3-pole			4-pole		
	6	A9F74106	\$42.00	A9F74206	\$181.00	A9F74306	\$293.00	A9F74406	\$486.00			
	10	A9F74110	\$42.00	A9F74210	\$181.00	A9F74310	\$293.00	A9F74410	\$486.00			
	16	A9F74116	\$42.00	A9F74216	\$181.00	A9F74316	\$293.00	A9F74416	\$486.00			
	20	A9F74120	\$42.00	A9F74220	\$181.00	A9F74320	\$293.00	A9F74420	\$486.00			
	25	A9F74125	\$42.00	A9F74225	\$181.00	A9F74325	\$293.00	A9F74425	\$486.00			
	32	A9F74132	\$42.00	A9F74232	\$181.00	A9F74332	\$293.00	A9F74432	\$486.00			
	40	A9F74140	\$57.00	A9F74240	\$198.00	A9F74340	\$337.00	A9F74440	\$523.00			
	50	A9F74150	\$57.00	A9F74250	\$198.00	A9F74350	\$337.00	A9F74450	\$523.00			
	63	A9F74163	\$57.00	A9F74263	\$198.00	A9F74363	\$337.00	A9F74463	\$523.00			

iC60N (6kA): B Tripping Curve, Magnetic Releases operate at  $4 I_n \pm 20\%$   
Conform to 符合標準: IEC 60898 & IEC 60947-2

Type	Rating A	Unit Reference	Unit Price HK\$									
iC60N	1-pole			2-pole			3-pole			4-pole		
	6	A9F73106	\$45.00	A9F73206	\$199.00	A9F73306	\$323.00	A9F73406	\$533.00			
	10	A9F73110	\$45.00	A9F73210	\$199.00	A9F73310	\$323.00	A9F73410	\$533.00			
	16	A9F73116	\$45.00	A9F73216	\$199.00	A9F73316	\$323.00	A9F73416	\$533.00			
	20	A9F73120	\$45.00	A9F73220	\$199.00	A9F73320	\$323.00	A9F73420	\$533.00			
	25	A9F73125	\$45.00	A9F73225	\$199.00	A9F73325	\$323.00	A9F73425	\$533.00			
	32	A9F73132	\$45.00	A9F73232	\$199.00	A9F73332	\$323.00	A9F73432	\$533.00			
	40	A9F73140	\$61.00	A9F73240	\$216.00	A9F73340	\$369.00	A9F73440	\$576.00			
	50	A9F73150	\$61.00	A9F73250	\$216.00	A9F73350	\$369.00	A9F73450	\$576.00			
	63	A9F73163	\$61.00	A9F73263	\$216.00	A9F73363	\$369.00	A9F73463	\$576.00			

iC60H (10kA): C Tripping Curve, Magnetic Releases operate at  $8 I_n \pm 20\%$   
Conform to 符合標準: IEC 60898 & IEC 60947-2

Type	Rating A	Unit Reference	Unit Price HK\$									
iC60H	1-pole			2-pole			3-pole			4-pole		
	6	A9F84106	\$67.00	A9F84206	\$306.00	A9F84306	\$499.00	A9F84406	\$824.00			
	10	A9F84110	\$67.00	A9F84210	\$306.00	A9F84310	\$499.00	A9F84410	\$824.00			
	16	A9F84116	\$67.00	A9F84216	\$306.00	A9F84316	\$499.00	A9F84416	\$824.00			
	20	A9F84120	\$67.00	A9F84220	\$306.00	A9F84320	\$499.00	A9F84420	\$824.00			
	25	A9F84125	\$67.00	A9F84225	\$306.00	A9F84325	\$499.00	A9F84425	\$824.00			
	32	A9F84132	\$67.00	A9F84232	\$306.00	A9F84332	\$499.00	A9F84432	\$824.00			
	40	A9F84140	\$93.00	A9F84240	\$335.00	A9F84340	\$570.00	A9F84440	\$887.00			
	50	A9F84150	\$93.00	A9F84250	\$335.00	A9F84350	\$570.00	A9F84450	\$887.00			
	63	A9F84163	\$93.00	A9F84263	\$335.00	A9F84363	\$570.00	A9F84463	\$887.00			



A9F84206

iC60H (10kA): B Tripping Curve, Magnetic Releases operate at  $4 I_n \pm 20\%$   
Conform to 符合標準: IEC 60898 & IEC 60947-2

Type	Rating A	Unit Reference	Unit Price HK\$									
iC60H	1-pole			2-pole			3-pole			4-pole		
	6	A9F83106	\$73.00	A9F83206	\$337.00	A9F83306	\$550.00	A9F83406	\$906.00			
	10	A9F83110	\$73.00	A9F83210	\$337.00	A9F83310	\$550.00	A9F83410	\$906.00			
	16	A9F83116	\$73.00	A9F83216	\$337.00	A9F83316	\$550.00	A9F83416	\$906.00			
	20	A9F83120	\$73.00	A9F83220	\$337.00	A9F83320	\$550.00	A9F83420	\$906.00			
	25	A9F83125	\$73.00	A9F83225	\$337.00	A9F83325	\$550.00	A9F83425	\$906.00			
	32	A9F83132	\$73.00	A9F83232	\$337.00	A9F83332	\$550.00	A9F83432	\$906.00			
	40	A9F83140	\$101.00	A9F83240	\$366.00	A9F83340	\$626.00	A9F83440	\$977.00			
	50	A9F83150	\$101.00	A9F83250	\$366.00	A9F83350	\$626.00	A9F83450	\$977.00			
	63	A9F83163	\$101.00	A9F83263	\$366.00	A9F83363	\$626.00	A9F83463	\$977.00			

AI Isolating Switches 隔離開關  
Conform to 符合標準: IEC 60669-1 & IEC 60947-3

Type	Rating A	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$		
AI	2-pole			3-pole			4-pole		
	40	A9S65240	\$118.00	A9S65340	\$183.00	A9S65440	\$349.00		
	63	A9S65263	\$118.00	A9S65363	\$183.00	A9S65463	\$349.00		
	100	A9S65291	\$155.00	A9S65391	\$237.00	A9S65491	\$573.00		
	125	A9S65292	\$194.00	A9S65392	\$281.00	A9S65492	\$681.00		



A9S65263

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# MCB, RCCB & RCBO

## 微型斷路器、漏電保護器及漏電保護斷路器 Multi 9/Acti 9

C68N, B Curve, C Curve  
iC120N, C Curve  
RCCB, iC60N, iC60H RCBO

C68N (6kA): C Tripping Curve, Magnetic Releases operate between 5 & 10 In  
Conform to 符合標準: IEC 60898



61005

Type	Rating A	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
C68N	1-pole			2-pole		3-pole	
	6	<b>61003</b>	\$28.00	<b>61015</b>	\$133.00	<b>61027</b>	\$216.00
	10	<b>61004</b>	\$28.00	<b>61016</b>	\$133.00	<b>61028</b>	\$216.00
	16	<b>61005</b>	\$28.00	<b>61017</b>	\$133.00	<b>61029</b>	\$216.00
	20	<b>61006</b>	\$28.00	<b>61018</b>	\$133.00	<b>61030</b>	\$216.00
	25	<b>61007</b>	\$28.00	<b>61019</b>	\$133.00	<b>61031</b>	\$216.00
	32	<b>61008</b>	\$28.00	<b>61020</b>	\$133.00	<b>61032</b>	\$216.00
	40	<b>61009</b>	\$39.00	<b>61021</b>	\$145.00	<b>61033</b>	\$246.00
	50	<b>61010</b>	\$39.00	<b>61022</b>	\$145.00	<b>61034</b>	\$246.00
	63	<b>61011</b>	\$39.00	<b>61023</b>	\$145.00	<b>61035</b>	\$246.00

C68N (6kA): B Tripping Curve, Magnetic Releases operate between 3 & 5 In  
Conform to 符合標準: IEC 60898



61262

Type	Rating A	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
C68N	1-pole			2-pole		3-pole	
	6	<b>61260</b>	\$37.00	<b>61269</b>	\$147.00	<b>61278</b>	\$258.00
	10	<b>61261</b>	\$37.00	<b>61270</b>	\$147.00	<b>61279</b>	\$258.00
	16	<b>61262</b>	\$37.00	<b>61271</b>	\$147.00	<b>61280</b>	\$258.00
	20	<b>61263</b>	\$37.00	<b>61272</b>	\$147.00	<b>61281</b>	\$258.00
	25	<b>61264</b>	\$37.00	-	-	<b>61282</b>	\$258.00
	32	<b>61265</b>	\$37.00	<b>61274</b>	\$147.00	<b>61283</b>	\$258.00
	40	<b>61266</b>	\$56.00	<b>61275</b>	\$162.00	<b>61284</b>	\$295.00
	50	<b>61267</b>	\$56.00	<b>61276</b>	\$162.00	<b>61285</b>	\$295.00
	63	<b>61268</b>	\$56.00	<b>61277</b>	\$162.00	<b>61286</b>	\$295.00

iC120N (10kA): C Tripping Curve  
Conform to 符合標準: IEC 60898 & IEC 60947-2



A9N18369

Type	Rating A	Unit Reference	Unit Price HK\$						
iC120N	1-pole			2-pole		3-pole		4-pole	
	80	<b>A9N18357</b>	\$390.00	<b>A9N18361</b>	\$530.00	<b>A9N18365</b>	\$636.00	<b>A9N18372</b>	\$1,017.00
	100	<b>A9N18358</b>	\$430.00	<b>A9N18362</b>	\$567.00	<b>A9N18367</b>	\$735.00	<b>A9N18374</b>	\$1,017.00
	125	<b>A9N18359</b>	\$430.00	<b>A9N18363</b>	\$589.00	<b>A9N18369</b>	\$845.00	<b>A9N18376</b>	\$1,101.00

iID RCCB 漏電保護器  
Conform to 符合標準: IEC 61008



A9R71440

Type	Rating A	Sensitivity mA	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$	
RCD				2-pole		4-pole	
	25	30	<b>A9R71225</b>	\$270.00	<b>A9R71425</b>	\$348.00	
	40	30	<b>A9R71240</b>	\$270.00	<b>A9R71440</b>	\$348.00	
	63	30	<b>A9R71263</b>	\$414.00	<b>A9R71463</b>	\$544.00	
	25	300	<b>A9R74225</b>	\$270.00	<b>A9R74425</b>	\$348.00	
	40	300	<b>A9R74240</b>	\$270.00	<b>A9R74440</b>	\$348.00	
	63	300	<b>A9R74263</b>	\$414.00	<b>A9R74463</b>	\$544.00	

iC60N, iC60H RCBO, Class A 1-pole (6kA & 10kA) 漏電保護斷路器  
Conform to 符合標準: IEC 61009



A9D61816



A9D02816

Type	Sensitivity mA	Curve	Class	Rating A	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$		
iC60N/ iC60H	30	Type C	A	<b>6kA</b>					<b>10kA</b>	
				6	<b>A9D61806</b>	\$328.00	<b>A9D02806</b>	\$738.00		
				10	<b>A9D61810</b>	\$265.00	<b>A9D02810</b>	\$598.00		
				16	<b>A9D61816</b>	\$265.00	<b>A9D02816</b>	\$598.00		
				20	<b>A9D61820</b>	\$265.00	<b>A9D02820</b>	\$598.00		
				32	<b>A9D61832</b>	\$265.00	<b>A9D02832</b>	\$598.00		
				40	<b>A9D61840</b>	\$342.00	<b>A9D02840</b>	\$768.00		
				45	<b>A9D61845</b>	\$342.00	<b>A9D02845</b>	\$768.00		

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

RCA Remote Control Auxiliaries  
 Reflex iC60N, C Curve Integrated Control Circuit Breakers  
 ARA Automatic Reclosers  
 iDPN N Vigi 漏電保護斷路器  
 iC60/iC120 Electrical Auxiliaries & Accessories 電氣輔件及附件

1



A9C62210

### RCA Remote Control Auxiliaries

Type	Unit Reference	Unit Price HK\$
For 1P, 1P+N, 2P, Circuit Breaker, 230VAC, 50 Hz	Without Ti24 Interface	<b>A9C70112</b> \$2,850.00
	With Ti24 Interface	<b>A9C70122</b> \$4,341.00
For 3P, 4P Circuit Breaker, 230VAC, 50 Hz	Without Ti24 Interface	<b>A9C70114</b> \$3,624.00
	With Ti24 Interface	<b>A9C70124</b> \$4,816.00



A9C70134

### Reflex iC60N, C Curve Integrated Control Circuit Breakers

Type	Rating In	2-pole Unit Reference	Unit Price HK\$	3-pole Unit Reference	Unit Price HK\$	4-pole Unit Reference	Unit Price HK\$
With Ti24 Interface	10	<b>A9C62210</b>	\$5,064.00	<b>A9C62310</b>	\$5,496.00	<b>A9C62410</b>	\$5,877.00
	16	<b>A9C62216</b>	\$5,064.00	<b>A9C62316</b>	\$5,496.00	<b>A9C62416</b>	\$5,877.00
	25	<b>A9C62225</b>	\$5,064.00	<b>A9C62325</b>	\$5,496.00	<b>A9C62425</b>	\$5,877.00
	40	<b>A9C62240</b>	\$5,210.00	<b>A9C62340</b>	\$5,712.00	<b>A9C62440</b>	\$6,194.00
	63	<b>A9C62263</b>	\$5,224.00	<b>A9C62363</b>	\$5,732.00	<b>A9C62463</b>	\$6,194.00



A9C70344

### ARA Automatic Reclosers for iC60 MCB & iID RCCB

Type	Unit Reference	Unit Price HK\$
For 1P, 1P+N, 2P, Circuit Breaker, 230VAC, 50 Hz	<b>A9C70132</b>	\$4,316.00
For 3P, 4P Circuit Breaker, 230VAC, 50 Hz	<b>A9C70134</b>	\$4,790.00
For 2P Residual Current Circuit Breaker 230VAC, 50 Hz	<b>A9C70342</b>	\$3,730.00
For 4P Residual Current Circuit Breaker 230VAC, 50 Hz	<b>A9C70344</b>	\$4,847.00

### iDPN N Vigi, Class AC, 1-pole + N (6kA) 漏電保護斷路器

Conform to 符合標準: IEC 60898/IEC 61009



A9D31606

Rating A	Sensitivity mA	Unit Reference	Unit Price HK\$
C Tripping Curve			
6	30	<b>A9D31606</b>	\$581.00
10	30	<b>A9D31610</b>	\$581.00
16	30	<b>A9D31616</b>	\$581.00
20	30	<b>A9D31620</b>	\$581.00
25	30	<b>A9D31625</b>	\$581.00
32	30	<b>A9D31632</b>	\$609.00
40	30	<b>A9D31640</b>	\$609.00

### iC60/iC120 Electrical Auxiliaries 電氣輔件



A9A26476

Type	Voltage		Unit Reference	Unit Price HK\$
	AC	DC		
iMX Shunt Trip Release	100-415V	110-130V	<b>A9A26476</b>	\$323.00
iMX + OF Shunt Trip Release with Auxiliary Contact	48V	48V	<b>A9A26947</b>	\$321.00
iMN Undervoltage Release	12/24V	12/24V	<b>A9A26948</b>	\$321.00
iOF Auxiliary Contact	220-240V	-	<b>A9A26960</b>	\$828.00
iSD Auxiliary Switch	240-415V	24-130V	<b>A9A26924</b>	\$246.00
iOF/SD + OF Auxiliary Contact	240-415V	24-130V	<b>A9A26927</b>	\$265.00
			<b>A9A26929</b>	\$313.00



A9A27049

### Padlocking Devices 掛鎖配件

Type	No. of pcs per set	Unit Reference	Unit Price HK\$
iC60 iSW, RCCB, MCB Padlocking Device	10	<b>A9A26970</b>	\$321.00
iC60 RCBO Padlocking Device	10	<b>A9A27049</b>	\$315.00
iC120 MCB Padlocking Device	4	<b>27145</b>	\$419.00
C68N MCB Padlocking Device	2	<b>26970</b>	\$102.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

PRD1 Master, Type 1  
PRD1 25r, Type 1 + Type 2  
iPRD, Type 2  
iQuick PRD, Type 2 + Disconnecter



16361

### PRD1 Master, Type 1 (Withdrawable) 抽屜式一型

Pole	Type	Limp kA	Remote Indicator	Up kV	Unit Reference	Unit Price HK\$
1P + N	PRD1 Master	25/100 (N/PE)	Yes	1.5	<b>16361</b>	\$4,321.00
3P + N	PRD1 Master	25/100 (N/PE)	Yes	1.5	<b>16363</b>	\$8,517.00
1P	PRD1 Master	25	Yes	1.5	<b>16360</b>	\$2,820.00
3P	PRD1 Master	25	Yes	1.5	<b>16362</b>	\$6,890.00



16330

### PRD1 25r, Type 1 + Type 2 (Withdrawable) 抽屜式一型 + 二型

Pole	Type	Limp kA	Remote Indicator	Up kV	Unit Reference	Unit Price HK\$
1P + N	PRD1 25r	25/100 (N/PE)	Yes	1.5	<b>16330</b>	\$5,001.00
3P + N	PRD1 25r	25/100 (N/PE)	Yes	1.5	<b>16332</b>	\$9,654.00
1P	PRD1 25r	25	Yes	1.5	<b>16329</b>	\$3,389.00
3P	PRD1 25r	25	Yes	1.5	<b>16331</b>	\$7,960.00



A9L65501

### iPRD, Type 2 (Withdrawable) 抽屜式二型

Pole	Type	I <sub>max</sub> (8/20 μs wave) kA	Remote Indicator	Up kV N-PE	Unit Reference	Unit Price HK\$
1P + N	iPRD 65r	65	Yes	1.4	<b>A9L65501</b>	\$2,073.00
	iPRD 40r	40	Yes	1.4	<b>A9L40501</b>	\$1,552.00
	iPRD 40	40	No	1.4	<b>A9L40500</b>	\$1,447.00
	iPRD 20r	20	Yes	1.4	<b>A9L20501</b>	\$1,278.00
	iPRD 20	20	No	1.4	<b>A9L20500</b>	\$1,022.00
	iPRD 8r	8	Yes	1.4	<b>A9L08501</b>	\$1,240.00
3P + N	iPRD 65r	65	Yes	1.4	<b>A9L65601</b>	\$3,685.00
	iPRD 40r	40	Yes	1.4	<b>A9L40601</b>	\$3,581.00
	iPRD 40	40	No	1.4	<b>A9L40600</b>	\$3,256.00
	iPRD 20r	20	Yes	1.4	<b>A9L20601</b>	\$2,235.00
	iPRD 20	20	No	1.4	<b>A9L20600</b>	\$1,789.00
	iPRD 8r	8	Yes	1.4	<b>A9L08601</b>	\$2,169.00



A9L16292

### iQuick PRD, Type 2 + Disconnecter (Withdrawable) 抽屜式二型, 內置斷路器

Pole	Type	I <sub>max</sub> (8/20 μs wave) kA	Remote Indicator	Up kV N-PE	Unit Reference	Unit Price HK\$
1P + N	iQuick PRD 40r	40	Yes	1.7	<b>A9L16292</b>	\$1,970.00
	iQuick PRD 20r	20	Yes	1.7	<b>A9L16295</b>	\$1,707.00
	iQuick PRD 8r	8	Yes	1.7	<b>A9L16298</b>	\$1,676.00
3P + N	iQuick PRD 40r	40	Yes	1.7	<b>A9L16294</b>	\$4,158.00
	iQuick PRD 20r	20	Yes	1.5	<b>A9L16297</b>	\$2,846.00
	iQuick PRD 8r	8	Yes	1.7	<b>A9L16300</b>	\$2,738.00

### Spare Cartridges for iPRD

Type	For	Unit Reference	Unit Price HK\$
iPRD 65 - 350	iPRD 65r	<b>A9L65102</b>	\$627.00
iPRD 40 - 350	iPRD 40, iPRD 40r	<b>A9L40102</b>	\$523.00
iPRD 20 - 350	iPRD 20, iPRD 20r	<b>A9L20102</b>	\$412.00
iPRD 8 - 350	iPRD 8, iPRD 8r	<b>A9L08012</b>	\$396.00
iPRD Neutral	All iPRD (1P+N, 3P+N)	<b>A9L00002</b>	\$627.00
C40 - 350	iQuick PRD 40r	<b>A9L16310</b>	\$523.00
C20 - 350	iQuick PRD 20r	<b>A9L16311</b>	\$412.00
C8 - 350	iQuick PRD 8r	<b>A9L16312</b>	\$396.00
C Neutral - 350	All iQuick	<b>A9L16313</b>	\$627.00
C1 Master - 350	PRD1 Master	<b>16314</b>	\$2,096.00
C1 25 - 350	PRD1 25r (Type 1)	<b>16315</b>	\$2,096.00
C2 40 - 350	PRD1 25r (Type 2)	<b>16316</b>	\$727.00
C1 Neutral - 350	PRD1 Master, PRD1 25r	<b>16317</b>	\$2,018.00

1



CCT15365

### IH Mechanical Time Switches 機械時間掣

Type	No. of Switching Operation	Saving on Mains Cutt Off(Hr)	Cycle (Day/Hour)	Min. Time between 2 Switching Operations	Channel	Unit Reference	Unit Price HK\$
IH 24h 1C W=18mm	48on - 48off	None	24 h	15 min	1	<b>15335</b>	\$312.00
IH 24h 1C W=18mm	48on - 48off	100	24 h	15 min	1	<b>15336</b>	\$415.00
IH 24h 1C W=54mm	48on - 48off	None	24 h	15 min	1	<b>CCT16364</b>	\$276.00
IH 24h 1C W=54mm	48on - 48off	150	24 h	15 min	1	<b>CCT15365</b>	\$474.00
IH 24h 7d 1 + 1C		150	24 h + 7 d	45 min + 12 h <sup>(1)</sup>	1	<b>15366</b>	\$623.00

(1) Fixed switching at midday and midnight



CCT15940

### IHP & ITM Digital Time Switches 數碼時間掣

Type	No. of Switching Operation	Saving on Mains Cutt Off(Yr)	Cycle (Day/Hour)	Min. Time between 2 Switching Operations	Channel	Unit Reference	Unit Price HK\$
ITA 4C	300	10	24 h & 7d	1 min	4	<b>CCT15940</b>	\$3,770.00
IHP 1C	56	6	24 h & 7d	1 min	1	<b>CCT15441</b>	\$890.00
IHP + 1C	84	6	24 h & 7d	1 min	1	<b>CCT15551</b>	\$1,205.00
IHP IC W=18mm	56	10	24 h & 7d	1 min	1	<b>CCT15854</b>	\$980.00
IC ASTRO	14	6	24 h & 7d	1 min	1	<b>CCT15225</b>	\$1,954.00



CCT15369

### Light Sensitive Switches 感光掣

Type	Degree of Protection	Voltage V	Unit Reference	Unit Price HK\$
IC2000 <sup>(2)</sup>	IP65	220/240	<b>CCT15285</b>	\$692.00
IC2000 <sup>(3)</sup>	IP54	220/240	<b>CCT15369</b>	\$1,218.00
IC2000P+ <sup>(3)</sup>	IP54	220/240	<b>CCT15483</b>	\$2,866.00
Panel Front Type Photo-Cell	IP65		<b>CCT15262</b>	\$261.00
Wall Type Photo-Cell	IP54		<b>CCT15263</b>	\$489.00

(2) 1 panel front type photo-cell included  
 (3) 1 wall type photo-cell included



Mini Kaedra

### Kaedra Weatherproof Enclosures 防水箱

Type	Rated Current A	Capacity in Modules of 18mm	Unit Reference	Unit Price HK\$
<b>Mini-Enclosures</b>				
1 row	32	3	<b>13975</b>	\$105.00
	63	4	<b>13976</b>	\$139.00
	63	6	<b>13977</b>	\$148.00
	63	8	<b>13978</b>	\$168.00
	63	12	<b>13979</b>	\$172.00
<b>Enclosures</b>				
1 row	63	12	<b>13981</b>	\$453.00
	90	18	<b>13982</b>	\$552.00
2 row	63	24	<b>13983</b>	\$682.00
	90	36	<b>13984</b>	\$845.00
3 row	125	36	<b>13985</b>	\$866.00
	125	54	<b>13986</b>	\$1,097.00
4 row	160	72	<b>13987</b>	\$1,548.00

### Linergy DS Screw Distribution Blocks 接線盒



LGY412548

Type	Rated Operational Current	Total Connections Capacity	Width (No. of 9mm pitches)	Unit Reference	Unit Price HK\$
1-pole	125	10	3	<b>LGY112510</b>	\$441.00
	160	13	4	<b>LGY116013</b>	\$537.00
	250	14	5	<b>LGY125014</b>	\$709.00
4-pole	100	4 x 7	8	<b>LGY410028</b>	\$279.00
	125	4 x 12	14	<b>LGY412548</b>	\$480.00
	125	4 x 15	20	<b>LGY412560</b>	\$590.00
	160	4 x 12	18	<b>LGY416048</b>	\$848.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

1



A9C30812



A9C30115



A9C32316

Type	Coil Voltage AC	DC	Unit Reference	Unit Price HK\$
------	--------------------	----	-------------------	--------------------

### iTL 16A Impulse Relays 脈衝繼電器

1-pole	230/240V	110V	<b>A9C30811</b>	\$221.00
	130V	48V	<b>A9C30311</b>	\$221.00
2-pole	230/240V	110V	<b>A9C30812</b>	\$299.00
	130V	48V	<b>A9C30312</b>	\$299.00
	48V	24V	<b>A9C30212</b>	\$299.00
	24V	12V	<b>A9C30112</b>	\$299.00
3-pole	12V	6V	<b>A9C30012</b>	\$299.00
	230/240V	110V	<b>A9C30811 + A9C32816</b>	\$600.00
	130V	48V	<b>A9C30311 + A9C32316</b>	\$600.00
4-pole	48V	24V	<b>A9C30211 + A9C32216</b>	\$600.00
	24V	12V	<b>A9C30111 + A9C32116</b>	\$600.00
	230/240V	110V	<b>A9C30812 + A9C32816</b>	\$678.00

### iTLI 16A Changover Relays 轉換繼電器

1-pole	24V	12V	<b>A9C30115</b>	\$299.00
--------	-----	-----	-----------------	----------

### iTLI 32A Impulse Relays 脈衝繼電器

1-pole	230/240V	110V	<b>A9C30831</b>	\$299.00
2-pole	230/240V	110V	<b>A9C30831 + A9C32836</b>	\$678.00
3-pole	230/240V	110V	<b>A9C30831 + 2*A9C32836</b>	\$1,057.00
4-pole	230/240V	110V	<b>A9C30831 + 3*A9C32836</b>	\$1,436.00

### iETL 16A Extensions 擴展

iETL	130V	48V	<b>A9C32316</b>	\$379.00
	48V	24V	<b>A9C32216</b>	\$379.00
	24V	12V	<b>A9C32116</b>	\$379.00
	12V	6V	<b>A9C32016</b>	\$379.00

### iETL 32A Extensions 擴展

iETL	230/240V	110V	<b>A9C32836</b>	\$379.00
------	----------	------	-----------------	----------

### iTLc 16A Impulse Relays 脈衝繼電器

1-pole	24V	-	<b>A9C33111</b>	\$421.00
	48V	-	<b>A9C33211</b>	\$421.00


### Add-on Auxiliaries 附加輔件

iATLs	130/240V	-	<b>A9C15405</b>	\$287.00
iATLm	230/240V	-	<b>A9C15414</b>	\$355.00
iATLz	130/240V	-	<b>A9C15413</b>	\$216.00
iATLc+c	130/240V	-	<b>A9C15410</b>	\$312.00

# MCB/RCBO Distribution Boards (with IEC 61439 Certification) 微型斷路器/漏電斷路保護器配電箱(配備IEC 61439證書)

Conform to 符合標準: IEC 61439-3

1



BF10-016

## MCB/RCBO Boards 微型斷路器/漏電斷路保護器配電箱

Description	No. of way	Unit Reference	Unit Price HK\$
100A SP MCB/RCBO Board W/ 2-pole M/S Space 100A 單相 MCB/RCBO 配電箱帶二極總掣位	6	<b>BF10-006</b>	\$212.00
	8	<b>BF10-008</b>	\$250.00
	10	<b>BF10-010</b>	\$281.00
	12	<b>BF10-012</b>	\$335.00
	14	<b>BF10-014</b>	\$369.00
	16	<b>BF10-016</b>	\$407.00
	17	<b>BF10-017</b>	\$505.00
	2+2	<b>BF10-022</b>	\$219.00
	3+3	<b>BF10-033</b>	\$240.00
	4+4	<b>BF10-044</b>	\$266.00
	6+4	<b>BF10-064</b>	\$315.00
	8+4	<b>BF10-084</b>	\$326.00
	8+6	<b>BF10-086</b>	\$360.00
10+4	<b>BF10-104</b>	\$360.00	
100A TPN MCB/RCBO Board C/W M/S Space 100A 三相 MCB/RCBO 箱帶總掣位	4	<b>B17104R</b>	\$844.00
	6	<b>B17106R</b>	\$908.00
	8	<b>B17108R</b>	\$1,032.00
	10	<b>B17110R</b>	\$1,208.00
	12	<b>B17112R</b>	\$1,342.00
	14	<b>B17114R</b>	\$1,476.00
	16	<b>B17116R</b>	\$1,676.00
	18	<b>B17118R</b>	\$1,947.00
	20	<b>B17120R</b>	\$2,121.00
22	<b>B17122R</b>	\$2,283.00	
125A TP MCB/RCBO Board W/O M/S Space 125A 三相 MCB/RCBO 配電箱不帶總掣位	4	<b>BF17-004</b>	\$881.00
	6	<b>BF17-006</b>	\$1,081.00
	8	<b>BF17-008</b>	\$1,211.00
	10	<b>BF17-010</b>	\$1,369.00
	12	<b>BF17-012</b>	\$1,521.00
	14	<b>BF17-014</b>	\$1,881.00
	16	<b>BF17-016</b>	\$2,001.00
	18	<b>BF17-018</b>	\$2,354.00
	20	<b>BF17-020</b>	\$2,981.00
	22	<b>BF17-022</b>	\$3,362.00
	24	<b>BF17-024</b>	\$3,722.00
125A TP MCB/RCBO Board W/ M/S Space 125A 三相 MCB/RCBO 配電箱帶總掣位	4	<b>BF17-104</b>	\$883.00
	6	<b>BF17-106</b>	\$1,018.00
	8	<b>BF17-108</b>	\$1,122.00
	10	<b>BF17-110</b>	\$1,270.00
	12	<b>BF17-112</b>	\$1,407.00
	14	<b>BF17-114</b>	\$1,719.00
	16	<b>BF17-116</b>	\$1,824.00
	18	<b>BF17-118</b>	\$2,104.00
	20	<b>BF17-120</b>	\$2,683.00
	22	<b>BF17-122</b>	\$3,016.00
	24	<b>BF17-124</b>	\$3,331.00
200A TP MCB/RCBO Board W/O M/S Space 200A 三相 MCB/RCBO 配電箱不帶總掣位	4	<b>BF12-004</b>	\$1,233.00
	6	<b>BF12-006</b>	\$1,421.00
	8	<b>BF12-008</b>	\$1,648.00
	10	<b>BF12-010</b>	\$1,901.00
	12	<b>BF12-012</b>	\$2,464.00
	14	<b>BF12-014</b>	\$2,903.00
	16	<b>BF12-016</b>	\$3,285.00
	18	<b>BF12-018</b>	\$3,433.00
	20	<b>BF12-020</b>	\$5,093.00
	22	<b>BF12-022</b>	\$6,079.00
	24	<b>BF12-024</b>	\$6,900.00



BF17-108

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# MCB/RCBO Distribution Boards (with IEC 61439 Certification) 微型斷路器/漏電斷路保護器配電箱(配備IEC 61439證書)

Conform to 符合標準: IEC 61439-3

## MCB/RCBO Boards 微型斷路器/漏電斷路保護器配電箱



BF12-106SDTNRM160

Description	No. of way	Unit Reference	Unit Price HK\$
200A TP MCB/RCBO Board W/ INS 250A M/S Space 200A 三相 MCB/RCBO 配電箱帶INS 250A 總掣位	4	<b>BF12-104SD</b>	\$1,297.00
	6	<b>BF12-106SD</b>	\$1,445.00
	8	<b>BF12-108SD</b>	\$1,654.00
	10	<b>BF12-110SD</b>	\$1,946.00
	12	<b>BF12-112SD</b>	\$2,350.00
	14	<b>BF12-114SD</b>	\$2,525.00
	16	<b>BF12-116SD</b>	\$2,696.00
	18	<b>BF12-118SD</b>	\$2,869.00
	20	<b>BF12-120SD</b>	\$3,802.00
	22	<b>BF12-122SD</b>	\$4,523.00
24	<b>BF12-124SD</b>	\$5,122.00	
200A TP MCB/RCBO Board W/ INS 160A M/S Space 200A 三相 MCB/RCBO 配電箱帶INS 160A 總掣位	4	<b>BF12-104SDRM160</b>	\$1,236.00
	6	<b>BF12-106SDRM160</b>	\$1,371.00
	8	<b>BF12-108SDRM160</b>	\$1,538.00
	10	<b>BF12-110SDRM160</b>	\$1,854.00
	12	<b>BF12-112SDRM160</b>	\$2,273.00
	14	<b>BF12-114SDRM160</b>	\$2,444.00
	16	<b>BF12-116SDRM160</b>	\$2,615.00
	18	<b>BF12-118SDRM160</b>	\$2,790.00
	20	<b>BF12-120SDRM160</b>	\$3,802.00
	22	<b>BF12-122SDRM160</b>	\$4,523.00
24	<b>BF12-124SDRM160</b>	\$5,122.00	
125A TP&N MCB/RCBO Board W/ M/S Space 125A 四相 MCB/RCBO 配電箱帶總掣位	4	<b>BF17-104TN</b>	\$1,124.00
	6	<b>BF17-106TN</b>	\$1,286.00
	8	<b>BF17-108TN</b>	\$1,554.00
	10	<b>BF17-110TN</b>	\$1,774.00
	12	<b>BF17-112TN</b>	\$1,973.00
	14	<b>BF17-114TN</b>	\$2,364.00
	16	<b>BF17-116TN</b>	\$2,528.00
18	<b>BF17-118TN</b>	\$2,702.00	
200A TP&N MCB/RCBO Board W/ INS 250A M/S Space 200A 四相 MCB/RCBO 配電箱帶INS 250A 總掣位	4	<b>BF12-104SDTN</b>	\$1,492.00
	6	<b>BF12-106SDTN</b>	\$1,667.00
	8	<b>BF12-108SDTN</b>	\$2,198.00
	10	<b>BF12-110SDTN</b>	\$2,696.00
	12	<b>BF12-112SDTN</b>	\$3,415.00
	14	<b>BF12-114SDTN</b>	\$3,745.00
	16	<b>BF12-116SDTN</b>	\$3,809.00
18	<b>BF12-118SDTN</b>	\$3,962.00	
200A TP&N MCB/RCBO Board W/ INS 160A M/S Space 200A 四相 MCB/RCBO 配電箱帶INS 160A 總掣位	4	<b>BF12-104SDTNRM160</b>	\$1,420.00
	6	<b>BF12-106SDTNRM160</b>	\$1,587.00
	8	<b>BF12-108SDTNRM160</b>	\$2,093.00
	10	<b>BF12-110SDTNRM160</b>	\$2,566.00
	12	<b>BF12-112SDTNRM160</b>	\$3,252.00
	14	<b>BF12-114SDTNRM160</b>	\$3,567.00
	16	<b>BF12-116SDTNRM160</b>	\$3,627.00
18	<b>BF12-118SDTNRM160</b>	\$3,773.00	
Blanking Plate 相間隔板, 一組六個	SP MCB X 6	<b>BF19002</b>	\$42.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改, 恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。


# MCB/RCBO Distribution Boards 微型斷路器/漏電斷路保護器配電箱

1

## MCB/RCBO Boards 微型斷路器/漏電斷路保護器配電箱



B10006R



B12112RM160

Description	No. of way	Unit Reference	Unit Price HK\$
100A SPN MCB/RCBO Board C/W 2-pole M/S Space 100A 單相 MCB/RCBO 配電箱帶二極總掣位	6	<b>B10006R</b>	\$239.00
	8	<b>B10008R</b>	\$281.00
	10	<b>B10010R</b>	\$315.00
	12	<b>B10012R</b>	\$376.00
	14	<b>B10014R</b>	\$414.00
	16	<b>B10016R</b>	\$458.00
	2+2	<b>B10202R</b>	\$247.00
	3+3	<b>B10303R</b>	\$269.00
	4+4	<b>B10044R</b>	\$298.00
	8+4	<b>B10084R</b>	\$366.00
	10+4	<b>B10104R</b>	\$403.00
	10+6	<b>B10106R</b>	\$439.00
200A TPN MCB/RCBO Board C/W INS 160A M/S Space 200A 三相 MCB/RCBO 配電箱帶INS 160A 總掣位	4	<b>B12104RM160</b>	\$1,386.00
	6	<b>B12106RM160</b>	\$1,538.00
	8	<b>B12108RM160</b>	\$1,725.00
	10	<b>B12110RM160</b>	\$2,080.00
	12	<b>B12112RM160</b>	\$2,549.00
	14	<b>B12114RM160</b>	\$2,741.00
	16	<b>B12116RM160</b>	\$2,935.00
	18	<b>B12118RM160</b>	\$3,129.00
	20	<b>B12120RM160</b>	\$4,070.00
	22	<b>B12122RM160</b>	\$4,843.00
200A TPN MCB/RCBO Board C/W INS 200A M/S Space 200A 三相 MCB/RCBO 配電箱帶INS 200A 總掣位	4	<b>B12104RM250</b>	\$1,456.00
	6	<b>B12106RM250</b>	\$1,621.00
	8	<b>B12108RM250</b>	\$1,855.00
	10	<b>B12110RM250</b>	\$2,184.00
	12	<b>B12112RM250</b>	\$2,636.00
	14	<b>B12114RM250</b>	\$2,832.00
	16	<b>B12116RM250</b>	\$3,024.00
	18	<b>B12118RM250</b>	\$3,218.00
	20	<b>B12120RM250</b>	\$4,070.00
	22	<b>B12122RM250</b>	\$4,843.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Plug-On Type MCB & RCBO 插入式微型斷路器及漏電保護斷路器

QOVs

MCB Conform to 符合標準: IEC60898  
RCBO Conform to 符合標準: IEC61009

1

## SP MCB 微型斷路器, Type C, 220V, 50Hz



QO132VSC6

Current Rating A	kA	Unit Reference	Unit Price HK\$	kA	Unit Reference	Unit Price HK\$
10	6	QO110VSC6	\$38.00	10	QO110VSC10	\$85.00
16	6	QO116VSC6	\$38.00	10	QO116VSC10	\$85.00
20	6	QO120VSC6	\$38.00	10	QO120VSC10	\$85.00
32	6	QO132VSC6	\$38.00	10	QO132VSC10	\$85.00
40	6	QO140VSC6	\$54.00	10	QO140VSC10	\$107.00
50	6	QO150VSC6	\$54.00	10	QO150VSC10	\$107.00
63	6	QO163VSC6	\$54.00	10	QO163VSC10	\$107.00

## DP MCB 微型斷路器, Type C, 220V/380V, 50Hz



QO232VSC6

Current Rating A	kA	Unit Reference	Unit Price HK\$	kA	Unit Reference	Unit Price HK\$
32	6	QO232VSC6	\$161.00	10	QO232VSC10	\$206.00
40	6	QO240VSC6	\$206.00	10	QO240VSC10	\$264.00
63	6	QO263VSC6	\$206.00	10	QO263VSC10	\$264.00

## TP MCB 微型斷路器, Type C, 220V/380V, 50Hz



QO332VSC6

Current Rating A	kA	Unit Reference	Unit Price HK\$	kA	Unit Reference	Unit Price HK\$
10	6	QO310VSC6	\$212.00	10	QO310VSC10	\$287.00
16	6	QO316VSC6	\$212.00	10	QO316VSC10	\$287.00
20	6	QO320VSC6	\$212.00	10	QO320VSC10	\$287.00
32	6	QO332VSC6	\$212.00	10	QO332VSC10	\$287.00
40	6	QO340VSC6	\$320.00	10	QO340VSC10	\$377.00
50	6	QO350VSC6	\$320.00	10	QO350VSC10	\$377.00
63	6	QO363VSC6	\$320.00	10	QO363VSC10	\$377.00

## RCBO 漏電保護斷路器 with 240V, 50Hz, 30mA, Class AC, 1-pole without FE Cable



QO110C06RCBO30

Current Rating A	kA	Unit Reference	Unit Price HK\$	kA	Unit Reference	Unit Price HK\$
10	6	QO110C06RCBO30	\$394.00	10	QO110C10RCBO30	\$492.00
16	6	QO116C06RCBO30	\$394.00	10	QO116C10RCBO30	\$492.00
20	6	QO120C06RCBO30	\$394.00	10	QO120C10RCBO30	\$492.00
32	6	QO132C06RCBO30	\$394.00	10	QO132C10RCBO30	\$492.00
40	6	QO140C06RCBO30	\$394.00	10	QO140C10RCBO30	\$492.00
50	6	QO150C06RCBO30	\$394.00	10	QO150C10RCBO30	\$492.00

## RCBO 漏電保護斷路器 with 240V, 50Hz, 30mA, Class AC, 1-pole with FE Cable

Current Rating A	kA	Unit Reference	Unit Price HK\$
6	10	QO106C10RCBO30F	\$541.00
10	10	QO110C10RCBO30F	\$541.00
16	10	QO116C10RCBO30F	\$541.00
20	10	QO120C10RCBO30F	\$541.00
32	10	QO132C10RCBO30F	\$541.00
40	10	QO140C10RCBO30F	\$541.00
50	10	QO150C10RCBO30F	\$541.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Plug-On Type SPN, TP & TPN MCB Boards 插入式微型斷路器配電箱

Conform to 符合標準: IEC61439-3  
SPN MCB Boards Conform to 符合標準: IEC61439-3

1



S9HCL14

## 100A SPN MCB Boards 微型斷路器配電箱 c/w Space for Main Incomer

No. of Way	Dimensions (H x W x D) mm	Unit Reference	Unit Price HK\$
4	206 x 238 x 102	<b>S9HCL14</b>	\$458.00
6	206 x 238 x 102	<b>S9HCL16</b>	\$500.00
10	206 x 315 x 102	<b>S9HCL110</b>	\$574.00
14	206 x 391 x 102	<b>S9HCL114</b>	\$654.00
18	206 x 540 x 102	<b>S9HCL118</b>	\$717.00

## Accessories 附件

Description	Unit Reference	Unit Price HK\$
100A DP Main Switch	<b>QO2100MBX</b>	\$277.00

## 100A TPN MCB Boards 微型斷路器配電箱 c/w 100A Main Switch



SQDLC106-100

No. of way	Dimensions (H x W x D) mm	Unit Reference	Unit Price HK\$
4	453 x 380 x 121	<b>SQDLC104-100</b>	\$1,446.00
6	510 x 380 x 121	<b>SQDLC106-100</b>	\$1,625.00
8	567 x 380 x 121	<b>SQDLC108-100</b>	\$1,765.00
10	624 x 380 x 121	<b>SQDLC110-100</b>	\$2,014.00
12	681 x 380 x 121	<b>SQDLC112-100</b>	\$2,100.00
14	738 x 380 x 121	<b>SQDLC114-100</b>	\$2,190.00
16	795 x 380 x 121	<b>SQDLC116-100</b>	\$2,261.00
18	852 x 380 x 121	<b>SQDLC118-100</b>	\$2,533.00
20	909 x 380 x 121	<b>SQDLC120-100</b>	\$2,784.00

## 200A TPN MCB Boards 微型斷路器配電箱 c/w 200A Main Switch



SQDLC106-200

No. of way	Dimensions (H x W x D) mm	Unit Reference	Unit Price HK\$
4	567 x 380 x 121	<b>SQDLC104-200</b>	\$5,031.00
6	624 x 380 x 121	<b>SQDLC106-200</b>	\$5,294.00
8	681 x 380 x 121	<b>SQDLC108-200</b>	\$5,572.00
10	738 x 380 x 121	<b>SQDLC110-200</b>	\$5,637.00
12	795 x 380 x 121	<b>SQDLC112-200</b>	\$5,720.00
14	852 x 380 x 121	<b>SQDLC114-200</b>	\$5,785.00
16	909 x 380 x 121	<b>SQDLC116-200</b>	\$5,871.00
18	966 x 380 x 121	<b>SQDLC118-200</b>	\$6,456.00
20	1023 x 380 x 121	<b>SQDLC120-200</b>	\$7,101.00

# Power Distribution Circuit Breakers

## 電力輸配斷路器

Compact NSX/NS MCCB .....	2 - 1
塑殼斷路器	
Compact NSX/NS MCCB Accessories .....	2 - 5
塑殼斷路器附件	
Easypact CVS MCCB & Accessories .....	2 - 10
塑殼斷路器及附件	
Easypact EZC MCCB & Accessories .....	2 - 11
塑殼斷路器及附件	
Masterpact MTZ Air Circuit Breakers .....	2 - 12
空氣斷路器	
Masterpact MTZ Air Circuit Breaker Accessories .....	2 - 14
空氣斷路器附件	
Masterpact NW Air Circuit Breakers .....	2 - 19
空氣斷路器	
Masterpact NW Air Circuit Breaker Accessories .....	2 - 20
空氣斷路器附件	
Compact INS LV Switch-Disconnectors & Accessories .....	2 - 23
低壓負荷開關及附件	
Fupact LV Switch-Disconnecter Fuses & Accessories (w/o Fuse Links) ...	2 - 24
低壓菲士掣及附件 (不帶菲士膽)	
Compact INS Switch-Disconnectors in Enclosure .....	2 - 25
負荷開關連箱	
Fupact Switch-Disconnecter Fuses in Enclosure .....	2 - 25
菲士掣連箱	
MCCB Distribution Boards (with IEC 61439 Certification) .....	2 - 26
配電箱 (配備 IEC 61439 證書)	
MCCB Distribution Boards .....	2 - 29
配電箱	
PowerPact Plug-on Type MCCB Accessories & Distribution Boards .....	2 - 30
插入式塑殼斷路器附件及配電箱	
PowerPact Unit Mounting MCCB & Accessories .....	2 - 31
塑殼斷路器及附件	

# Compact NSX/NS

# MCCB 塑殼斷路器

1-pole & 2-pole MCCB from 16A to 100A  
3-pole Motor Type MCCB from 1.5A to 500A  
Conform to 符合標準 IEC 60947-2

2



Compact NSX 1-pole

## 1-pole & 2-pole MCCB from 16A to 100A

Type	Rating A	kA	Unit Reference	Unit Price HK\$
NSX100N 1-pole	16	25	<b>LV438572</b>	\$1,080.00
	25	25	<b>LV438574</b>	\$1,080.00
	30	25	<b>LV438575</b>	\$1,080.00
	40	25	<b>LV438576</b>	\$1,080.00
	63	25	<b>LV438578</b>	\$1,080.00
	80	25	<b>LV438579</b>	\$1,080.00
NSX100M 1-pole	100	25	<b>LV438580</b>	\$1,080.00
	16	40	<b>LV438582</b>	\$1,178.00
	25	40	<b>LV438584</b>	\$1,178.00
	30	40	<b>LV438585</b>	\$1,178.00
	40	40	<b>LV438586</b>	\$1,178.00
	63	40	<b>LV438588</b>	\$1,178.00
NSX100M 2-pole	80	40	<b>LV438589</b>	\$1,178.00
	100	40	<b>LV438590</b>	\$1,178.00
	16	85	<b>LV438602</b>	\$874.00
	25	85	<b>LV438604</b>	\$874.00
	30	85	<b>LV438605</b>	\$874.00
	40	85	<b>LV438606</b>	\$874.00
	63	85	<b>LV438608</b>	\$874.00
	80	85	<b>LV438609</b>	\$874.00
	100	85	<b>LV438610</b>	\$874.00



Compact NSX 2-pole

## 3-pole Motor Type MCCB from 1.5A to 500A

Type	Rating A	kA	Unit Reference	Unit Price HK\$
NSX100FMA	2.5	36	<b>LV429745</b>	\$974.00
	6.3	36	<b>LV429744</b>	\$974.00
	12.5	36	<b>LV429743</b>	\$974.00
	25	36	<b>LV429742</b>	\$974.00
	50	36	<b>LV429741</b>	\$974.00
	100	36	<b>LV429740</b>	\$974.00
NSX100NMA	6.3	50	<b>LV429754</b>	\$1,423.00
	12.5	50	<b>LV429753</b>	\$1,423.00
	25	50	<b>LV429752</b>	\$1,423.00
	50	50	<b>LV429751</b>	\$1,423.00
	100	50	<b>LV429750</b>	\$1,423.00
NSX160FMA	150	36	<b>LV430830</b>	\$1,709.00
NSX160NMA	150	50	<b>LV430832</b>	\$2,017.00
NSX250FMA	220	36	<b>LV431748</b>	\$2,798.00
NSX250NMA	220	50	<b>LV431752</b>	\$3,173.00
NSX400F 1.3M	320	36	<b>LV432748</b>	\$4,695.00
NSX400N 1.3M	320	50	<b>LV432749</b>	\$5,053.00
NSX630F 1.3M	500	36	<b>LV432948</b>	\$7,251.00
NSX630N 1.3M	500	50	<b>LV432949</b>	\$7,740.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

3-pole & 4-pole MCCB from 16A to 630A  
Conform to 符合標準 IEC 60947-2

3-pole & 4-pole MCCB from 16A to 630A

Type	Rating kA		Unit Reference	Unit Price HK\$	Unit Reference		Unit Price HK\$
	A	A			3-pole	4-pole	
NSX100F	16	36	Thermal-Magnetic	<b>LV429637</b>	\$1,128.00	<b>LV429647</b>	\$1,529.00
	25	36	Thermal-Magnetic	<b>LV429636</b>	\$1,128.00	<b>LV429646</b>	\$1,529.00
	32	36	Thermal-Magnetic	<b>LV429635</b>	\$1,128.00	<b>LV429645</b>	\$1,529.00
	40	36	Thermal-Magnetic	<b>LV429634</b>	\$1,128.00	<b>LV429644</b>	\$1,529.00
	50	36	Thermal-Magnetic	<b>LV429633</b>	\$1,128.00	<b>LV429643</b>	\$1,529.00
	63	36	Thermal-Magnetic	<b>LV429632</b>	\$1,128.00	<b>LV429642</b>	\$1,529.00
	80	36	Thermal-Magnetic	<b>LV429631</b>	\$1,128.00	<b>LV429641</b>	\$1,529.00
	100	36	Thermal-Magnetic	<b>LV429630</b>	\$1,128.00	<b>LV429640</b>	\$1,529.00
	40	36	Micrologic 2.2	<b>LV429772</b>	\$2,404.00	<b>LV429782</b>	\$3,216.00
	100	36	Micrologic 2.2	<b>LV429770</b>	\$2,404.00	<b>LV429780</b>	\$3,216.00
NSX160F	125	36	Thermal-Magnetic	<b>LV430631</b>	\$1,563.00	<b>LV430641</b>	\$2,213.00
	160	36	Thermal-Magnetic	<b>LV430630</b>	\$1,907.00	<b>LV430640</b>	\$2,599.00
	160	36	Micrologic 2.2	<b>LV430770</b>	\$2,841.00	<b>LV430780</b>	\$3,898.00
NSX250F	200	36	Thermal-Magnetic	<b>LV431631</b>	\$2,678.00	<b>LV431641</b>	\$3,642.00
	250	36	Thermal-Magnetic	<b>LV431630</b>	\$2,678.00	<b>LV431640</b>	\$3,642.00
	250	36	Micrologic 2.2	<b>LV431770</b>	\$3,527.00	<b>LV431780</b>	\$4,815.00
NSX400F	400	36	Micrologic 2.3	<b>LV432676</b>	\$4,042.00	<b>LV432677</b>	\$5,681.00
NSX630F	630	36	Micrologic 2.3	<b>LV432876</b>	\$7,031.00	<b>LV432877</b>	\$9,565.00
NSX100N	16	50	Thermal-Magnetic	<b>LV429847</b>	\$1,573.00	<b>LV429857</b>	\$2,142.00
	25	50	Thermal-Magnetic	<b>LV429846</b>	\$1,573.00	<b>LV429856</b>	\$2,142.00
	32	50	Thermal-Magnetic	<b>LV429845</b>	\$1,573.00	<b>LV429855</b>	\$2,142.00
	40	50	Thermal-Magnetic	<b>LV429844</b>	\$1,573.00	<b>LV429854</b>	\$2,142.00
	50	50	Thermal-Magnetic	<b>LV429843</b>	\$1,573.00	<b>LV429853</b>	\$2,142.00
	63	50	Thermal-Magnetic	<b>LV429842</b>	\$1,573.00	<b>LV429852</b>	\$2,142.00
	80	50	Thermal-Magnetic	<b>LV429841</b>	\$1,573.00	<b>LV429851</b>	\$2,142.00
	100	50	Thermal-Magnetic	<b>LV429840</b>	\$1,573.00	<b>LV429850</b>	\$2,142.00
	40	50	Micrologic 2.2	<b>LV429797</b>	\$2,849.00	<b>LV429807</b>	\$3,829.00
	100	50	Micrologic 2.2	<b>LV429795</b>	\$2,849.00	<b>LV429805</b>	\$3,829.00
NSX160N	125	50	Thermal-Magnetic	<b>LV430841</b>	\$1,871.00	<b>LV430851</b>	\$2,629.00
	160	50	Thermal-Magnetic	<b>LV430840</b>	\$2,215.00	<b>LV430850</b>	\$3,015.00
	160	50	Micrologic 2.2	<b>LV430775</b>	\$3,149.00	<b>LV430785</b>	\$4,314.00
NSX250N	200	50	Thermal-Magnetic	<b>LV431831</b>	\$2,968.00	<b>LV431841</b>	\$4,152.00
	250	50	Thermal-Magnetic	<b>LV431830</b>	\$2,968.00	<b>LV431840</b>	\$4,152.00
	250	50	Micrologic 2.2	<b>LV431870</b>	\$3,817.00	<b>LV431875</b>	\$5,325.00
NSX400N	400	50	Micrologic 2.3	<b>LV432693</b>	\$4,399.00	<b>LV432694</b>	\$5,958.00
NSX630N	630	50	Micrologic 2.3	<b>LV432893</b>	\$7,520.00	<b>LV432894</b>	\$10,228.00

Equipped with Micrologic 5.2E & 5.3E

Type	Rating kA		Unit Reference	Unit Price HK\$	Unit Reference		Unit Price HK\$
	A	A			3-pole	4-pole	
NSX100F	40	36	Micrologic 5.2E	<b>LV429403E5</b>	\$5,883.00	<b>LV429408E5</b>	\$6,469.00
	100	36	Micrologic 5.2E	<b>LV429003E5</b>	\$5,883.00	<b>LV429008E5</b>	\$6,469.00
NSX160F	160	36	Micrologic 5.2E	<b>LV430403E5</b>	\$6,812.00	<b>LV430408E5</b>	\$7,851.00
NSX250F	250	36	Micrologic 5.2E	<b>LV431403E5</b>	\$8,054.00	<b>LV431408E5</b>	\$9,334.00
NSX400F	400	36	Micrologic 5.3E	<b>LV432413E5</b>	\$8,878.00	<b>LV432415E5</b>	\$10,394.00
NSX630F	630	36	Micrologic 5.3E	<b>LV432813E5</b>	\$12,462.00	<b>LV432815E5</b>	\$14,065.00
NSX100N	40	50	Micrologic 5.2E	<b>LV429406E5</b>	\$6,328.00	<b>LV429411E5</b>	\$7,082.00
	100	50	Micrologic 5.2E	<b>LV429006E5</b>	\$6,328.00	<b>LV429011E5</b>	\$7,082.00
NSX160N	160	50	Micrologic 5.2E	<b>LV430406E5</b>	\$7,120.00	<b>LV430411E5</b>	\$8,267.00
NSX250N	250	50	Micrologic 5.2E	<b>LV431406E5</b>	\$8,344.00	<b>LV431411E5</b>	\$9,844.00
NSX400N	400	50	Micrologic 5.3E	<b>LV432403E5</b>	\$9,235.00	<b>LV432408E5</b>	\$10,671.00
NSX630N	630	50	Micrologic 5.3E	<b>LV432803E5</b>	\$12,951.00	<b>LV432808E5</b>	\$14,728.00



Compact NSX400/630

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。



MCCB Type Automatic Transfer Switches

4-pole Automatic Transfer Switches (Operated by MCCB)  
四極電源自動轉換系統 (由塑殼斷路器操作)



Remote-Operated Source-Changover System

Rating A	kA	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
Front Connection					
100	50	LV429850ATSA <sup>(1)</sup>	\$19,927.00	-	-
160	50	LV430850ATSA <sup>(1)</sup>	\$20,791.00	-	-
200	50	LV431841ATSA <sup>(1)</sup>	\$23,754.00	-	-
250	50	LV431840ATSA <sup>(1)</sup>	\$24,467.00	-	-
400	50	LV432694ATSA <sup>(1)</sup>	\$37,780.00	-	-
400	70	LV432696ATSA <sup>(1)</sup>	\$39,571.00	-	-
630	50	LV432894ATSA <sup>(1)</sup>	\$46,321.00	-	-
630	70	LV432896ATSA <sup>(1)</sup>	\$49,389.00	-	-
800	50	NS08NATSA <sup>(2)</sup>	\$52,658.00	NS08NATSC <sup>(2)</sup>	\$54,882.00
1000	50	NS10NATSA <sup>(2)</sup>	\$68,963.00	NS10NATSC <sup>(2)</sup>	\$71,188.00
1250	50	NS12NATSA <sup>(2)</sup>	\$78,792.00	NS12NATSC <sup>(2)</sup>	\$81,018.00
1600	50	NS16NATSA <sup>(2)</sup>	\$93,477.00	NS16NATSC <sup>(2)</sup>	\$95,703.00
Different Normal (N) and Replacement (R) Combination				-	on request

2

4-pole Automatic Transfer Switches (Operated by Switch-disconnector)  
四極電源自動轉換系統 (由負荷開關操作)

Rating A	Unit Reference	Unit Price HK\$
100	LV429639ATSS <sup>(3)</sup>	\$17,091.00
160	LV430639ATSS <sup>(3)</sup>	\$18,448.00
250	LV431639ATSS <sup>(3)</sup>	\$21,672.00
400	LV432757ATSS <sup>(3)</sup>	\$36,102.00
630	LV432957ATSS <sup>(3)</sup>	\$39,806.00
800	33492ATSS <sup>(4)</sup>	\$50,030.00
1000	33493ATSS <sup>(4)</sup>	\$68,670.00
1250	33494ATSS <sup>(4)</sup>	\$74,848.00
1600	33495ATSS <sup>(4)</sup>	\$88,801.00
Different Normal (N) and Replacement (R) Combination		on request

Automatic Controllers 自動控制器<sup>(5)</sup>

	220/240VAC 50/50Hz		380/415VAC 50/60Hz 480VAC 60Hz	
	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
ACP + BA	29470	\$9,730.00	29471	\$9,730.00
ACP + UA	29472	\$12,164.00	29473	\$12,164.00

- (1) Automatic Transfer Switch (ATS) c/w:  
 - 2 x 4-pole MCCB (FFC) fixed front connected  
 - 2 x AC motor mechanism  
 - 1 x control accessories  
 - 1 x base plate with mechanical and electrical interlocking (IVE)  
 - 1 x automatic controller (optional)  
 - Rear connection (optional)

- (2) Automatic Transfer Switch (ATS) c/w:  
 - 2 fixed type MCCB  
 - Electrically operated  
 - Interlocking by rods  
 - Auxiliary contacts (OF/SD/SDE)

- (3) Automatic Transfer Switch (ATS) c/w:  
 - 2 x 4-pole switch disconnector  
 - 2 x AC motor mechanism  
 - 1 x control accessories  
 - 1 x base plate with mechanical and electrical interlocking (IVE)  
 - 1 x automatic controller (optional)  
 - Rear connection (optional)

- (4) Automatic Transfer Switch (ATS) c/w:  
 - 2 x fixed type switch disconnector  
 - Electrically operated  
 - Interlocking by rods  
 - Auxiliary contacts (OF/SD/SDE)

- (5) For 4-pole Automatic Transfer Switches above 630A, please consult Schneider Electric (Hong Kong) Limited.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Control Units 控制單元 for MCCB from 800A to 1600A<sup>(1)</sup>  
(To be added to/removed from the Circuit Breaker Price)

Description	Unit Price HK\$
NS800 - NS1600 Micrologic 2.0 (without Ammeter)	\$4,767.00
NS800 - NS1600 Micrologic 5.0 (without Ammeter)	\$9,836.00
NS800 - NS1600 Micrologic 2.0E (with Energy Meter)	\$5,767.00
NS800 - NS1600 Micrologic 5.0E (with Energy Meter)	\$8,731.00
NS800 - NS1600 Micrologic 6.0E (with Energy Meter) <sup>(2)</sup>	\$12,154.00
NS800 - NS1600 Micrologic 7.0A (with Ammeter)	\$11,529.00

## Undervoltage Releases 失壓線圈 (MN)

	220VAC	380VAC	24VDC	30VDC	110VDC	125VDC	Unit Price HK\$
For use with	<b>Unit Reference</b>						Unit Price HK\$
NSX100 - NSX630							
NS800 - NS1600	<b>LV429407</b>	<b>LV429408</b>	<b>LV429410</b>	<b>LV429411</b>	<b>LV429413</b>	<b>LV429413</b>	\$699.00
	<b>33671</b>		<b>33668</b>		<b>33670</b>	<b>-</b>	\$1,718.00

## Auxiliary Contacts 輔助接點 (OF, SD, SDE)

Circuit Breaker	For use with	Unit Reference	Unit Price HK\$	
NSX100 - NSX250	Micrologic 5 / 6 Series	SDE	<b>29450</b>	\$223.00
	TMD / MA / Micrologic 2 Series	SDE	<b>29450 + LV429451</b>	\$280.00
	All Trip Unit	SD / OF	<b>29450</b>	\$223.00
NSX400 - NSX630	All Trip Unit	SDE / SD / OF	<b>29450</b>	\$223.00
NS800 - NS1600	Fixed Devices	SDE / SD / OF	<b>29450</b>	\$223.00
	Drawout Devices	SDE	<b>33799</b>	\$424.00
		SD	<b>33800</b>	\$424.00
	OF	<b>33801</b>	\$424.00	

Motor Mechanism 電動機操作<sup>(3)(4)</sup>

	220VAC	380VAC	24VDC	110VDC	Unit Price HK\$
For use with	<b>Unit Reference</b>		<b>Unit Reference</b>		Unit Price HK\$
NSX100 - 160	<b>LV429434A</b>	<b>LV429435A</b>	<b>LV429436A</b>	<b>LV429438A</b>	\$4,604.00
NSX250	<b>LV431541A</b>	<b>LV431542A</b>	<b>LV431543A</b>	<b>LV431545A</b>	\$5,429.00
NSX400 - 630	<b>LV432641A</b>	<b>LV432642A</b>	<b>LV432643A</b>	<b>LV432645A</b>	\$8,017.00

## Vigi Block MH/MB 漏電保護模塊

For use with	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	3-pole		4-pole	
NSX100 - 160	<b>LV429210</b>	\$3,513.00	<b>LV429211</b>	\$4,132.00
NSX250	<b>LV431535</b>	\$4,200.00	<b>LV431536</b>	\$5,163.00
NSX400 - 630	<b>LV432455</b>	\$6,358.00	<b>LV432456</b>	\$7,320.00

## Shunt Releases 分勵線圈 (MX)

For use with	220VAC	380VAC	24VDC	30VDC	110VDC	125VDC	Unit Price HK\$
	<b>Unit Reference</b>						Unit Price HK\$
NSX100 - NSX630	<b>LV429387</b>	<b>LV429388</b>	<b>LV429390</b>	<b>LV429391</b>	<b>LV429393</b>	<b>LV429393</b>	\$452.00
NS800 - NS1600	<b>33662</b>	<b>33664</b>	<b>33659</b>	<b>33659</b>	<b>33661</b>	<b>-</b>	\$1,718.00

(1) Other E, P and H type Micrologic control units are available.

(2) For Micrologic 6 series, external CT 33576 for earth fault protection is required for 3-pole application.

(3) Not for individual sale. Requires purchase and assembly on circuit breaker by Schneider Electric (Hong Kong) Limited.

(4) Each set of motor mechanism includes 1 x OF-SDE (29450) and 1 x 9-wire cable (LV429272).

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Connections 連接

For use with	Connection	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
			3-pole		4-pole
NSX100 - 250	Rear	<b>LV429239</b>	\$606.00	<b>LV429240</b>	\$847.00
NSX400 - 630	Rear	<b>LV432477</b>	\$1,194.00	<b>LV432478</b>	\$1,692.00
NS800 - NS1000	Front	Top	<b>33598</b>	<b>33608</b>	\$877.00
		Bottom	<b>33599</b>	<b>33609</b>	\$877.00
NS1250	Front	Top	<b>33600</b>	<b>33610</b>	\$877.00
		Bottom	<b>33601</b>	<b>33611</b>	\$877.00
NS1600	Front	Top	<b>33602</b>	<b>33612</b>	\$877.00
		Bottom	<b>33603</b>	<b>33613</b>	\$877.00
NS800 - NS1600	Rear Vertical	Top	<b>33604</b>	<b>33614</b>	\$1,499.00
		Bottom	<b>33605</b>	<b>33615</b>	\$1,499.00
NS800 - NS1600	Rear Horizontal	Top	<b>33606</b>	<b>33616</b>	\$1,499.00
		Bottom	<b>33607</b>	<b>33617</b>	\$1,499.00

Direct Rotary Handles 直接旋轉手柄

For use with	Unit Reference	Unit Price HK\$
NSX100 - 250	<b>LV429337</b>	\$233.00
NSX400 - 630	<b>LV432597</b>	\$437.00
NS800 - NS1600	<b>33863</b>	\$833.00

Extended Rotary Handles 延伸旋轉手柄

For use with	Unit Reference	Unit Price HK\$	
NSX100 - 250	<b>LV429338</b>	\$310.00	
NSX400 - 630	<b>LV432598</b>	\$466.00	
NS800 - NS1600	Black	<b>33878<sup>(1)</sup></b>	\$896.00
	Red/Yellow Front	<b>33879<sup>(1)</sup></b>	\$1,267.00

Locking and Accessories 鎖件及附件



29370

Accessory	Unit Reference	Unit Price HK\$	
<b>For use with Basic Toggle from 100 to 630A</b>			
Toggle Locking for 1 to 3 Padlocks NSX100 - 630	<b>29370</b>	\$91.00	
<b>For use with Rotary Handle from 100 to 630A</b>			
Keylock Adaptor NSX100 - 250	<b>LV429344</b>	\$132.00	
NSX400 - 630	<b>LV432604</b>	\$132.00	
Profalux Keylock NSX100 - 630	1 Lock	<b>42888</b>	\$399.00
	2 Locks 1 Key System	<b>42888-2L1K</b>	\$1,184.00
<b>For use with Manual operated MCCB from 800A to 1600A</b>			
Keylock Kit (without Keylock) NS800 - NS1600	<b>33868</b>	\$123.00	
Profalux Keylock NS800 - NS1600	Off Position	<b>33869</b>	\$563.00
	Off & On Position	<b>33871</b>	\$563.00
<b>For use with Electrical operated MCCB from 800A to 1600A</b>			
Keylock Kit (without Keylock) NS800 - NS1600	<b>33899</b>	\$435.00	
Profalux Keylock NS800 - NS1600	1 Lock	<b>33902</b>	\$804.00
	1 Lock + 1 Lock with Same Key Profile	<b>33904</b>	\$1,605.00

(1) Not for individual sale.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

### Interphase Barriers 相間隔板

For use with MCCB from 100A to 630A		Unit Reference	Unit Price HK\$
NSX100 - 250	Set of 6	<b>LV429329</b>	\$133.00
NSX400 - 630	Set of 6	<b>LV432570</b>	\$191.00
For use with MCCB from 800A to 1600A		Unit Reference	Unit Price HK\$
Fixed Type	Front Connection (3P/4P, Set of 3)	<b>33646</b>	\$246.00
	Rear Connection (3P/4P, Set of 3)	<b>33648</b>	\$394.00
Drawout Type	3P/4P, Set of 3	<b>33768</b>	\$394.00

### Spreaders 端子擴展

For use with MCCB from 100A to 630A		Unit Reference	Unit Price HK\$
NSX100 - 250	3-pole	<b>LV431563</b>	\$111.00
	4-pole	<b>LV431564</b>	\$153.00
NSX400 - 630	52.5mm 3-pole	<b>LV432490</b>	\$369.00
	4-pole	<b>LV432491</b>	\$469.00
	70mm 3-pole	<b>LV432492</b>	\$432.00
	4-pole	<b>LV432493</b>	\$575.00
For use with MCCB from 800A to 1600A		Unit Reference	Unit Price HK\$
NS800 - NS1600	3P	<b>33622</b>	\$1,703.00
NS800 - NS1600	4P	<b>33623</b>	\$2,271.00

### External CT for Earth Fault Protection 接地故障保護外置電流互感器<sup>(1)</sup>

Rating A	Unit Reference	Unit Price HK\$
NSX100	<b>LV429521</b>	\$1,823.00
NSX160 - 250	<b>LV430563</b>	\$1,879.00
NSX400 - 630	<b>LV432575</b>	\$2,931.00
NS800 - 1600	<b>33576</b>	\$6,599.00

### Communication Accessories 通訊附件



LV434001



LV434000



LV434128


	Length	Unit Pack	Unit Reference	Unit Price HK\$
(A)+(D) NSX Cord (Including Internal Terminal Block)	0.35m		<b>LV434200</b>	\$460.00
	1.3m		<b>LV434201</b>	\$488.00
	3m		<b>LV434202</b>	\$515.00
(B) BSCM - Breaker Status Control Module			<b>LV434205</b>	\$1,167.00
(E) I/O Application Module			<b>LV434063</b>	\$5,259.00
(F) IFE Interface Module			<b>LV434001</b>	\$4,467.00
			<b>LV434002</b>	\$4,521.00
(G) IFM Modbus Serial Module			<b>LV434000</b>	\$1,122.00
(H) ULP Cable	0.3m	10	<b>TRV00803</b>	\$585.00
	0.6m	10	<b>TRV00806</b>	\$659.00
	1m	5	<b>TRV00810</b>	\$538.00
	2m	5	<b>TRV00820</b>	\$829.00
	3m	5	<b>TRV00830</b>	\$1,157.00
	5m	1	<b>TRV00850</b>	\$355.00
Stacking Connectors for IFM		10	<b>TRV00217</b>	\$361.00
FDM128 Switchboard Display for upto 8 LV Devices			<b>LV434128</b>	\$6,941.00
FDM121 Front Display Module (96 x 96mm)			<b>TRV00121</b>	\$1,785.00
ULP Line Terminator		10	<b>TRV00880</b>	\$290.00
External Power Supply Module (24VDC-1A) Class 4, 200-240VAC			<b>54444</b>	\$2,038.00
External Power Supply Module 200-240VAC			<b>ABL8MEM24012</b>	\$1,041.00
Pocket Battery for Micrologic NSX100-630			<b>LV434206</b>	\$2,766.00

(1) For earth fault protection (T) of Micrologic 6 series in 3-pole applications, installation is on ongoing neutral conductor outside the circuit breaker.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information. 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Communication Wiring System


Electrical measurements, operation data for predictive maintenance, can be provided for local display or distant monitoring.



2


Simplified IFM Installation

Stacking IFM



Stacking Accessories Up to 12 Stacked IFM

Stacking an IFE Interface + Gateway with IFMs



All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Plug-In Bases 插入式底座<sup>(1)(2)</sup>

	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
For use with Compact	3-pole		4-pole	
NSX100 - 250	<b>LV429289</b>	\$869.00	<b>LV429290</b>	\$1,137.00
NSX400 - 630	<b>LV432538</b>	\$1,709.00	<b>LV432539</b>	\$2,419.00
For use with Vigicompact				
NSX100 - 250	<b>LV429291</b>	\$1,172.00	<b>LV429292</b>	\$1,541.00
NSX400 - 630	<b>LV432540</b>	\$2,363.00	<b>LV432541</b>	\$3,291.00

Withdrawable Chassis (with Plug-In Base) 可抽出式機架 (帶插入式底座)<sup>(1)(2)</sup>

Rating	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
A				
	3-pole		4-pole	
100 - 250	<b>LV429299</b>	\$2,171.00	<b>LV429300</b>	\$2,439.00
400 - 630	<b>LV432542</b>	\$3,621.00	<b>LV432543</b>	\$4,331.00

## Plug-In / Withdrawable Configuration Accessories 插入式/可抽出式的配置附件

	Unit Reference	Unit Price HK\$
1 9-Wire Fixed Connector (for Base)	NSX100 - 630	<b>LV429273</b> \$183.00
1 9-Wire Moving Connector (for Circuit Breakers)	NSX100 - 250	<b>LV429274</b> \$118.00
	NSX400 - 630	<b>LV432523</b> \$118.00
1 Support for 2 Moving Connectors	NSX100 - 250	<b>LV429275</b> \$66.00
	NSX400 - 630	<b>LV432525</b> \$85.00
9-Wire Manual Auxiliary Connector (Fixed + Moving)	NSX100 - 630	<b>LV429272</b> \$376.00

## Chassis 機架 for MCCB from 800A to 1600A

Rating	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
A				
	3-pole		4-pole	
NS800 - NS1250	<b>33722</b>	\$6,177.00	<b>33725</b>	\$7,847.00
NS1600	<b>33723</b>	\$7,415.00	<b>33726</b>	\$9,517.00

## Installation Accessories 安裝附件 for MCCB from 800A to 1600A

Type	Unit Reference	Unit Price HK\$
NS800 - NS1600 (Fixed Type) Escutcheon for Device with Toggle (Large Cutout)	<b>33718</b>	\$270.00
	- Device with Rotary Handle	
	- Electrically Operated Device	
NS800 - NS1600 (Drawout Type) Escutcheon / 1 part	<b>33857</b>	\$614.00

## Chassis Accessories 機架附件 for MCCB from 800A to 1600A

	Unit Reference	Unit Price HK\$
NS800 - NS1600 (Auxiliary Terminal Shield)	3P	<b>33763</b> \$430.00
	4P	<b>33764</b> \$491.00

(1) Not for individual sale.

(2) For installation of shunt release (MX), undervoltage release (MN), auxiliary contact (OF, SD, SDE) or motor mechanism (MT), it is necessary to add 1 x 9-wire fixed connector (for base), 1 x 9-wire moving connector (for Circuit Breakers) and 1 x support for 2 moving connectors or 1 x 9-wire manual auxiliary connector (fixed + moving).

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

3-pole MCCB from 16A to 600A  
Conform to 符合標準 IEC 60947-2

### Complete with Thermal-Magnetic Trip Unit 帶熱磁脫扣器



CVS100-250

Type	Rating A	kA	Unit Reference	Unit Price HK\$
CVS100	16	36	<b>LV510330</b>	\$805.00
	25	36	<b>LV510331</b>	\$805.00
	32	36	<b>LV510332</b>	\$805.00
	40	36	<b>LV510333</b>	\$805.00
	50	36	<b>LV510334</b>	\$805.00
	63	36	<b>LV510335</b>	\$805.00
	80	36	<b>LV510336</b>	\$805.00
CVS160	100	36	<b>LV510337</b>	\$805.00
	125	36	<b>LV516332</b>	\$1,100.00
CVS250	160	36	<b>LV516333</b>	\$1,342.00
	200	36	<b>LV525332</b>	\$1,884.00
CVS400	250	36	<b>LV525333</b>	\$2,035.00
	320	36	<b>LV540305</b>	\$3,859.00
CVS630	400	36	<b>LV540306</b>	\$3,932.00
	500	36	<b>LV563305</b>	\$6,592.00
	600	36	<b>LV563306</b>	\$6,719.00

2

### Accessories 附件

#### Electrical Auxiliaries 電動輔件



CVS400

Rating (A)	Accessories	Unit Reference	Unit Price HK\$		
100 - 630	220-230VAC	380-400VAC	30VDC		
	MX 分勵線圈	<b>LV429387</b>	<b>LV429388</b>	<b>LV429391</b>	\$452.00
	MN 失壓線圈	<b>LV429407</b>	<b>LV429408</b>	<b>LV429411</b>	\$699.00
	OF 輔助接點	<b>29450</b>	<b>29450</b>	<b>29450</b>	\$223.00

#### Rotary Handles 旋轉手柄

Rating (A)	Type of Rotary Handle	Unit Reference	Unit Price HK\$
100 - 250	Direct 直接	<b>LV429337</b>	\$233.00
	Extended 延伸	<b>LV429338</b>	\$310.00
400 - 630	Direct 直接	<b>LV432597</b>	\$437.00
	Extended 延伸	<b>LV432598</b>	\$466.00

#### Locking Accessories 鎖件附件



29370

Rating (A)	Accessory	Unit Reference	Unit Price HK\$
100 - 630	Toggle Locking for 1 to 3 Padlocks 鎖件供1至3個掛鎖	<b>29370</b>	\$91.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

2-pole & 3-pole MCCB from 15A to 100A  
Conform to 符合標準 IEC 60947-2

2



EZC100 3-pole



EZC100 2-pole

2-pole & 3-pole, 380V 兩極及三極

Type	Rating A	kA	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
			2-pole		3-pole	
EZC100B	15	7.5	-	-	<b>EZC100B3015</b>	\$283.00
	20	7.5	-	-	<b>EZC100B3020</b>	\$283.00
	25	7.5	-	-	<b>EZC100B3025</b>	\$283.00
	30	7.5	-	-	<b>EZC100B3030</b>	\$283.00
	40	7.5	-	-	<b>EZC100B3040</b>	\$283.00
	50	7.5	-	-	<b>EZC100B3050</b>	\$283.00
EZC100N	60	7.5	-	-	<b>EZC100B3060</b>	\$283.00
	15	18	-	-	<b>EZC100N3015</b>	\$360.00
	20	18	-	-	<b>EZC100N3020</b>	\$360.00
	25	18	-	-	<b>EZC100N3025</b>	\$360.00
	30	18	-	-	<b>EZC100N3030</b>	\$360.00
	40	18	-	-	<b>EZC100N3040</b>	\$360.00
EZC100H	50	18	-	-	<b>EZC100N3050</b>	\$360.00
	60	18	-	-	<b>EZC100N3060</b>	\$389.00
	75	18	-	-	<b>EZC100N3075</b>	\$452.00
	80	18	-	-	<b>EZC100N3080</b>	\$452.00
	100	18	-	-	<b>EZC100N3100</b>	\$452.00
	15	30	<b>EZC100H2015</b>	\$268.00	<b>EZC100H3015</b>	\$597.00
	20	30	<b>EZC100H2020</b>	\$268.00	<b>EZC100H3020</b>	\$597.00
	25	30	<b>EZC100H2025</b>	\$268.00	<b>EZC100H3025</b>	\$597.00
	30	30	<b>EZC100H2030</b>	\$268.00	<b>EZC100H3030</b>	\$597.00
	40	30	<b>EZC100H2040</b>	\$268.00	<b>EZC100H3040</b>	\$597.00
50	30	<b>EZC100H2050</b>	\$268.00	<b>EZC100H3050</b>	\$597.00	
60	30	<b>EZC100H2060</b>	\$297.00	<b>EZC100H3060</b>	\$597.00	
75	30	<b>EZC100H2075</b>	\$353.00	<b>EZC100H3075</b>	\$597.00	
80	30	<b>EZC100H2080</b>	\$353.00	<b>EZC100H3080</b>	\$597.00	
100	30	<b>EZC100H2100</b>	\$353.00	<b>EZC100H3100</b>	\$597.00	

Auxiliaries 輔件



EZCAUX10

	Unit Reference	Unit Price HK\$
Auxiliary Switch (AX)	<b>EZCAUX10</b>	\$168.00
Alarm Switch (AL)	<b>EZCAUX01</b>	\$153.00
Auxiliary Switch/Alarm Switch (AX + AL)	<b>EZCAUX11</b>	\$253.00
Shunt Trip (SHT)	100-130VAC	<b>EZASHT100AC</b> \$320.00
	200-277VAC	<b>EZASHT200AC</b> \$320.00
	380-480VAC	<b>EZASHT380AC</b> \$320.00
Under Voltage Release (UVR)	100-130VAC	<b>EZAUVR110AC</b> \$749.00
	200-240VAC	<b>EZAUVR200AC</b> \$749.00
	277VAC	<b>EZAUVR277AC</b> \$749.00
	380-415VAC	<b>EZAUVR380AC</b> \$749.00
	440-480VAC	<b>EZAUVR440AC</b> \$749.00

Accessories 附件



EZAROTDS

	Unit Reference	Unit Price HK\$
Direct Rotary Handle	<b>EZAROTDS</b>	\$257.00
Extended Rotary Handle	<b>EZAROTE</b>	\$357.00
Padlocking System	<b>EZALOCK</b>	\$48.00
Terminal Shield for 3-pole only (Set of 2)	<b>EZATSHD3P</b>	\$61.00
Sealing Screw (Set of 2)	<b>EZASSCR</b>	\$37.00
Phase Barrier (Set of 2)	<b>EZAFASB2</b>	\$37.00
Din Rail Adaptor	<b>EZADINR</b>	\$58.00
Cable Lug up to 50A (Set of 2)	<b>EZALUG0502<sup>(1)</sup></b>	\$72.00
Cable Lug up to 50A (Set of 3)	<b>EZALUG0503<sup>(1)</sup></b>	\$77.00
Cable Lug from 60A up to 100A (Set of 2)	<b>EZALUG1002<sup>(2)</sup></b>	\$72.00
Cable Lug from 60A up to 100A (Set of 3)	<b>EZALUG1003<sup>(2)</sup></b>	\$77.00

(1) For cables 1.5-16 mm<sup>2</sup>  
(2) For cables 5.5-50 mm<sup>2</sup>

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

MTZ2 800A to 4000A Fixed & Drawout Circuit Breakers  
Ics = 100%Icu = 66kA, Icw = 66kA 1 sec

## MTZ2 H1 Circuit Breakers with Micrologic 2.0X 斷路器連 2.0X 控制單元

Order Reference: GCR\_MTZ2\_CB

### Fixed 固定式<sup>(1)</sup>



MTZ2 Drawout Circuit Breaker

In (40°C) Rating (A)	Product Code 3P	Unit Price HK\$	Product Code 4P	Unit Price HK\$
800	WACFAA①NN**ANN	\$26,552.00	WACFA②①NN**ANN	\$32,903.00
1000	WADGAA①NN**ANN	\$28,538.00	WADGA②①NN**ANN	\$34,986.00
1250	WAEIAA①NN**ANN	\$30,164.00	WAEIA②①NN**ANN	\$36,986.00
1600	WAFJAA①NN**ANN	\$35,069.00	WAFJA②①NN**ANN	\$44,236.00
2000	WAGKAA①NN**ANN	\$43,752.00	WAGKA②①NN**ANN	\$56,371.00
2500	WAHLAA①NN**ANN	\$51,332.00	WAHLA②①NN**ANN	\$66,368.00
3200	WAIPAA①NN**ANN	\$65,066.00	WAIPA②①NN**ANN	\$82,276.00
4000	WAJRAA①NN**ANN	\$94,555.00	WAJRA②①NN**ANN	\$118,536.00

### Drawout 抽出式<sup>(2)</sup>

In (40°C) Rating (A)	Product Code 3P	Unit Price HK\$	Product Code 4P	Unit Price HK\$
800	WACFAD①NN**ANN	\$37,028.00	WACFA②①AN**ANN	\$46,093.00
1000	WADGAD①NN**ANN	\$38,997.00	WADGA②①AN**ANN	\$48,050.00
1250	WAEIAD①NN**ANN	\$40,523.00	WAEIA②①AN**ANN	\$49,929.00
1600	WAFJAD①NN**ANN	\$44,933.00	WAFJA②①AN**ANN	\$56,456.00
2000	WAGKAD①NN**ANN	\$56,064.00	WAGKA②①AN**ANN	\$71,864.00
2500	WAHLAD①NN**ANN	\$62,622.00	WAHLA②①AN**ANN	\$80,458.00
3200	WAIPAD①NN**ANN	\$79,809.00	WAIPA②①AN**ANN	\$101,653.00
4000	WAJRAD①NN**ANN	\$109,240.00	WAJRA②①AN**ANN	\$137,514.00



Micrologic Control Unit

### Micrologic Control Units 控制單元<sup>(3)</sup>

		Additional Unit Price HK\$
Basic Protection	2.0X	Standard
Selective Protection	5.0X	+ \$3,112.00
Selective + Earth-Fault Protection	6.0X <sup>(4)</sup>	+ \$6,706.00
Selective + Earth-Leakage Protection	7.0X <sup>(5)</sup>	+ \$6,049.00

### Digital Modules 數字模塊<sup>(3)(6)</sup>

	Unit Reference	Unit Price HK\$
Energy per phase	LV850002	Standard
Wave Form Capture on Trip Event	LV850003	\$4,412.00
Power Restoration Assistant	LV850004	\$1,658.00
Masterpact Operation Assistant	LV850005	\$1,097.00
Individual Harmonics Analysis	LV850006	\$3,060.00
ANSI 51N/51G - Ground Fault Alarm	LV850007	\$3,366.00
Energy Reduction Maintenance Settings	LV850009	\$16,218.00
ANSI 32P - Reverse Power Protection	LV850011	\$2,780.00
ANSI 27/59 - Under/Over Voltage Protection	LV850012	\$2,780.00
Modbus Legacy Dataset	LV850045	\$969.00

① Connection - to be replaced with suffix "A" for horizontal or suffix "E" for vertical

② 4P neutral - to be replaced with suffix "E" for LHS or suffix "F" for RHS

(1) Fixed Type includes basic unit, top and bottom rear connection and Micrologic 2.0X.

(2) Drawout Type includes basic unit, chassis, safety shutter and locking block, top and bottom rear connection and Micrologic 2.0X.

(3) Please use MyPact Platform to configure circuit breaker with required Micrologic Control Unit and Digital Modules.

(4) For 3-pole ACB with Micrologic 6.0X, it is necessary to add external sensor for earth-fault protection (TCE).

(5) For all ACB with Micrologic 7.0X, it is necessary to add rectangular sensor for earth-leakage protection.

(6) For upgrading digital module in existing MTZ ACB, please consult Schneider Electric (Hong Kong) Limited.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Masterpact Air Circuit Breakers MTZ 空氣斷路器

MTZ2 800A to 4000A Fixed & Drawout Circuit Breakers  
Ics = 100% Icu = 66kA, Icw = 66kA 1 sec

2

## MTZ2 HA Switch-Disconnectors 負荷開關

Order Reference: GCR\_MTZ2\_SD

### Fixed 固定式

In (40°C) Rating (A)	Product Code 3P	Unit Price HK\$	Product Code 4P	Unit Price HK\$
800	RHCNNA①NN	\$18,583.00	RHCNNB①NN	\$24,342.00
1000	RHDNNA①NN	\$20,384.00	RHDNNB①NN	\$26,230.00
1250	RHENNA①NN	\$21,857.00	RHENNB①NN	\$28,042.00
1600	RHFNNA①NN	\$26,306.00	RHFNNB①NN	\$34,616.00
2000	RHGNNNA①NN	\$34,178.00	RHGNNB①NN	\$45,620.00
2500	RHHNNA①NN	\$41,051.00	RHHNNB①NN	\$54,683.00
3200	RHINNA①NN	\$53,503.00	RHINNB①NN	\$69,105.00
4000	RHJNNA①NN	\$80,238.00	RHJNNB①NN	\$101,980.00

### Drawout 抽出式

In (40°C) Rating (A)	Product Code 3P	Unit Price HK\$	Product Code 4P	Unit Price HK\$
800	RHCNND①NN	\$28,082.00	RHCNNE①NN	\$36,299.00
1000	RHDNND①NN	\$29,866.00	RHDNNE①NN	\$38,074.00
1250	RHENND①NN	\$31,250.00	RHENNE①NN	\$39,780.00
1600	RHFNND①NN	\$35,248.00	RHFNNE①NN	\$45,695.00
2000	RHGNNND①NN	\$45,341.00	RHGNNNE①NN	\$59,665.00
2500	RHHNND①NN	\$51,287.00	RHHNNE①NN	\$67,459.00
3200	RHINND①NN	\$66,869.00	RHINNE①NN	\$86,673.00
4000	RHJNND①NN	\$93,553.00	RHJNNE①NN	\$119,189.00

## Chassis 機架

Order Reference: GCR\_MTZ2\_CHASSIS

### MTZ2 H1 Circuit Breakers 斷路器

Rating (A)	Product Code 3P	Unit Price HK\$	Product Code 4P	Unit Price HK\$
800	HACNTJ①AN	\$13,755.00	HACNTK①AN	\$16,749.00
1000	HADNTJ①AN	\$13,755.00	HADNTK①AN	\$16,749.00
1250	HAENTJ①AN	\$13,755.00	HAENTK①AN	\$16,749.00
1600	HAFNTJ①AN	\$13,755.00	HAFNTK①AN	\$16,749.00
2000	HAGNTJ①AN	\$16,135.00	HAGNTK①AN	\$19,924.00
2500	HAHNTJ①AN	\$16,135.00	HAHNTK①AN	\$19,924.00
3200	HAINTJ①AN	\$20,785.00	HAINTK①AN	\$26,126.00
4000	HAJNTJ①AN	\$23,835.00	HAJNTK①AN	\$30,185.00

### MTZ2 HA Switch-Disconnectors 負荷開關

Rating (A)	Product Code 3P	Unit Price HK\$	Product Code 4P	Unit Price HK\$
800	HHCNTJ①NN	\$12,380.00	HHCNTK①NN	\$15,374.00
1000	HHDNTJ①NN	\$12,380.00	HHDNTK①NN	\$15,374.00
1250	HHENTJ①NN	\$12,380.00	HHENTK①NN	\$18,549.00
1600	HHFNTJ①NN	\$12,380.00	HHFNTK①NN	\$15,374.00
2000	HHGNTJ①NN	\$14,760.00	HHGNTK①NN	\$18,549.00
2500	HHHNTJ①NN	\$14,760.00	HHHNTK①NN	\$18,549.00
3200	HHINTJ①NN	\$19,410.00	HHINTK①NN	\$24,751.00
4000	HHJNTJ①NN	\$22,460.00	HHJNTK①NN	\$28,810.00

① Connection - to be replaced with suffix "A" for horizontal or suffix "E" for vertical.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

MTZ2 Rear Connection (Vertical or Horizontal) 後連接 (垂直或水平)

Rating (A)	Product Code 3P	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
		3-pole		4-pole	
800-2000A	Top/Bottom	<b>LV847964SP</b>	\$1,027.00	<b>LV847965SP</b>	\$1,371.00
2500-3200A	Top/Bottom	<b>LV847966SP</b>	\$1,027.00	<b>LV847967SP</b>	\$1,371.00
4000A	Top/Bottom	<b>LV847968SP</b>	\$1,956.00	<b>LV847969SP</b>	\$2,606.00

2

Electrical Auxiliaries 電氣輔件



MX / XF Coil with Diag & Com



LV850056SP Isolation Module

	Code		Unit Reference	Unit Reference	Unit Price HK\$	
			Fixed	Drawout		
Gear Motor	MCH	220-240VAC	<b>LV848212</b>	<b>LV848527</b>	\$7,273.00	
Closing Release	XF	24-30VDC, 24VAC	<b>LV847350</b>	<b>LV848481</b>	\$1,336.00	
		220-250V	<b>LV847353</b>	<b>LV848484</b>	\$1,336.00	
		Diag & Com	24-30VDC, 24VAC	<b>LV847311</b>	<b>LV848449</b>	\$1,491.00
Shunt Release	MX1	220-250V	<b>LV847314</b>	<b>LV848452</b>	\$1,491.00	
		24-30VDC, 24VAC	<b>LV847360</b>	<b>LV848491</b>	\$1,336.00	
		220-250V	<b>LV847363</b>	<b>LV848494</b>	\$1,336.00	
2nd Shunt Release	MX2	Diag & Com	24-30VDC, 24VAC	<b>LV847321</b>	<b>LV848458</b>	\$1,491.00
		220-250V	<b>LV847324</b>	<b>LV848461</b>	\$1,491.00	
		24-30VDC, 24VAC	<b>LV847370</b>	<b>LV848511</b>	\$1,336.00	
Undervoltage Release	MN	200-250V	<b>LV847373</b>	<b>LV848514</b>	\$1,336.00	
		24-30VDC, 24VAC	<b>LV847380</b>	<b>LV848501</b>	\$1,336.00	
		200-250V	<b>LV847383</b>	<b>LV848504</b>	\$1,336.00	
MN Delay Unit	MN Diag	24-30VDC, 24VAC	<b>LV836700</b>	<b>LV836705</b>	\$2,417.00	
		200-250V	<b>LV836703</b>	<b>LV836708</b>	\$2,417.00	
		200-250V, Non-Adjustable	<b>LV833685SP</b>	<b>LV833685SP</b>	\$1,341.00	
ON/OFF 4 C/O Indication Contact	Rr	200-250V, Adjustable	<b>LV833682SP</b>	<b>LV833682SP</b>	\$1,730.00	
			<b>LV848198</b>	<b>LV848468</b>	\$1,380.00	
Combined Closed/ Connected Contact	OF		-	<b>LV848477SP</b>	\$372.00	
ON/OFF Indication Base Block	EF			<b>LV864922SP</b>	\$1,037.00	
Ready to Close Contact	OFB		<b>LV864922SP</b>	<b>LV864922SP</b>	\$1,037.00	
Fault Trip Indication Contact	PF	1 Changeover Contact (5A-240V)	<b>LV847342</b>	<b>LV848469</b>	\$727.00	
			<b>LV848200</b>	<b>LV848475</b>	\$427.00	
3-Wire Auxiliary Terminal Block	SDE		<b>LV847074SP</b>	<b>LV847849SP</b>	\$86.00	
Isolation Module for MX1/XF Communicating Coils			<b>LV850056SP</b>	<b>LV850056SP</b>	\$2,792.00	

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Other Accessories 其它附件

	Code	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
<b>Escutcheon &amp; Cover</b>				Drawout	
Escutcheon	CDP	<b>LV848601SP</b>	\$472.00	<b>LV848603SP</b>	\$571.00
Transparent Cover IP 54	CP	-	-	<b>LV848604SP</b>	\$2,006.00
Escutcheon Blanking Plate	OP	<b>LV848605SP</b>	\$722.00	<b>LV848605SP</b>	\$722.00
	Code			Unit Reference	Unit Price HK\$
<b>Chassis Accessories</b>					
Arc Chute Cover	CC				Standard
Auxillary Terminal Shield	CB	3-pole		<b>LV864942SP</b>	\$446.00
800/4000		4-pole		<b>LV848596SP</b>	\$550.00
<b>Circuit Breaker Locking</b>					
Pushbutton Locking Device	VBP			<b>LV848536SP</b>	\$495.00

"OFF" Position Locking "OFF" 位置鎖

		Code	Unit Reference	Unit Price HK\$
By Padlocks		VCPA	<b>LV848539SP</b>	\$192.00
By Keylocks				
Profalux	1 Lock	VSPA1	<b>LV864928SP</b>	\$616.00
	2 Locks (Different Key Profiles)	2VSPA1	<b>LV864930SP</b>	\$1,231.00
	2 Locks 1 Key System Set	VSPA2	<b>LV864928SP-2L1K</b>	\$3,921.00
	3 Locks 2 Keys System Set	VSPA3	<b>LV864928SP-3L2K</b>	\$2,353.00
	5 Locks 3 Keys System Set	VSPA5	<b>LV864928SP-5L3K</b>	\$1,614.00
Locking Kit	Profalux / Ronis	VSPRAC	<b>LV848541SP</b>	\$495.00
Without Locks for	Kirk	VSKA	<b>LV848542SP</b>	\$1,231.00
	Castell	VSCA	<b>LV848543SP</b>	\$1,593.00

"Disconnected" Position Locking 斷路器位置鎖

		Code	Unit Reference	Unit Price HK\$
By Padlocks				Standard
By Keylocks				
Profalux	1 Lock	VSPD1	<b>LV864934SP</b>	\$616.00
	Optional Disconnected/Test/Connected Position Locking			
Locking Kit	Profalux / Ronis	VSPRCC	<b>LV848564SP</b>	\$114.00
Without Locks for	Kirk	VSKCC	<b>LV848565SP</b>	\$1,231.00
	Castell	VSCCC	<b>LV848566SP</b>	\$1,593.00

Door Interlocks 門框聯鎖

	Code	Unit Reference	Unit Price HK\$
Door Interlock of Chassis (Left or Right)	VPECD / VPECG	<b>LV847914SP</b>	\$797.00
Racking Interlock (5 parts)	VPOC	<b>LV864940SP</b>	\$301.00
Cable-Type Door Interlock	IPA	<b>LV848614SP</b>	\$4,918.00
Breaker Mismatch Protection	VDC	<b>LV833767SP</b>	\$668.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

## Accessories for Micrologic Control Units 控制單元附件



LV850060SP VPS

	Unit Reference	Unit Price HK\$
<b>External Sensors for Earth-Fault Protection (TCE)</b>		
Sensor Rating	400/2000A	<b>LV834035SP</b> \$5,379.00
	1000/4000A	<b>LV834036SP</b> \$6,449.00
<b>Rectangular Sensors for Earth-Leakage Protection + Vigi Cable (upto 3200A)</b>		
280mm x 115mm		<b>LV833573SP</b> \$8,801.00
470mm x 160mm		<b>LV833574SP</b> \$11,701.00
<b>Power Supply</b>		
External Power Supply Module (AD)	24-30VDC	<b>54440</b> \$2,038.00
	200-240VAC	<b>54444</b> \$2,038.00
Battery Module (BAT)		<b>54446</b> \$2,038.00
Voltage Power Supply Module (VPS)		<b>LV850060SP</b> \$3,692.00
<b>Other</b>		
Micrologic Transparent Cover		<b>LV850053SP</b> \$283.00

2

## Mechanical Interlocking for Source Changeover 電源轉換聯鎖

	Unit Reference	Unit Price HK\$
<b>Interlocking of 2 Devices using Connecting Rods<sup>(1)</sup></b>		
Please select 2 x ① and 1 x ② below:		
① 1 set of 2 Adaption Fixtures	<b>LV847930SP</b>	\$2,959.00
② 1 set of 2 Interlocking Rods	<b>LV833210SP</b>	\$522.00
<b>Interlocking of 2 Devices using Cable<sup>(1)</sup></b>		
Please select 2 x ① and 1 x ② below:		
① 1 set of 2 Adaption Fixtures	<b>LV847926SP</b>	\$2,491.00
② 1 set of 2 Cables	<b>LV833209SP</b>	\$874.00
<b>Interlocking of 3 Devices using Cable<sup>(1)</sup></b>		
Please Select Adaptation (Including 3 Adaption Fixtures + Cables)		
2 Normal + 1 Replacement Source, Fixed or Drawout Devices	<b>LV848608SP</b>	\$10,937.00
2 Sources + 1 Coupling, Fixed or Drawout Devices	<b>LV848609SP</b>	\$10,937.00
3 Sources, only 1 Device Closed, Fixed or Drawout Devices	<b>LV848610SP</b>	\$10,937.00
<b>Accessories for each ACB of Source Changeover</b>		
Fixed Type MCH + XF + MX + PF	<b>Multi Parts</b>	\$10,675.00
Drawout Type MCH + XF + MX + PF + EF + OF + 3 Wire Auxiliary Terminal Block	<b>Multi Parts</b>	\$12,428.00

(1) Can be used with any combination of fixed or drawout devices



LV851200SP EIFE

Communication Options 通訊配件

	Length	Unit Pack	Unit Reference	Unit Price HK\$
(A) ULP Port for Fixed Type Breaker <sup>(1)</sup>			<b>LV850061SP</b>	\$1,421.00
(B) Embedded Ethernet Interface for Drawout Breaker			<b>LV851200SP</b>	\$5,100.00
(C) Ethernet Interface			<b>LV434010</b>	\$4,467.00
Ethernet Interface with Gateway			<b>LV434011</b>	\$4,521.00
(D) I/O Application Module			<b>LV434063</b>	\$5,259.00
(E) Breaker ULP Cord	0.3m	10	<b>TRV00803</b>	\$585.00
	0.6m	10	<b>TRV00806</b>	\$659.00
	1m	5	<b>TRV00810</b>	\$538.00
	2m	5	<b>TRV00820</b>	\$829.00
	3m	5	<b>TRV00830</b>	\$1,157.00
	5m	1	<b>TRV00850</b>	\$355.00
(F) IFM Modbus Serial Module			<b>LV434000</b>	\$1,122.00
Stacking Connectors for IFM		10	<b>TRV00217</b>	\$361.00
FDM128 Switchboard Display for upto 8 LV Devices			<b>LV434128</b>	\$6,941.00
ULP Line Terminator		10	<b>TRV00880</b>	\$290.00
External Power Supply Module (24VDC-1A) Class 4, 200-240VAC			<b>54444</b>	\$2,038.00
External Power Supply Module 200-240VAC			<b>ABL8MEM24012</b>	\$1,041.00


(1) ULP Port for Drawout Type Breaker is included as standard offer.

Communication Wiring System

Electrical measurements, operation data for predictive maintenance can be provided for local display or distant monitoring


Communication Architecture

MTZ Drawout Circuit Breaker




2

MTZ Fixed Circuit Breaker without I/O Module



MTZ Fixed Circuit Breaker with additional I/O Module



- [A] ULP Port
  - [B] EIFE Communication Module
  - [C] IFE Communication Module
  - [D] I/O Module
  - [E] Breaker ULP Cord
  - [F] IFM Interface
- 24VDC

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Masterpact NW Air Circuit Breakers 空氣斷路器

NW08 to NW40 Fixed & Drawout Circuit Breakers  
Ics = 100%Icu, Icw = 65kA 1 sec

2



NW08H1

## Air Circuit Breakers 空氣斷路器

### Basic Circuit Breakers 斷路器本體<sup>(1)</sup>

Type	Rating		Unit Price HK\$		Unit Price HK\$	
	A	kA	Fixed 固定式 <sup>(2)</sup>		Drawout 抽出式 <sup>(3)</sup>	
	In (40°C)	Icw (1s)	3-pole	4-pole	3-pole	4-pole
NW08H1	800	65	\$19,520.00	\$25,568.00	\$29,498.00	\$38,129.00
NW10H1	1000	65	\$21,412.00	\$27,552.00	\$31,373.00	\$39,993.00
NW12H1	1250	65	\$22,961.00	\$29,456.00	\$32,827.00	\$41,783.00
NW16H1	1600	65	\$27,632.00	\$36,361.00	\$37,027.00	\$47,999.00
NW20H1	2000	65	\$35,901.00	\$47,918.00	\$47,627.00	\$62,673.00
NW25H1	2500	65	\$43,121.00	\$57,440.00	\$53,873.00	\$70,858.00
NW32H1	3200	65	\$56,200.00	\$72,590.00	\$70,242.00	\$91,042.00
NW40H1	4000	65	\$84,286.00	\$107,123.00	\$98,272.00	\$125,198.00

## Micrologic Control Units 控制單元



Micrologic Unit

Type	Rating A	kA	Unit Price HK\$	Unit Price HK\$	Unit Price HK\$	Unit Price HK\$
			Ammeter <b>A</b>	Energy Meter <b>E</b>	Power Meter <b>P</b>	Harmonic Meter <b>H</b>
Basic Protection		2.0	-	\$5,767.00	-	-
Selective Protection		5.0	-	\$8,731.00	\$9,782.00	\$33,761.00
Selective + Earth-Fault Protection		6.0 <sup>(4)</sup>	-	\$12,154.00	\$12,154.00	\$34,684.00
Selective + Earth-Leakage Protection		7.0 <sup>(5)</sup>	\$11,529.00	-	\$24,047.00	\$36,563.00

## Switch-Disconnectors 負荷開關

Type	Rating		Unit Price HK\$		Unit Price HK\$	
	A	kA	Fixed 固定式		Drawout 抽出式	
	In (40°C)	Icw (1s)	3-pole	4-pole	3-pole	4-pole
NW08HA	800	65	\$18,222.00	\$23,863.00	\$27,533.00	\$35,586.00
NW10HA	1000	65	\$19,985.00	\$25,715.00	\$29,282.00	\$37,326.00
NW12HA	1250	65	\$21,430.00	\$27,491.00	\$30,639.00	\$38,998.00
NW16HA	1600	65	\$25,790.00	\$33,937.00	\$34,559.00	\$44,798.00
NW20HA	2000	65	\$33,509.00	\$44,724.00	\$44,452.00	\$58,494.00
NW25HA	2500	65	\$40,247.00	\$53,610.00	\$50,282.00	\$66,135.00
NW32HA	3200	65	\$52,454.00	\$67,750.00	\$65,559.00	\$84,972.00
NW40HA	4000	65	\$78,666.00	\$99,981.00	\$91,721.00	\$116,852.00

(1) Micrologic unit shall be added.

(2) Fixed Type includes basic unit and top and bottom rear connection.

(3) Drawout Type includes basic unit, chassis, safety shutter and locking block and top and bottom rear connection.

(4) For 3-pole ACB with Micrologic 6.0E, E, P & H, it is necessary to add external sensor for earth-fault protection (TCE).

(5) For all ACB with Micrologic 7.0A, P & H, it is necessary to add rectangular sensor for earth-leakage protection.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Parts sold separately 另購附件

Chassis 機架 (For H1 Circuit Breaker & HA Switch Disconnecter)

Rating A	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	3-pole		4-pole	
800 - 1600	<b>48392</b>	\$10,124.00	<b>48404</b>	\$12,384.00
2000	<b>48393</b>	\$12,457.00	<b>48405</b>	\$15,497.00
2500	<b>48394</b>	\$12,457.00	<b>48406</b>	\$15,497.00
3200	<b>48395</b>	\$17,016.00	<b>48407</b>	\$21,577.00
4000	<b>48396</b>	\$18,184.00	<b>48408</b>	\$23,135.00

2

Rear Vertical Connections 後垂直連接

Rating A	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	3-pole		4-pole	
800 - 3200	Top <b>48134</b>	\$1,007.00	<b>48159</b>	\$1,344.00
	Bottom <b>48139</b>	\$1,007.00	<b>48164</b>	\$1,344.00
4000	Top <b>48135</b>	\$1,918.00	<b>48160</b>	\$2,555.00
	Bottom <b>48140</b>	\$1,918.00	<b>48165</b>	\$2,555.00

Rear Horizontal Connections 後水平連接

Rating A	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	3-pole		4-pole	
800 - 3200	Top <b>48144</b>	\$1,007.00	<b>48169</b>	\$1,344.00
	Bottom <b>48149</b>	\$1,007.00	<b>48174</b>	\$1,344.00
4000	Top <b>48145</b>	\$1,918.00	<b>48170</b>	\$2,555.00
	Bottom <b>48150</b>	\$1,918.00	<b>48175</b>	\$2,555.00

Electrical Auxiliaries 電氣輔件

Code	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	Fixed		Drawout	
Gear Motor	MCH 220-240VAC	<b>48212</b>	<b>48527</b>	\$7,130.00
Closing Release	XF 24-30VDC, 24VAC	<b>47350</b>	<b>48481</b>	\$1,310.00
	220-250V	<b>47353</b>	<b>48484</b>	\$1,310.00
Shunt Release	MX 24-30VDC, 24VAC	<b>47360</b>	<b>48491</b>	\$1,310.00
	220-250V	<b>47363</b>	<b>48494</b>	\$1,310.00
2nd Shunt Release	MX2 24-30VDC, 24VAC	<b>47370</b>	<b>48511</b>	\$1,310.00
	200-250V	<b>47373</b>	<b>48514</b>	\$1,310.00
Undervoltage Release	MN 24-30VDC, 24VAC	<b>47380</b>	<b>48501</b>	\$1,310.00
	200-250V	<b>47383</b>	<b>48504</b>	\$1,310.00
MN Delay Unit	R 200-250V, Non-Adjustable	<b>33685</b>	<b>33685</b>	\$1,315.00
	Rr 200-250V, Adjustable	<b>33682</b>	<b>33682</b>	\$1,696.00
ON/OFF 4 C/O Indication Contact	OF	<b>48198</b>	<b>48468</b>	\$1,353.00
Combined Closed/Connected Contact	EF	-	<b>48477</b>	\$365.00
ON/OFF Indication Base Block	OFB	<b>47887</b>	<b>47887</b>	\$1,122.00
Ready to Close Contact	PF 1 Changeover Contact (5A - 240V)	<b>47342</b>	<b>48469</b>	\$713.00
Fault Trip Indication Contact	SDE	<b>48200</b>	<b>48475</b>	\$419.00
3-Wire Auxiliary Terminal Block		<b>47074</b>	<b>47849</b>	\$84.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

### Chassis Accessories 機架附件

	Code		Unit Reference	Unit Price HK\$
Arc Chute Cover	CC			Standard
Auxillary Terminal Shield 800/4000	CB	3-pole	<b>48595</b>	\$437.00
		4-pole	<b>48596</b>	\$539.00
<b>Escutcheon &amp; Accessories</b>				
Escutcheon	CDP		<b>48603</b>	\$560.00
Transparent Cover IP 54	CP		<b>48604</b>	\$1,967.00
Escutcheon Blanking Plate	OP		<b>48605</b>	\$708.00
Pushbutton Locking Device	VBP		<b>48536</b>	\$485.00

### "OFF" Position Locking "OFF" 位置鎖

		Code	Unit Reference	Unit Price HK\$
By Padlocks		VCPA	<b>48539</b>	\$188.00
By Keylocks				
Profalux	1 Lock	VSPA1	<b>48545</b>	\$604.00
	2 Locks (Different Key Profiles)	2VSPA1	<b>48547</b>	\$1,207.00
	2 Locks 1 Key System Set	VSPA2	<b>48545-2L1K</b>	\$1,582.00
	3 Locks 2 Keys System Set	VSPA3	<b>48545-3L2K</b>	\$2,307.00
	5 Locks 3 Keys System Set	VSPA5	<b>48545-5L3K</b>	\$3,844.00
Locking Kit	Profalux / Ronis	VSPRAC	<b>48541</b>	\$485.00
without Locks for	Kirk	VSKA	<b>48542</b>	\$1,207.00
	Castell	VSCA	<b>48543</b>	\$1,562.00

### "Disconnected" Position Locking 斷路器位置鎖

		Code	Unit Reference	Unit Price HK\$
By Padlocks				Standard
By Keylocks				
Profalux	1 Lock	VSPD1	<b>48568</b>	\$604.00
	Optional Disconnected/Test/Connected Position Locking			
Locking Kit	Profalux / Ronis	VSPRCC	<b>48564</b>	\$112.00
without Locks for	Kirk	VSKCC	<b>48565</b>	\$1,207.00
	Castell	VSCCC	<b>48566</b>	\$1,562.00

### Door Interlocks 門框聯鎖

		Code	Unit Reference	Unit Price HK\$
Right-Hand Side of Chassis		VPECD	<b>48579</b>	\$781.00
Left-Hand Side of Chassis		VPECG	<b>48580</b>	\$781.00
Racking Interlock		VPOC	<b>48582</b>	\$295.00
Cable-Type Door Interlock		IPA	<b>48614</b>	\$4,822.00
Automatic Spring Discharge before Breaker Removal		DAE	<b>48554</b>	\$1,391.00
Breaker Mismatch Protection		VDC	<b>33767</b>	\$655.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Mechanical Interlocking for Source Changeover 電源轉換聯鎖<sup>(1)(2)</sup>

	Code	Unit Reference	Unit Price HK\$
<b>Interlocking of 2 Devices Using Connecting Rods</b>			
Complete Assembly with 2 Adaptation Fixtures + Rods			
2 Masterpact NW Fixed or Drawout Devices	VM2T	<b>48612</b>	\$5,470.00
<b>Interlocking of 2 Devices Using Cables</b>			
Complete Assembly with 2 Adaptation Fixtures + Cables			
2 Masterpact NW Fixed or Drawout Devices	VM2C	<b>2*47926 + 1*33209</b>	\$5,741.00
<b>Interlocking of 3 Devices Using Cables</b>			
Choose 3 Adaptation Fixtures			
(1 Complete Set with 3 Adaptation Fixtures + Cables)			
2 Normal + 1 Replacement Source, Fixed or Drawout Devices	VM31T	<b>48608</b>	\$10,723.00
2 Sources + 1 Coupling, Fixed or Drawout Devices	VM32T	<b>48609</b>	\$10,723.00
3 Sources, only 1 Device Closed, Fixed or Drawout Devices	VM33T	<b>48610</b>	\$10,723.00

2

Accessories for Micrologic Control Units 控制單元附件

	Unit Reference	Unit Price HK\$	
<b>External Sensors for Earth-Fault Protection (TCE)</b>			
Sensor Rating			
400/2000A	<b>34035</b>	\$5,274.00	
1000/4000A	<b>34036</b>	\$6,323.00	
<b>Rectangular Sensors for Earth-Leakage Protection</b>			
280mm x 115mm	<b>33573</b>	\$8,628.00	
470mm x 160mm	<b>33574</b>	\$11,472.00	
<b>Long-Time Rating Plug (Limits Setting Range for Higher Accuracy)</b>			
Standard	0.4 at 1 x Ir	<b>33542</b>	\$236.00
Low-Setting Option	0.4 at 0.8 x Ir	<b>33543</b>	\$207.00
High-Setting Option	0.8 at 1 x Ir	<b>33544</b>	\$207.00
No LT Protection	OFF	<b>33545</b>	\$207.00

Communication Options 通訊選件

	Fixed Type	Drawout Type	Unit Price HK\$	Unit Reference	Unit Price HK\$	
	<b>Unit Reference</b>	<b>Unit Reference</b>		<b>Unit Reference</b>		
	<b>Circuit Breaker</b>	<b>Circuit Breaker</b>		<b>+ Chassis</b>		
Modbus COM	<b>48188</b>	<b>48384</b>	\$5,563.00	<b>33852</b>	\$2,224.00	
Modbus eco COM	<b>47406</b>	<b>48385</b>	\$5,563.00	<b>33852</b>	\$2,224.00	
Digipact COM	<b>48192</b>	<b>48388</b>	\$4,635.00	<b>33855</b>	\$1,855.00	
ULP COM			0.35m	<b>LV434195</b>	\$320.00	
			1.3m	<b>LV434196</b>	\$346.00	
			3m	<b>LV434197</b>	\$368.00	
Other Modules						
Modbus Internal COM Module				<b>33106</b>	\$2,606.00	
External Power Supply Module			AD	220VAC	<b>54444</b>	\$2,038.00

(1) Can be used with any combination of fixed or drawout devices

(2) Each ACB of automatic source changeover must add:

i) Fixed type, MCH + XF + MX + PF = \$10,463.00

ii) Drawout type, MCH + XF + MX + PF + EF + OFB + 3 wire AUX TER = \$12,181.00

Conform to 符合標準 IEC 60947-3

2



28913

LV Switch-Disconnectors 低壓負荷開關

Type	Rating A	3-pole		4-pole	
		Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
INS40	40	<b>28900</b>	\$512.00	<b>28901</b>	\$555.00
INS63	63	<b>28902</b>	\$590.00	<b>28903</b>	\$651.00
INS80	80	<b>28904</b>	\$654.00	<b>28905</b>	\$744.00
INS100	100	<b>28908</b>	\$837.00	<b>28909</b>	\$932.00
INS125	125	<b>28910</b>	\$913.00	<b>28911</b>	\$1,002.00
INS160	160	<b>28912</b>	\$1,020.00	<b>28913</b>	\$1,101.00
INS250-200	200	<b>31102</b>	\$1,358.00	<b>31103</b>	\$1,474.00
INS250	250	<b>31106</b>	\$1,416.00	<b>31107</b>	\$1,532.00
INS320	320	<b>31108</b>	\$2,369.00	<b>31109</b>	\$2,802.00
INS400	400	<b>31110</b>	\$2,526.00	<b>31111</b>	\$2,984.00
INS500	500	<b>31112</b>	\$3,683.00	<b>31113</b>	\$4,234.00
INS630	630	<b>31114</b>	\$4,089.00	<b>31115</b>	\$4,736.00
INS800	800	<b>31330</b>	\$8,475.00	<b>31331</b>	\$8,808.00
INS1000	1000	<b>31332</b>	\$11,151.00	<b>31333</b>	\$12,390.00
INS1250	1250	<b>31334</b>	\$13,460.00	<b>31335</b>	\$14,078.00
INS1600	1600	<b>31336</b>	\$14,114.00	<b>31337</b>	\$15,211.00
INS2000	2000	<b>31338</b>	\$21,661.00	<b>31339</b>	\$23,891.00
INS2500	2500	<b>31340</b>	\$23,445.00	<b>31341</b>	\$25,170.00

Accessories 配件

For use with INS Rating (A)	Extended Front Rotary Handle 前置延伸旋轉手柄	Interphase Barriers 相間隔板 Set of 6		Spreader 端子擴展				
		Unit Reference	Unit Price HK\$	3-pole		4-pole		
		Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$	
40 - 160	<b>LV428941</b>	\$192.00	<b>28959</b>	\$115.00	-	-	-	
250	<b>LV431050</b>	\$224.00	<b>LV429329</b>	\$133.00	<b>LV431563</b>	\$111.00	<b>LV431564</b>	\$153.00
320 - 630	<b>31052</b>	\$361.00	<b>LV432570</b>	\$191.00	<b>LV432490</b>	\$369.00	<b>LV432491</b>	\$469.00
800 - 1600	<b>31288</b>	\$464.00	<b>31315</b>	\$195.00	<b>31305</b>	\$1,286.00	<b>31306</b>	\$1,713.00
2000 - 2500	<b>31288</b>	\$464.00	<b>31319</b>	\$450.00	<b>31305</b>	\$1,286.00	<b>31306</b>	\$1,713.00

Electrical Auxiliary Contacts 電氣輔助接點

Description	Unit Reference	Unit Price HK\$
1 OF for INS40 - INS2500	<b>29450</b>	\$223.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# LV Switch-Disconnecter Fuses & Accessories (w/o Fuse Links) 低壓菲士掣及附件 (不帶菲士膽)

Fupact

Conform to 符合標準 IEC 60947-3

## Switch Complete with Extended Rotary Handles 菲士掣帶延伸旋轉手柄<sup>(1)</sup>

Type	Rating A	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
		3-pole		4-pole	
INFB32	32	<b>LV480682C</b>	\$940.00	<b>LV480683C</b>	\$1,462.00
INFB63	63	<b>LV480408C</b>	\$1,018.00	<b>LV480409C</b>	\$1,642.00
INFB100	100	<b>LV480419C</b>	\$1,288.00	<b>LV480420C</b>	\$1,994.00
INFB160	160	<b>LV480421C</b>	\$1,590.00	<b>LV480422C</b>	\$2,625.00
INFB200	200	<b>LV480515C</b>	\$2,067.00	<b>LV480516C</b>	\$3,390.00
INFB250	250	<b>LV480517C</b>	\$2,277.00	<b>LV480518C</b>	\$3,689.00
INFB400	400	<b>LV480519C</b>	\$3,321.00	<b>LV480520C</b>	\$4,716.00
INFB630	630	<b>LV480521C</b>	\$6,107.00	<b>LV480522C</b>	\$7,160.00
INFB800	800	<b>LV480523C</b>	\$9,398.00	<b>LV480524C</b>	\$12,463.00

2

## Rotary Handles 直接旋轉手柄 Color: Black

For use with INFB Rating A	Type of Rotary Handle	Unit Reference	Unit Price HK\$
32-160	Direct 直接	<b>49614</b>	\$73.00
	Extended front 延伸前裝	<b>49619</b>	\$123.00
200	Direct 直接	<b>LV480530</b>	\$253.00
	Extended front 延伸前裝	<b>49619</b>	\$123.00
250	Direct 直接	<b>LV480532</b>	\$253.00
	Extended front 延伸前裝	<b>49619</b>	\$123.00
400	Direct 直接	<b>LV480536</b>	\$271.00
	Extended front 延伸前裝	<b>LV480540</b>	\$239.00
630 - 800	Direct 直接	<b>LV480538</b>	\$316.00
	Extended front 延伸前裝	<b>49620</b>	\$239.00

## Extension Shafts 延伸軸

For use with	Length mm	Unit Reference	Unit Price HK\$
INFB32 - INFB250	430	<b>49626</b>	\$99.00
INFB400 - INFB800	465	<b>49627</b>	\$155.00

## Removable Neutral Links 可移動中線連

For use with	Unit Reference	Unit Price HK\$
INFB32	<b>49643</b>	\$138.00
INFB63 - INFB160	<b>49644</b>	\$169.00
INFB200 - INFB250	<b>LV480562</b>	\$582.00
INFB400	<b>LV480563</b>	\$762.00
INFB630 - INFB800	<b>LV480564</b>	\$1,465.00

(1) For front operation basic interior without extended rotary handle, remove suffix "C" from unit reference.

# Compact INS/ Switch-Disconnectors in Enclosure 負荷開關連箱 Fupact Switch-Disconnecter Fuses in Enclosure 菲士掣連箱

IP 54 Rated 保護等級

2



INS

## Compact INS Switch-Disconnectors in Enclosure 負荷開關連箱<sup>(1)</sup>

Type	Rating A	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
For use with		3-pole w/Removable Neutral Link		4-pole	
INS40	40	<b>B83040</b>	\$848.00	<b>B84040</b>	\$1,006.00
INS63	63	<b>B83063</b>	\$936.00	<b>B84063</b>	\$1,118.00
INS80	80	<b>B83080</b>	\$1,010.00	<b>B84080</b>	\$1,223.00
INS100	100	<b>B83100</b>	\$1,229.00	<b>B84100</b>	\$1,472.00
INS125	125	<b>B83125</b>	\$1,315.00	<b>B84125</b>	\$1,552.00
INS160	160	<b>B83160</b>	\$1,444.00	<b>B84160</b>	\$1,675.00
INS250	250	<b>B83250</b>	\$1,960.00	<b>B84250</b>	\$2,291.00
INS320	320	<b>B83320</b>	\$3,392.00	<b>B84320</b>	\$4,350.00
INS400	400	<b>B83400</b>	\$3,587.00	<b>B84400</b>	\$4,606.00
INS500	500	<b>B83500</b>	\$4,933.00	<b>B84500</b>	\$6,073.00
INS630	630	<b>B83630</b>	\$5,400.00	<b>B84630</b>	\$6,646.00



INFB

## Fupact Switch-Disconnecter Fuses in Enclosure 菲士掣連箱<sup>(1)</sup>

Type	Rating A	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
For use with		3-pole w/Removable Neutral Link		4-pole	
INFB32	32	<b>B73032</b>	\$1,326.00	<b>B74032</b>	\$1,952.00
INFB63	63	<b>B73063</b>	\$1,655.00	<b>B74063</b>	\$2,372.00
INFB100	100	<b>B73100</b>	\$2,154.00	<b>B74100</b>	\$2,856.00
INFB160	160	<b>B73160</b>	\$2,291.00	<b>B74160</b>	\$3,586.00
INFB200	200	<b>B73200</b>	\$3,410.00	<b>B74200</b>	\$4,867.00
INFB250	250	<b>B73250</b>	\$3,546.00	<b>B74250</b>	\$5,115.00
INFB400	400	<b>B73400</b>	\$5,404.00	<b>B74400</b>	\$6,846.00
INFB630	630	<b>B73630</b>	\$9,384.00	<b>B74630</b>	\$10,383.00
INFB800	800	<b>B73800</b>	\$12,948.00	<b>B74800</b>	\$16,248.00

(1) For IP65 Enclosure, please consult Schneider Electric (Hong Kong) Limited.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# MCCB Distribution Boards (with IEC 61439 Certification) 配電箱(配備 IEC 61439 證書)

Conform to 符合標準 IEC 61439-2  
Applicable for NSX/CVS MCCB 適用於 NSX/CVS 塑殼斷路器



BF3-0206

## TP MCCB BD W/O M/S Space 三相MCCB配電箱不帶總掣位<sup>(1)</sup>

Description	No. of ways	Unit Reference	Unit Price HK\$	
250A TP MCCB BD W/O M/S Space - 160A Out-Going <sup>(2)</sup>	4	<b>BF3-0204</b>	\$4,535.00	
	6	<b>BF3-0206</b>	\$5,517.00	
	250A三相MCCB配電箱不帶總掣位 - 160A 分掣 <sup>(2)</sup>	8	<b>BF3-0208</b>	\$6,505.00
		10	<b>BF3-0210</b>	\$7,488.00
		12	<b>BF3-0212</b>	\$8,475.00
		14	<b>BF3-0214</b>	\$9,459.00
		16	<b>BF3-0216</b>	\$10,444.00
		18	<b>BF3-0218</b>	\$12,065.00
		20	<b>BF3-0220</b>	\$13,505.00
		22	<b>BF3-0222</b>	\$15,161.00
24	<b>BF3-0224</b>	\$16,421.00		
400A TP MCCB BD W/O M/S Space - 250A Out-Going <sup>(3)</sup>	4	<b>BF3-0404250</b>	\$5,719.00	
	6	<b>BF3-0406250</b>	\$6,898.00	
	400A三相MCCB配電箱不帶總掣位 - 250A 分掣 <sup>(3)</sup>	8	<b>BF3-0408250</b>	\$8,475.00
		10	<b>BF3-0410250</b>	\$9,656.00
		12	<b>BF3-0412250</b>	\$10,841.00
		14	<b>BF3-0414250</b>	\$12,024.00
		16	<b>BF3-0416250</b>	\$13,205.00
		18	<b>BF3-0418250</b>	\$14,965.00
		20	<b>BF3-0420250</b>	\$15,919.00
		22	<b>BF3-0422250</b>	\$17,276.00
24	<b>BF3-0424250</b>	\$18,817.00		
630A TP MCCB BD W/O M/S Space - 250A Out-Going <sup>(3)</sup>	4	<b>BF3-0604250</b>	\$6,898.00	
	6	<b>BF3-0606250</b>	\$8,281.00	
	630A三相MCCB配電箱不帶總掣位 - 250A 分掣 <sup>(3)</sup>	8	<b>BF3-0608250</b>	\$9,656.00
		10	<b>BF3-0610250</b>	\$11,036.00
		12	<b>BF3-0612250</b>	\$12,363.00
		14	<b>BF3-0614250</b>	\$13,794.00
		16	<b>BF3-0616250</b>	\$15,174.00
		18	<b>BF3-0618250</b>	\$16,736.00
		20	<b>BF3-0620250</b>	\$18,403.00
		22	<b>BF3-0622250</b>	\$20,139.00
24	<b>BF3-0624250</b>	\$21,875.00		
800A TP MCCB BD W/O M/S Space - 250A Out-Going <sup>(3)</sup>	4	<b>BF3-0804250</b>	\$10,362.00	
	6	<b>BF3-0806250</b>	\$12,336.00	
	800A三相MCCB配電箱不帶總掣位 - 250A 分掣 <sup>(3)</sup>	8	<b>BF3-0808250</b>	\$14,310.00
		10	<b>BF3-0810250</b>	\$16,284.00
		12	<b>BF3-0812250</b>	\$18,292.00
		14	<b>BF3-0814250</b>	\$20,266.00
		16	<b>BF3-0816250</b>	\$22,240.00
		18	<b>BF3-0818250</b>	\$24,180.00
		20	<b>BF3-0820250</b>	\$26,154.00
		22	<b>BF3-0822250</b>	\$28,269.00
24	<b>BF3-0824250</b>	\$30,243.00		

(1) For other combinations of out-going MCCB, please consult Schneider Electric (Hong Kong) Limited.

(2) Rating of out going MCCB ≤ 160A

(3) Rating of out going MCCB ≤ 250A

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# MCCB Distribution Boards (with IEC 61439 Certification) 配電箱(配備 IEC 61439 證書)

Conform to 符合標準 IEC 61439-2  
Applicable for NSX/CVS MCCB 適用於 NSX/CVS 塑殼斷路器

2



BF3-1408SD250

## TP MCCB BD W/ M/S Space 三相MCCB配電箱帶總掣位<sup>(1)</sup>

Description	No. of ways	Unit Reference	Unit Price HK\$
250A TP MCCB BD W/ INS 250A M/S	4	<b>BF3-1204SD</b>	\$6,033.00
Space - 160A Out-Going <sup>(2)</sup>	6	<b>BF3-1206SD</b>	\$7,017.00
250A三相MCCB配電箱帶INS 250A	8	<b>BF3-1208SD</b>	\$8,003.00
總掣位 - 160A 分掣 <sup>(2)</sup>	10	<b>BF3-1210SD</b>	\$8,986.00
	12	<b>BF3-1212SD</b>	\$9,973.00
	14	<b>BF3-1214SD</b>	\$10,958.00
	16	<b>BF3-1216SD</b>	\$11,940.00
	18	<b>BF3-1218SD</b>	\$13,651.00
	20	<b>BF3-1220SD</b>	\$15,284.00
	22	<b>BF3-1222SD</b>	\$17,114.00
	24	<b>BF3-1224SD</b>	\$18,507.00
400A TP MCCB BD W/ INS 400A M/S	4	<b>BF3-1404SD250</b>	\$7,802.00
Space - 250A Out-Going <sup>(3)</sup>	6	<b>BF3-1406SD250</b>	\$8,986.00
400A三相MCCB配電箱帶INS 400A	8	<b>BF3-1408SD250</b>	\$10,562.00
總掣位 - 250A 分掣 <sup>(3)</sup>	10	<b>BF3-1410SD250</b>	\$11,743.00
	12	<b>BF3-1412SD250</b>	\$12,925.00
	14	<b>BF3-1414SD250</b>	\$14,107.00
	16	<b>BF3-1416SD250</b>	\$15,291.00
	18	<b>BF3-1418SD250</b>	\$17,202.00
	20	<b>BF3-1420SD250</b>	\$18,263.00
	22	<b>BF3-1422SD250</b>	\$19,750.00
	24	<b>BF3-1424SD250</b>	\$21,449.00
630A TP MCCB BD W/ INS 630A M/S	4	<b>BF3-1604SD250</b>	\$9,382.00
Space - 250A Out-Going <sup>(3)</sup>	6	<b>BF3-1606SD250</b>	\$10,761.00
630A三相MCCB配電箱帶INS 630A	8	<b>BF3-1608SD250</b>	\$12,138.00
總掣位 - 250A 分掣 <sup>(3)</sup>	10	<b>BF3-1610SD250</b>	\$13,519.00
	12	<b>BF3-1612SD250</b>	\$14,895.00
	14	<b>BF3-1614SD250</b>	\$16,276.00
	16	<b>BF3-1616SD250</b>	\$17,655.00
	18	<b>BF3-1618SD250</b>	\$19,402.00
	20	<b>BF3-1620SD250</b>	\$21,265.00
	22	<b>BF3-1622SD250</b>	\$23,204.00
	24	<b>BF3-1624SD250</b>	\$25,223.00
800A TP MCCB BD W/ INS 800A M/S	4	<b>BF3-1804SD250</b>	\$13,136.00
Space - 250A Out-Going <sup>(3)</sup>	6	<b>BF3-1806SD250</b>	\$15,065.00
800A三相MCCB配電箱帶INS 800A	8	<b>BF3-1808SD250</b>	\$16,994.00
總掣位 - 250A 分掣 <sup>(3)</sup>	10	<b>BF3-1810SD250</b>	\$18,927.00
	12	<b>BF3-1812SD250</b>	\$20,854.00
	14	<b>BF3-1814SD250</b>	\$22,787.00
	16	<b>BF3-1816SD250</b>	\$24,718.00
	18	<b>BF3-1818SD250</b>	\$27,164.00
	20	<b>BF3-1820SD250</b>	\$29,771.00
	22	<b>BF3-1822SD250</b>	\$32,485.00
	24	<b>BF3-1824SD250</b>	\$35,311.00

(1) All main switches adopt INS type load break switch.  
For main switches adopt MCCB type load break switch or other combinations of out-going MCCB, please consult Schneider Electric (Hong Kong) Limited.

(2) Rating of out going MCCB  $\leq$  160A

(3) Rating of out going MCCB  $\leq$  250A

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# MCCB Distribution Boards (with IEC 61439 Certification) 配電箱(配備 IEC 61439 證書)

Conform to 符合標準 IEC 61439-2  
Applicable for NSX/CVS MCCB 適用於 NSX/CVS 塑殼斷路器



BF3-1406SDTN250

## TP&N MCCB BD W/ Individual Neutral & M/S Space 三相及獨立中線MCCB配電箱帶總掣位<sup>(1)</sup>

Description	No. of ways	Unit Reference	Unit Price HK\$
250A TP&N MCCB BD W/ Individual Neutral & INS 250A M/S Space-160A Out-Going <sup>(2)</sup>	4	<b>BF3-1204SDTN</b>	\$7,970.00
	6	<b>BF3-1206SDTN</b>	\$9,494.00
	8	<b>BF3-1208SDTN</b>	\$10,836.00
250A 三相及獨立中線MCCB配電箱帶 INS 250A總掣位 - 160A分掣 <sup>(2)</sup>	10	<b>BF3-1210SDTN</b>	\$11,957.00
	12	<b>BF3-1212SDTN</b>	\$15,026.00
	14	<b>BF3-1214SDTN</b>	\$16,586.00
	16	<b>BF3-1216SDTN</b>	\$18,344.00
	18	<b>BF3-1218SDTN</b>	\$18,797.00
400A TP&N MCCB BD W/ Individual Neutral & INS 400A M/S Space-250A Out-Going <sup>(3)</sup>	4	<b>BF3-1404SDTN250</b>	\$10,004.00
	6	<b>BF3-1406SDTN250</b>	\$11,788.00
	8	<b>BF3-1408SDTN250</b>	\$13,423.00
400A 三相及獨立中線MCCB配電箱帶 INS 400A總掣位 - 250A分掣 <sup>(3)</sup>	10	<b>BF3-1410SDTN250</b>	\$15,032.00
	12	<b>BF3-1412SDTN250</b>	\$18,501.00
	14	<b>BF3-1414SDTN250</b>	\$19,304.00
	16	<b>BF3-1416SDTN250</b>	\$20,477.00
	18	<b>BF3-1418SDTN250</b>	\$22,566.00
630A TP&N MCCB BD W/ Individual Neutral & INS 630A M/S Space-250A Out-Going <sup>(3)</sup>	4	<b>BF3-1604SDTN250</b>	\$11,785.00
	6	<b>BF3-1606SDTN250</b>	\$13,976.00
	8	<b>BF3-1608SDTN250</b>	\$15,065.00
630A 三相及獨立中線MCCB配電箱帶 INS 630A總掣位 - 250A分掣 <sup>(3)</sup>	10	<b>BF3-1610SDTN250</b>	\$17,203.00
	12	<b>BF3-1612SDTN250</b>	\$21,466.00
	14	<b>BF3-1614SDTN250</b>	\$22,202.00
	16	<b>BF3-1616SDTN250</b>	\$24,033.00
	18	<b>BF3-1618SDTN250</b>	\$26,043.00
800A TP&N MCCB BD W/ Individual Neutral & INS 800A M/S Space-250A Out-Going <sup>(3)</sup>	4	<b>BF3-1804SDTN250</b>	\$16,499.00
	6	<b>BF3-1806SDTN250</b>	\$19,566.00
	8	<b>BF3-1808SDTN250</b>	\$21,091.00
800A 三相及獨立中線MCCB配電箱帶 INS 800A總掣位 - 250A分掣 <sup>(3)</sup>	10	<b>BF3-1810SDTN250</b>	\$24,084.00
	12	<b>BF3-1812SDTN250</b>	\$30,052.00
	14	<b>BF3-1814SDTN250</b>	\$31,083.00
	16	<b>BF3-1816SDTN250</b>	\$33,647.00
	18	<b>BF3-1818SDTN250</b>	\$36,459.00



BF3-2100

## 1W MCCB BD 單位MCCB配電箱

1W TP&N MCCB BD 單位三相及獨立中線MCCB配電箱 (1mm sheet metal)	CVS100	<b>BF3-2109</b>	\$218.00
1W TP&N MCCB BD 單位三相及獨立中線MCCB配電箱	NSX100 - NSX160	<b>BF3-2100</b>	\$508.00
	NSX250	<b>BF3-2250</b>	\$789.00
	NSX400 - NSX 630	<b>BF3-2400</b>	\$1,874.00
1W 4P MCCB BD 單位四極MCCB配電箱	NSX100 - NSX160	<b>BF3-2100TN</b>	\$508.00
	NSX250	<b>BF3-2250TN</b>	\$789.00
	NSX400 - NSX 630	<b>BF3-2400TN</b>	\$1,874.00



BF39001

## Accessories 附件

Blanking Plate for MCCB Board 相間隔板	≤ 250A	<b>BF39001</b>	\$124.00
	> 250A ≤ 630A	<b>BF39003</b>	\$124.00

- (1) All main switches adopt INS type load break switch.  
For main switches adopt MCCB type load break switch or other combinations of out-going MCCB, please consult Schneider Electric (Hong Kong) Limited.  
(2) Rating of out going MCCB ≤ 160A  
(3) Rating of out going MCCB ≤ 250A

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# MCCB Distribution Boards 配電箱

Applicable for NSX/CVS MCCB 適用於 NSX/CVS 塑殼斷路器

2



B31406

## MCCB Distribution Boards 配電箱<sup>(1)</sup>

Description	No. of ways	Unit Reference	Unit Price HK\$
250A TPN MCCB BD C/W INS 250A M/S Space	2	<b>B31202</b>	\$5,762.00
250A 三相 MCCB 配電箱帶INS 250A總掣位	4	<b>B31204</b>	\$6,890.00
	6	<b>B31206</b>	\$8,012.00
	8	<b>B31208</b>	\$9,139.00
	10	<b>B31210</b>	\$10,261.00
	12	<b>B31212</b>	\$11,387.00
	14	<b>B31214</b>	\$12,513.00
	16	<b>B31216</b>	\$13,634.00
400A TPN MCCB BD C/W INS 400A M/S Space	2	<b>B31402</b>	\$7,563.00
400A 三相 MCCB 配電箱帶INS 400A總掣位	4	<b>B31404</b>	\$8,910.00
	6	<b>B31406</b>	\$10,261.00
	8	<b>B31408</b>	\$12,062.00
	10	<b>B31410</b>	\$13,410.00
	12	<b>B31412</b>	\$14,761.00
	14	<b>B31414</b>	\$16,109.00
	16	<b>B31416</b>	\$17,461.00
630A TPN MCCB BD C/W INS 630A M/S Space	2	<b>B31602</b>	\$9,139.00
630A 三相 MCCB 配電箱帶INS 630A總掣位	4	<b>B31604</b>	\$10,714.00
	6	<b>B31606</b>	\$12,288.00
	8	<b>B31608</b>	\$13,862.00
	10	<b>B31610</b>	\$15,438.00
	12	<b>B31612</b>	\$17,010.00
	14	<b>B31614</b>	\$18,586.00
	16	<b>B31616</b>	\$20,161.00

## 1W MCCB BD 單位MCCB配電箱

1W MCCB BD for 單位 MCCB 配電箱 (1mm sheet metal)	CVS100	<b>B32109</b>	\$230.00
1W MCCB BD for 單位 MCCB 配電箱	NSX100 - NSX160	<b>B32100X</b>	\$533.00
	NSX250	<b>B32250X</b>	\$829.00
	NSX400 - NSX 630	<b>B32400X</b>	\$1,968.00

## Accessories 附件

Blanking Plate for MCCB Boards 相間隔板	≤ 250A	<b>B39001</b>	\$142.00
	> 250A & ≤ 630A	<b>B39002</b>	\$324.00

(1) Rating of out-going MCCB ≤ 250A

For other combinations of out-going MCCB, please consult Schneider Electric (Hong Kong) Limited. All main switches adopt INS type load break switch.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Plug-on Type MCCB Accessories & Distribution Boards

## 插入式塑殼斷路器附件及配電箱

PowerPact

Conform to 符合標準 IEC 60947-2 & UL489  
 3-pole 三極 - I-line Series 20-800A  
 Conform to BSEN60439-1 & ASTA Certified  
 480VAC 3 Phase 4 Wire, 50kA RMS Symm at 480VAC



3-pole, I-Line

### H-Frame, Plug-on Type, 3-pole MCCB

Rating A	Type	kA	Unit Reference	Unit Price HK\$	Type	kA	Unit Reference	Unit Price HK\$
20	HGA	35	<b>HGA36020</b>	\$1,744.00	HJA	65	<b>HJA36020</b>	\$2,318.00
25	HGA	35	<b>HGA36025</b>	\$1,744.00	HJA	65	<b>HJA36025</b>	\$2,318.00
30	HGA	35	<b>HGA36030</b>	\$1,744.00	HJA	65	<b>HJA36030</b>	\$2,318.00
35	HGA	35	<b>HGA36035</b>	\$1,744.00	HJA	65	<b>HJA36035</b>	\$2,318.00
40	HGA	35	<b>HGA36040</b>	\$1,744.00	HJA	65	<b>HJA36040</b>	\$2,318.00
45	HGA	35	<b>HGA36045</b>	\$1,744.00	HJA	65	<b>HJA36045</b>	\$2,318.00
50	HGA	35	<b>HGA36050</b>	\$1,744.00	HJA	65	<b>HJA36050</b>	\$2,318.00
60	HGA	35	<b>HGA36060</b>	\$1,744.00	HJA	65	<b>HJA36060</b>	\$2,464.00
70	HGA	35	<b>HGA36070</b>	\$1,744.00	HJA	65	<b>HJA36070</b>	\$2,464.00
80	HGA	35	<b>HGA36080</b>	\$1,744.00	HJA	65	<b>HJA36080</b>	\$2,464.00
90	HGA	35	<b>HGA36090</b>	\$1,744.00	HJA	65	<b>HJA36090</b>	\$2,464.00
100	HGA	35	<b>HGA36100</b>	\$1,744.00	HJA	65	<b>HJA36100</b>	\$2,464.00
110	HGA	35	<b>HGA36110</b>	\$2,300.00	HJA	65	<b>HJA36110</b>	\$2,754.00
125	HGA	35	<b>HGA36125</b>	\$2,300.00	HJA	65	<b>HJA36125</b>	\$2,754.00

2

### J-Frame, Plug-on Type, 3-pole, MCCB

Rating A	Type	kA	Unit Reference	Unit Price HK\$	Type	kA	Unit Reference	Unit Price HK\$
150	JGA	35	<b>JGA36150</b>	\$3,944.00	JJA	65	<b>JJA36150</b>	\$4,500.00
175	JGA	35	<b>JGA36175</b>	\$3,944.00	JJA	65	<b>JJA36175</b>	\$4,500.00
200	JGA	35	<b>JGA36200</b>	\$3,944.00	JJA	65	<b>JJA36200</b>	\$4,500.00
225	JGA	35	<b>JGA36225</b>	\$3,944.00	JJA	65	<b>JJA36225</b>	\$4,500.00
250	JGA	35	<b>JGA36250</b>	\$3,944.00	JJA	65	<b>JJA36250</b>	\$4,500.00

### L-Frame, Plug-on Type, 3-pole, MCCB

Rating A	Type	kA	Unit Reference	Unit Price HK\$	Type	kA	Unit Reference	Unit Price HK\$
400	LGA	35	<b>LGA36400U31X</b>	\$10,414.00	LJA	65	<b>LJA36400U31X</b>	\$11,884.00
600	LGA	35	<b>LGA36600U31X</b>	\$10,414.00	LJA	65	<b>LJA36600U31X</b>	\$11,884.00

### M-Frame, Plug-on Type, 3-pole, MCCB

Rating A	Type	kA	Unit Reference	Unit Price HK\$	Type	kA	Unit Reference	Unit Price HK\$
700	MGA	35	<b>MGA36700</b>	\$15,755.00	MJA	65	<b>MJA36700</b>	\$17,330.00
800	MGA	35	<b>MGA36800</b>	\$15,755.00	MJA	65	<b>MJA36800</b>	\$17,330.00

### Automatic Moulded Case Switch, Plug-on Type

Description	No. of pole	Rating A	Unit Reference	Unit Price HK\$
H-Frame	3	150	<b>HGA36000S15</b>	\$2,616.00
J-Frame	3	250	<b>JGA36000S25</b>	\$3,324.00
L-Frame	3	400	<b>LGA36000S40X</b>	\$11,884.00
L-Frame	3	600	<b>LGA36000S60X</b>	\$11,884.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Conform to 符合標準 IEC 60947-2 & UL489  
3-pole 三極 - Unit Mounting Series

2



3-pole Unit Mounting

## H-Frame, Unit Mounting Type, 3-pole

Rating A	Type	kA	Unit Reference	Unit Price HK\$	Type	kA	Unit Reference	Unit Price HK\$
15	HGL	35	<b>HGL36015</b>	\$1,717.00	HJL	65	<b>HJL36015</b>	\$2,206.00
20	HGL	35	<b>HGL36020</b>	\$1,717.00	HJL	65	<b>HJL36020</b>	\$2,206.00
25	HGL	35	<b>HGL36025</b>	\$1,717.00	HJL	65	<b>HJL36025</b>	\$2,206.00
30	HGL	35	<b>HGL36030</b>	\$1,717.00	HJL	65	<b>HJL36030</b>	\$2,206.00
35	HGL	35	<b>HGL36035</b>	\$1,717.00	HJL	65	<b>HJL36035</b>	\$2,206.00
40	HGL	35	<b>HGL36040</b>	\$1,717.00	HJL	65	<b>HJL36040</b>	\$2,206.00
45	HGL	35	<b>HGL36045</b>	\$1,717.00	HJL	65	<b>HJL36045</b>	\$2,206.00
50	HGL	35	<b>HGL36050</b>	\$1,717.00	HJL	65	<b>HJL36050</b>	\$2,206.00
60	HGL	35	<b>HGL36060</b>	\$1,717.00	HJL	65	<b>HJL36060</b>	\$2,458.00
70	HGL	35	<b>HGL36070</b>	\$1,717.00	HJL	65	<b>HJL36070</b>	\$2,458.00
80	HGL	35	<b>HGL36080</b>	\$1,717.00	HJL	65	<b>HJL36080</b>	\$2,458.00
90	HGL	35	<b>HGL36090</b>	\$1,717.00	HJL	65	<b>HJL36090</b>	\$2,458.00
100	HGL	35	<b>HGL36100</b>	\$1,717.00	HJL	65	<b>HJL36100</b>	\$2,458.00
110	HGL	35	<b>HGL36110</b>	\$2,192.00	HJL	65	<b>HJL36110</b>	\$2,644.00
125	HGL	35	<b>HGL36125</b>	\$2,192.00	HJL	65	<b>HJL36125</b>	\$2,644.00

## J-Frame, Unit Mounting Type, 3-pole

Rating A	Type	kA	Unit Reference	Unit Price HK\$	Type	kA	Unit Reference	Unit Price HK\$
150	JGL	35	<b>JGL36150</b>	\$3,758.00	JJL	65	<b>JJL36150</b>	\$4,283.00
175	JGL	35	<b>JGL36175</b>	\$3,758.00	JJL	65	<b>JJL36175</b>	\$4,283.00
200	JGL	35	<b>JGL36200</b>	\$3,758.00	JJL	65	<b>JJL36200</b>	\$4,283.00
225	JGL	35	<b>JGL36225</b>	\$3,758.00	JJL	65	<b>JJL36225</b>	\$4,283.00
250	JGL	35	<b>JGL36250</b>	\$3,758.00	JJL	65	<b>JJL36250</b>	\$4,283.00

## L-Frame, Unit Mounting, 3-pole, MCCB

Rating A	Type	kA	Unit Reference	Unit Price HK\$	Type	kA	Unit Reference	Unit Price HK\$
400	LGL	35	<b>LGL36400U31X</b>	\$10,852.00	LJL	65	<b>LJL36400U31X</b>	\$11,944.00
600	LGL	35	<b>LGL36600U31X</b>	\$10,852.00	LJL	65	<b>LJL36600U31X</b>	\$11,944.00

## M-Frame, Unit Mounting, 3-pole, MCCB

Rating A	Type	kA	Unit Reference	Unit Price HK\$	Type	kA	Unit Reference	Unit Price HK\$
700	MGL	35	<b>MGL36700</b>	\$14,878.00	MJL	65	<b>MJL36700</b>	\$16,362.00
800	MGL	35	<b>MGL36800</b>	\$14,878.00	MJL	65	<b>MJL36800</b>	\$16,362.00

## Accessories 附件

Description	Unit Reference	Unit Price HK\$
Din Rail Mounting	<b>S29305</b>	\$888.00
208-277VAC Shunt Trip	<b>S29387</b>	\$606.00
380-480VAC Shunt Trip	<b>S29388</b>	\$606.00
30VDC Shunt Trip	<b>S29411</b>	\$588.00
277VAC Motor Operator - H-Frame	<b>S29434<sup>(1)</sup></b>	\$4,384.00
277VAC Motor Operator - J-Frame	<b>S31541<sup>(1)</sup></b>	\$5,214.00
277VAC Motor Operator - L-Frame	<b>S432641<sup>(1)</sup></b>	\$8,960.00
24VDC Shunt Trip	<b>S29390</b>	\$605.00
380/480VAC Motor Operator	<b>S29435</b>	\$3,974.00
Auxiliary Switch/Contacts (Standard, Min Load = 10mA with 24V)	<b>S29450</b>	\$293.00
SDE Adaptor	<b>S29451</b>	\$125.00
Auxiliary Switch/Contacts (Low Level, Min Load = 1mA with 24V)	<b>S29452</b>	\$376.00
24/30VDC Motor Operator	<b>S31543</b>	\$6,406.00
H-Frame Shutter Kit	<b>S37442</b>	\$415.00
J-Frame Shutter Kit	<b>S37443</b>	\$415.00

(1) Not for individual sale. Please order with the whole circuit breaker.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Power Factor Correction 功率因數補償

VarplusCan Capacitors ..... 3 - 1  
電容器

## EasyCan Capacitors 電容器<sup>(1)(2)</sup> Low Polluted Network Gh/Sn<10%



BLRCS\*\*

Type	Voltage V	kVAR	Unit Reference	Unit Price HK\$
380		15	<b>BLRCS167A200B40</b>	\$929.00
		20	<b>BLRCS222A266B40</b>	\$1,038.00
		25	<b>BLRCS277A332B40</b>	\$1,160.00
400		15	<b>BLRCS150A180B40</b>	\$845.00
		20	<b>BLRCS200A240B40</b>	\$1,017.00
		25	<b>BLRCS250A300B40</b>	\$1,062.00

## VarplusCan Capacitors 電容器<sup>(1)(2)</sup> For Polluted Network Gh/Sn<20%



BLRCH\*\*

Type	Voltage V	kVAR	Unit Reference	Unit Price HK\$
380		15	<b>BLRCH200A240B44</b>	\$1,676.00
		20	<b>BLRCH285A342B44</b>	\$1,858.00
		25	<b>BLRCH335A401B44</b>	\$2,399.00
400		15	<b>BLRCH182A218B44</b>	\$1,651.00
		20	<b>BLRCH250A300B44</b>	\$1,803.00
		25	<b>BLRCH315A378B44</b>	\$2,329.00

## VarPlus MAX Copper Detuned Reactors 380V 50Hz 失諧電抗器



LVR\*\*38CU

Tuning Factor	kVAR	Unit Reference	Unit Price HK\$
7%	12.5	<b>LVR07125A38CU</b>	\$4,050.00
	25	<b>LVR07250A38CU</b>	\$5,400.00
	50	<b>LVR07500A38CU</b>	\$8,300.00
	100	<b>LVR07X00A38CU</b>	\$14,800.00
14%	12.5	<b>LVR14125A38CU</b>	\$6,885.00
	25	<b>LVR14250A38CU</b>	\$9,180.00
	50	<b>LVR14500A38CU</b>	\$14,110.00
	100	<b>LVR14X00A38CU</b>	\$25,160.00

## VarPlus Logic Power Factor Controllers 功率因素控制器



VPL Series

Type	No. of Step Output Contacts	Unit Reference	Unit Price HK\$
VPL06	6	<b>VPL06N</b>	\$3,200.00
VPL12	12	<b>VPL12N</b>	\$4,200.00

(1) For other ratings, please consult Schneider Electric (Hong Kong) Limited.

(2) Output KVAR is different with the usage of detuned reactor. For details, please consult sales representative.

# Power Management System 電力管理系統

PowerLogic Power Meters, Communication & Supervision ..... 4 - 1  
電力儀表器、通訊及監測

# PowerLogic 電力儀表器、通訊及監測

## PM8240/PM5000/PM2120/DM6200H Power Meters EGX Ethernet Gateway



METSEPM8240

### PM8240 Power Meter 電力儀表器<sup>(1)</sup>

Description	Unit Reference	Unit Price HK\$
PM8240 <sup>(4)</sup> Power Meter with RS485, Sag and Swell Detection	<b>METSEPM8240</b>	\$13,000.00



METSEPM5110

### PM5000 Power Meters 電力儀表器<sup>(1)</sup>

Description	Unit Reference	Unit Price HK\$
PM5110 <sup>(2)</sup> Power Meter with RS485	<b>METSEPM5110</b>	\$2,408.00
PM5320 <sup>(3)</sup> Power Meter with BACnet/IP and 256KB Data Logged	<b>METSEPM5320</b>	\$4,013.00
PM5330 <sup>(3)</sup> Power Meter with RS485 and 256KB Data Logged	<b>METSEPM5330</b>	\$3,612.00
PM5560 <sup>(4)</sup> Power Meter with RS485, Neutral Measurement and 1.1MB Data Logged	<b>METSEPM5560</b>	\$5,517.00



METSEPM2120

### PM2120 Power Meter 電力儀表器<sup>(1)</sup>

Description	Unit Reference	Unit Price HK\$
PM2120 Power Meter with MODBUS Communication	<b>METSEPM2120</b>	\$1,730.00

### DM6200H Power Meter 電力儀表器<sup>(1)</sup>

Description	Unit Reference	Unit Price HK\$
DM6200H Panel Meter with MODBUS Communication	<b>METSEDM6200HCL10RS</b>	\$1,137.00



A9MEM2010


### Din Rail Mount Energy Meters 路軌式電能儀表器

Description	Unit Reference	Unit Price HK\$
<b>Din Rail Mount Type</b>		
Single Phase Energy Meter 40A Direct Connect with Pulse Output and MID	<b>A9MEM2010</b>	\$1,100.00
Single Phase Energy Meter 45A Direct Connect with MODBUS and MID	<b>A9MEM2055</b>	\$1,200.00
Single Phase Energy Meter 63A Direct Connect with MODBUS	<b>A9MEM2150</b>	\$2,850.00
3 Phase Energy Meter 63A Direct Connect with MODBUS and Pulse Output	<b>A9MEM3155</b>	\$2,300.00
3 Phase Energy Meter 125A Direct Connect with MODBUS	<b>A9MEM3355</b>	\$2,900.00
<b>BACnet Type</b>		
63A Direct Connect with BACnet MS/TP Comm Port	<b>A9MEM3165</b>	\$2,680.00
125A Direct Connect with BACnet MS/TP Comm Port	<b>A9MEM3365</b>	\$3,300.00



A9MEM3155

### Ethernet Components 以太網組件



EBX510

Description	Unit Reference	Unit Price HK\$
Link150 Ethernet Gateway with 2 Ethernet Ports - 24VDC and PoE	<b>EGX150</b>	\$5,392.00
Com'X 510 Energy Server 24VDC Power Supplied	<b>EBX510</b>	\$9,925.00

- (1) Support MODBUS RTU protocol  
 (2) Maximum individual harmonic content is 15.  
 (3) Maximum individual harmonic content is 31.  
 (4) Maximum individual harmonic content is 63.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

MV & LV Electrical Network Protection  
中低壓配電系統電流或電壓保護

MiCOM P120/P121/P122/P123 ..... 5-1  
Overcurrent Protection Relays  
過流保護裝置

MiCOM P921/P922/P923 ..... 5-1  
Voltage & Frequency Protection Relays  
電壓頻率保護裝置

### P120 Single-Phase or Earth Overcurrent 單相或接地過流保護

Earth Current Input (Ion)	Auxiliary Voltage	Digital Input Voltage	Communication Protocol	Unit Reference	Unit Price HK\$
0.1 to 40	24-250VDC / 48-240VAC	24-250VDC / 24-240VAC	MODBUS	<b>P120A00Z112-0<sup>(1)</sup></b>	\$11,730.00
0.01 to 8	24-250VDC / 48-240VAC	24-250VDC / 24-240VAC	MODBUS	<b>P120B00Z112-0<sup>(1)</sup></b>	\$11,730.00

### P121 Three-Phase & Earth Overcurrent 三相及接地過流保護

Earth Current Input (Ion)	Auxiliary Voltage	Digital Input Voltage	Communication Protocol	Unit Reference	Unit Price HK\$
0.1 to 40	24-250VDC / 48-240VAC	24-250VDC / 24-240VAC	MODBUS	<b>P121A00Z112-0<sup>(1)</sup></b>	\$12,215.00
0.01 to 8	24-250VDC / 48-240VAC	24-250VDC / 24-240VAC	MODBUS	<b>P121B00Z112-0<sup>(1)</sup></b>	\$12,215.00

### P122 Enhanced Three-Phase & Earth Overcurrent 三相及接地過流保護 (Negative Phase Sequence Overcurrent 帶負序過流)

Earth Current Input (Ion)	Auxiliary Voltage	Digital Input Voltage	Communication Protocol	Unit Reference	Unit Price HK\$
0.1 to 40	24-250VDC / 48-240VAC	24-250VDC / 24-240VAC	MODBUS	<b>REL21201</b>	\$13,650.00
0.01 to 8	24-250VDC / 48-240VAC	24-250VDC / 24-240VAC	MODBUS	<b>REL21202</b>	\$13,650.00

### P123 Expert Three-Phase & Earth Overcurrent 三相及接地過流保護 (Negative Phase Sequence Overcurrent & Autoreclose 帶負序過流及重合閘)

Earth current Input (Ion)	Auxiliary Voltage	Digital input Voltage	Communication Protocol	Unit Reference	Unit Price HK\$
0.1 to 40	24-250VDC / 48-240VAC	24-250VDC / 24-240VAC	MODBUS	<b>REL21301</b>	\$15,080.00
0.01 to 8	24-250VDC / 48-240VAC	24-250VDC / 24-240VAC	MODBUS	<b>REL21302</b>	\$15,080.00

### P921 Voltage Protection 電壓保護

Voltage Input	Auxiliary Voltage	Digital Input Voltage	Communication Protocol	Unit Reference	Unit Price HK\$
57-130V	24-250VDC / 48-240VAC	24-250VDC / 24-240VAC	MODBUS	<b>REL29101</b>	\$16,895.00
			IEC 60870-5-103	<b>REL29102</b>	\$16,895.00
220-480V	24-250VDC / 48-240VAC	24-250VDC / 24-240VAC	MODBUS	<b>P9210BSZ112-0<sup>(1)</sup></b>	\$16,895.00
			IEC 60870-5-103	<b>P9210BSZ312-0<sup>(1)</sup></b>	\$16,895.00

### P922 Voltage/Frequency Protection 電壓/頻率保護

Voltage Input	Auxiliary Voltage	Digital Input Voltage	Communication Protocol	Unit Reference	Unit Price HK\$
57-130V	24-250VDC / 48-240VAC	24-250VDC / 24-240VAC	MODBUS	<b>REL29201</b>	\$18,085.00
			IEC 60870-5-103	<b>REL29202</b>	\$18,085.00
220-480V	24-250VDC / 48-240VAC	24-250VDC / 24-240VAC	MODBUS	<b>P9220BSZ112-0<sup>(1)</sup></b>	\$18,085.00
			IEC 60870-5-103	<b>P9220BSZ312-0<sup>(1)</sup></b>	\$18,085.00

### P923 Voltage/Frequency Protection with df/dt 電壓/頻率保護連df/dt功能

Voltage Input	Auxiliary Voltage	Digital Input Voltage	Communication Protocol	Unit Reference	Unit Price HK\$
57-130V	24-250VDC / 48-240VAC	24-250VDC / 24-240VAC	MODBUS	<b>REL29301</b>	\$25,345.00
			IEC 60870-5-103	<b>REL29302</b>	\$25,345.00
220-480V	24-250VDC / 48-240VAC	24-250VDC / 24-240VAC	MODBUS	<b>P9230BSZ112-0<sup>(1)</sup></b>	\$25,345.00
			IEC 60870-5-103	<b>P9230BSZ312-0<sup>(1)</sup></b>	\$25,345.00

(1) Please consult Schneider Electric (Hong Kong) Limited for updated firmware.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

## Power Switching, Control & Protection 電力開關、控制及保護

TeSys GV2ME/GV2P/GV3P Motor Circuit Breakers	6 - 1
電動機斷路器	
TeSys GV2LE/GV3L/GV4PE/GV7RS Motor Circuit Breakers	6 - 2
電動機斷路器	
TeSys GV/LA9 Accessories for GV2/GV3	6 - 3
附件	
TeSys GB2C Control Circuit Breakers	6 - 4
控制斷路器	
Contactors	
接觸器	
TeSys LC1K/DIF 3-pole Contactors	6 - 5
三極接觸器	
TeSys LC2D/F 3-pole Reversing Contactors (Kit Set)	6 - 6
三極可逆接觸器 (配套組件)	
TeSys LC1D 3-pole Contactors for Capacitor Banks	6 - 7
三極接觸器用於電容器	
TeSys LC1K/DIF 4-pole Contactors	6 - 8
四極接觸器	
TeSys LC2D/F 4-pole Reversing Contactors	6 - 9
四極可逆接觸器	
TeSys Accessories for Contactors K/D/F	6 - 10
接觸器附件	
TeSys LXD/LX1/LX1F/4F Coils for 3/4-pole D & F Range Contactors	6 - 14
D 及 F 系列接觸器線圈	
TeSys LRD/LR9D/LR9F/LR2K/LAD 3-pole Thermal Overload Relays	6 - 15
三極熱過載繼電器	
TeSys LC3D 3-pole Star - Delta Starters (Kit Set)	6 - 17
三極星三角起動器 (配套組件)	
TeSys LE1 Enclosed D.O.L. Starters	6 - 18
直接起動器連箱	
TeSys CAD/CA2KN/CA3KN Control Relays	6 - 19
控制繼電器	
TeSys DF Fuse Holders	6 - 20
菲士座	
TeSys LTM T Motor Management System	6 - 22
電動機管理系統	
TeSys GF16 Impulse Relays	6 - 22
脈衝繼電器	
NFC Multifunction Relay	6 - 23
多功能NFC繼電器	
Protection Devices & Relays	6 - 24
保護元件及繼電器	

TeSys  
GV2ME/GV2P/  
GV3P Motor Circuit Breakers  
電動機斷路器

Thermal Magnetic Motor Circuit Breakers 熱磁電動機斷路器  
0.06kW - 37kW, AC-3



GV2ME

GV2ME Thermal Magnetic Motor Circuit Breakers (with Pushbutton Control)  
熱磁電動機斷路器 (按鈕控制)

Screw Clamp Terminals 螺絲夾接線端子

Standard Power Rating, of 3-Phase 50/60Hz Motors, Category AC-3, 400/415V				Overload Setting Range	Unit Reference	Unit Price HK\$
P	Icu	Ics <sup>(1)</sup>		A		
kW	HP	kA	%			
-	-	★	★	0.10 - 0.16	GV2ME01	\$356.00
0.06	-	★	★	0.16 - 0.25	GV2ME02	\$356.00
0.09	-	★	★	0.25 - 0.40	GV2ME03	\$356.00
0.18	-	★	★	0.40 - 0.63	GV2ME04	\$356.00
0.25	-	★	★	0.63 - 1	GV2ME05	\$356.00
0.55	0.5	★	★	1 - 1.6	GV2ME06	\$356.00
0.75	1	★	★	1.6 - 2.5	GV2ME07	\$356.00
1.5	2	★	★	2.5 - 4	GV2ME08	\$356.00
2.2	3	★	★	4 - 6.3	GV2ME10	\$356.00
4	5.5	★	★	6 - 10	GV2ME14	\$411.00
5.5	10	15	50	9 - 14	GV2ME16	\$411.00
7.5	10	15	50	13 - 18	GV2ME20	\$411.00
9	14	15	40	17 - 23	GV2ME21	\$457.00
11	15	15	40	20 - 25	GV2ME22	\$457.00
15	20	10	50	24 - 32	GV2ME32	\$606.00

GV2P Thermal Magnetic Motor Circuit Breakers (with Rotary Knob Control)  
熱磁電動機斷路器 (旋轉手柄控制)

Screw Clamp Terminals 螺絲夾接線端子

Standard Power Rating, of 3-Phase 50/60Hz Motors, Category AC-3, 400/415V				Overload Setting Range	Unit Reference	Unit Price HK\$
P	Icu	Ics <sup>(1)</sup>		A		
kW	HP	kA	%			
-	-	★	★	0.1 - 0.16	GV2P01	\$593.00
0.06	-	★	★	0.16 - 0.25	GV2P02	\$593.00
0.09	-	★	★	0.25 - 0.40	GV2P03	\$646.00
0.18	-	★	★	0.40 - 0.63	GV2P04	\$646.00
0.25	-	★	★	0.63 - 1	GV2P05	\$741.00
0.55	0.5	★	★	1 - 1.6	GV2P06	\$741.00
0.75	1	★	★	1.6 - 2.5	GV2P07	\$741.00
1.1	2	★	★	2.5 - 4	GV2P08	\$741.00
2.2	3	★	★	4 - 6.3	GV2P10	\$741.00
3	5.5	★	★	6 - 10	GV2P14	\$907.00
5.5	10	★	★	9 - 14	GV2P16	\$971.00
7.5	10	50	50	13 - 18	GV2P20	\$990.00
9	14	50	50	17 - 23	GV2P21	\$1,019.00
11	15	50	50	20 - 25	GV2P22	\$1,159.00
15	20	50	50	24 - 32	GV2P32	\$1,534.00

GV3P Thermal Magnetic Motor Circuit Breakers (with Rotary Knob Control)  
熱磁電動機斷路器 (旋轉手柄控制)

EverLink BTR Screw Connectors 螺絲夾緊端子連接

Standard Power Rating, of 3-Phase 50/60Hz Motors, Category AC-3, 400/415V				Overload Setting Range	Unit Reference	Unit Price HK\$
P	Icu	Ics <sup>(1)</sup>		A		
kW	HP	kA	%			
5.5	10	100	100	9 - 13	GV3P13	\$968.00
7.5	10	100	100	12 - 18	GV3P18	\$968.00
11	15	100	100	17 - 25	GV3P25	\$968.00
15	20	100	100	23 - 32	GV3P32	\$968.00
18.5	25	50	100	30 - 40	GV3P40	\$968.00
22	30	50	100	37 - 50	GV3P50	\$1,026.00
30	40	50	100	48 - 65	GV3P65	\$1,026.00
37	50	50	60	62 - 73	GV3P73	\$1,384.00
45	60	50	60	70 - 80	GV3P80	\$1,384.00

★ > 100kA

(1) As % of Icu

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Motor Circuit Breakers 電動機斷路器

TeSys  
GV2LE/GV3L/  
GV4PE/GV7RS

Magnetic Motor Circuit Breakers 電磁電動機斷路器

0.75kW - 30kW, AC-3

Thermal Magnetic Motor Circuit Breakers 熱磁電動機斷路器

18.5kW - 90kW, AC-3



GV2LE

## GV2LE Magnetic Motor Circuit Breakers (with Rocker Lever)

電磁電動機斷路器 (撥杆控制)

Screw Clamp Terminals 螺絲夾接線端子

Standard Power Rating, of 3-Phase 50/60Hz Motors, Category AC-3, 400/415V					Current Rating	Associated with LRD Thermal Overload Relay	Unit Reference	Unit Price HK\$
P		Icu kA	Ics <sup>(1)</sup> %	A				
kW	HP							
0.75	1	★	★	2.5	LRD07	<b>GV2LE07</b>	\$298.00	
1.5	2	★	★	4	LRD08	<b>GV2LE08</b>	\$298.00	
2.2	3	★	★	6.3	LRD10	<b>GV2LE10</b>	\$298.00	
4	5.5	★	★	10	LRD14	<b>GV2LE14</b>	\$319.00	
5.5	7.5	15	50	14	LRD16	<b>GV2LE16</b>	\$319.00	
7.5	10	15	50	18	LRD21	<b>GV2LE20</b>	\$371.00	
11	15	15	40	25	LRD22	<b>GV2LE22</b>	\$371.00	
15	20	10	50	32	LRD32	<b>GV2LE32</b>	\$602.00	



GV3L

## GV3L Magnetic Motor Circuit Breakers (with Rotary Handle)

電磁電動機斷路器 (旋轉手柄控制)

EverLink BTR Screw Connectors 螺絲夾緊端子連接

Standard Power Rating, of 3-Phase 50/60Hz Motors, Category AC-3, 400/415V					Current Rating	Associated with LRD Thermal Overload Relay	Unit Reference	Unit Price HK\$
P		Icu kA	Ics <sup>(1)</sup> %	A				
kW	HP							
11	15	100	100	25	LRD325	<b>GV3L25</b>	\$902.00	
15	20	100	100	32	LRD332	<b>GV3L32</b>	\$902.00	
18.5	25	50	100	40	LRD340	<b>GV3L40</b>	\$902.00	
22	30	50	100	50	LRD350	<b>GV3L50</b>	\$968.00	
30	40	50	100	65	LRD365	<b>GV3L65</b>	\$968.00	
37	50	50	60	73	LRD380	<b>GV3L73</b>	\$1,336.00	
45	60	50	60	80	LRD380	<b>GV3L80</b>	\$1,336.00	

6



GV4PE

## GV4PE/GV7RS Thermal Magnetic Motor Circuit Breakers (with Rocker Lever)

熱磁電動機斷路器 (撥杆控制)

EverLink BTR Screw Connectors 螺絲夾緊端子連接

Standard Power Rating, of 3-Phase 50/60Hz Motors, Category AC-3, 400/415V					Overload Setting Range	Unit Reference	Unit Price HK\$
P		Icu kA	Ics <sup>(1)</sup> %	A			
kW	HP						
22	30	100	100	20 - 50		<b>GV4PE50S</b>	\$3,839.00
37	50	100	100	40 - 80		<b>GV4PE80S</b>	\$3,839.00
55	75	100	100	65 - 115		<b>GV4PE115S</b>	\$3,839.00
Screw Clamp Terminals 螺絲夾接線端子							
75	100	70	100	90 - 150		<b>GV7RS150<sup>(2)</sup></b>	\$3,839.00
110	150	70	100	132 - 220		<b>GV7RS220<sup>(2)</sup></b>	\$5,627.00


★ > 100kA

(1) As % of Icu

(2) These references will obsolete in 2019 with prior notice. Please consult Schneider Electric (HK) Limited for the replacements.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Not applicable for GV3ME & GK3EF series 不適用於GV3ME及GK3EF系列



GVAD

Contact Blocks 輔助觸頭 (for GV2/GV3)

Description	Mounting	Maximum Number	Type of Contacts	Sold in Lots of	Unit Reference	Unit Price HK\$
Instantaneous	Front <sup>(1)</sup>	1	N/O or N/C <sup>(2)</sup>	10	<b>GVAE1</b>	\$84.00
Auxiliary			N/O + N/C	10	<b>GVAE11</b>	\$89.00
Contacts			N/O + N/O	10	<b>GVAE20</b>	\$89.00
	Side	2	N/O + N/C	1	<b>GVAN11</b>	\$89.00
	(LH)		N/O + N/O	1	<b>GVAN20</b>	\$89.00
Fault Signalling	Side <sup>(3)</sup>	1	N/O + N/O	1	<b>GVAD1010</b>	\$149.00
Contact +	(LH)		(fault) + N/C	1	<b>GVAD1001</b>	\$149.00
Instantaneous			N/C + N/O	1	<b>GVAD0110</b>	\$149.00
Auxiliary Contact			(fault) + N/C	1	<b>GVAD0101</b>	\$149.00
Short-Circuit	Side	1	C/O	1	<b>GVAM11</b>	\$149.00
Signalling Contact	(LH)		Common Point			

Accessories 附件 (for GV2)

Description	Application	Pitch mm	Sold in Lots of	Unit Reference	Unit Price HK\$
Sets of 3-pole 63 A Busbars	2 Tap-Offs	45		<b>GV2G245</b>	\$61.00
		54		<b>GV2G254</b>	\$61.00
		72		<b>GV2G272</b>	\$89.00
	3 Tap-Offs	45		<b>GV2G345</b>	\$68.00
		54		<b>GV2G354</b>	\$84.00
4 Tap-Offs	45		<b>GV2G445</b>	\$89.00	
	54		<b>GV2G454</b>	\$89.00	
	72		<b>GV2G472</b>	\$179.00	
5 Tap-Offs	54		<b>GV2G554</b>	\$97.00	
Protective End Cover	For unused Busbar Outlets		5	<b>GV1G10</b>	\$31.00
Terminal Blocks for Supply to one or more GV2G busbar Sets	Connection from the top		1	<b>GV1G09</b>	\$129.00
	Can be fitted with Current Limiter GV1L3 (GV2ME and GV2P)		1	<b>GV2G05</b>	\$171.00
Cover for Terminal Block	For mounting in Modular Panels		10	<b>LA9E07</b>	\$23.00
Flexible 3-pole Connection for connecting a GV2 to an LC1D09 to D25 Contactor	Centre distance between		10	<b>GV1G02</b>	\$33.00
	Mounting Rails: 100 - 120mm				
Clip-In Marker Holders (Supplied with each Circuit-Breaker)	For GV2P, GV2L, GV2LE and GV2RT (8 x 22mm)		100	<b>LA9D92</b>	\$214.00 <sup>(4)</sup>

(1) Mounting of GVAE contact block or GV2AK00 visible isolation block on GV2P and GV2L

(2) Choice of N/C or N/C contact operation available depending on mounting direction of reversible block

(3) GVAD is always mounted next to the circuit breaker.

(4) Unit price for 100pcs of LA9D92

For Control Circuit Protection 用於控制電路保護

## 1-pole Thermal Magnetic Motor Circuit Breakers 單極熱磁電動機斷路器



GB2CB\*\*

Current Rating A	Sold in Lots of	Unit Reference	Unit Price HK\$
0.5	6	<b>GB2CB05</b>	\$170.00
1	6	<b>GB2CB06</b>	\$170.00
2	6	<b>GB2CB07</b>	\$160.00
3	6	<b>GB2CB08</b>	\$160.00
4	6	<b>GB2CB09</b>	\$160.00
5	6	<b>GB2CB10</b>	\$160.00
6	6	<b>GB2CB12</b>	\$160.00
8	6	<b>GB2CB14</b>	\$160.00
10	6	<b>GB2CB16</b>	\$160.00
12	6	<b>GB2CB20</b>	\$160.00
16	6	<b>GB2CB21</b>	\$160.00
20	6	<b>GB2CB22</b>	\$160.00

## 1-pole + Neutral Thermal Magnetic Motor Circuit Breakers 單極熱磁電動機斷路器

(1-pole Protected and Switched, 1-pole Switched)



GB2CD\*\*

Current Rating A	Sold in Lots of	Unit Reference	Unit Price HK\$
1	6	<b>GB2CD06</b>	\$246.00
2	6	<b>GB2CD07</b>	\$246.00
3	6	<b>GB2CD08</b>	\$246.00
4	6	<b>GB2CD09</b>	\$246.00
5	6	<b>GB2CD10</b>	\$246.00
6	6	<b>GB2CD12</b>	\$246.00
8	6	<b>GB2CD14</b>	\$224.00
10	6	<b>GB2CD16</b>	\$224.00
12	6	<b>GB2CD20</b>	\$224.00
16	6	<b>GB2CD21</b>	\$224.00
20	6	<b>GB2CD22</b>	\$224.00

6A - 800A, AC-3  
Control Circuit 控制電路: AC/DC  
Supplied with Operating Coil 帶線圈



LC1K0610\*\*



LC1D09\*\*



LC1D65A\*\*



LC1D95\*\*



LC1D115\*\*



LC1F185\*\*

Standard Power Rating, Rated Current in Motors, Category AC-3, 380V		Rated Current in AC-3 440V	Maximum Current in AC-1	Auxiliary Contacts		Unit Reference <sup>(1)</sup>	Unit Price HK\$	Unit Reference <sup>(2)</sup>	Unit Price HK\$
kW	HP	A	A	N/O	N/C	AC Coil		DC Coil	

**K Range Contactors K系列接觸器**

Screw Clamp Terminals 螺絲夾接線端子									
2.2	3	6	20	1	-	LC1K0610**	\$114.00	LP1K0610**	\$165.00
				-	1	LC1K0601**	\$114.00	LP1K0601**	\$165.00
4	5.5	9	20	1	-	LC1K0910**	\$121.00	LP1K0910**	\$180.00
				-	1	LC1K0901**	\$121.00	LP1K0901**	\$180.00

**D Range Contactors D系列接觸器**

Screw Clamp Terminals 螺絲夾接線端子									
4	5.5	9	25	1	1	LC1D09**	\$138.00	LC1D09**	\$212.00
5.5	7.5	12	25	1	1	LC1D12**	\$164.00	LC1D12**	\$260.00
7.5	10	18	32	1	1	LC1D18**	\$222.00	LC1D18**	\$415.00
11	15	25	40	1	1	LC1D25**	\$342.00	LC1D25**	\$517.00
15	20	32	50	1	1	LC1D32**	\$439.00	LC1D32**	\$738.00
18.5	25	38	50	1	1	LC1D38**	\$517.00	LC1D38**	\$856.00

**EverLink BTR Screw Connectors 螺絲夾緊端子連接**

18.5	25	40	60	1	1	LC1D40A**	\$704.00	LC1D40A**	\$1,066.00
22	30	50	80	1	1	LC1D50A**	\$872.00	LC1D50A**	\$1,210.00
30	40	65	80	1	1	LC1D65A**	\$1,114.00	LC1D65A**	\$1,676.00
37	50	66	80	1	1	LC1D80A**	\$1,174.00	LC1D80A**	\$1,771.00

**Screw Clamp Terminals 螺絲夾接線端子**

37	50	80	125	1	1	LC1D80**	\$1,234.00	LC1D80**	\$1,865.00
45	60	95	125	1	1	LC1D95**	\$1,255.00	LC1D95**	\$2,069.00
55	75	115	200	1	1	LC1D115**	\$1,696.00	LC1D115**	\$2,360.00
75	100	150	250	1	1	LC1D150**	\$2,212.00	LC1D150**	\$2,582.00

**F Range Contactors F系列接觸器**

Screw Clamp Terminals 螺絲夾接線端子									
55	75	115	200	-	-	LC1F115**	\$2,203.00	LC1F115**	\$2,761.00
75	100	150	250	-	-	LC1F150**	\$2,507.00	LC1F150**	\$2,948.00
90	125	185	275	-	-	LC1F185**	\$3,096.00	LC1F185**	\$3,902.00
110	150	225	315	-	-	LC1F225**	\$3,831.00	LC1F225**	\$4,968.00
132	180	265	350	-	-	LC1F265**	\$5,304.00	LC1F265**	\$6,646.00
160	220	330	400	-	-	LC1F330**	\$6,188.00	LC1F330**	\$6,835.00
200	270	400	500	-	-	LC1F400**	\$7,813.00	LC1F400**	\$8,350.00
250	340	500	700	-	-	LC1F500**	\$11,051.00	LC1F500**	\$14,735.00
335	450	630	1000	-	-	LC1F630**	\$14,735.00	LC1F630**	\$18,666.00
400	540	780	1600	-	-	LC1F780**	\$48,146.00	LC1F780**	\$56,641.00
450	600	800	-	-	-	LC1F800FW <sup>(3)A</sup>	\$19,888.00	LC1F800FW <sup>(3)A</sup>	\$19,888.00
450	600	800	-	-	-	LC1F800MW <sup>(4)A</sup>	\$19,888.00	LC1F800MW <sup>(4)A</sup>	\$19,888.00

<sup>^</sup> Need to add rectifier within package to use AC control voltage for LC1F800\*\*

**(1) Coil Voltages 線圈電壓: AC Supply**

Volts	24	48	110	220	230	240	380
LC1K06 - D150 (50/60Hz)							
Code	B7	E7	F7	M7	P7	U7	Q7
LC1F115 - F225 (40 - 400Hz)							
Code	-	E7	F7	M7	P7	U7	Q7
LC1F265 - F630 (40 - 400Hz)							
Code	-	E7	F7	M7	P7	U7	Q7
LC1F780 (40 - 400Hz)							
Code	-	-	F7	M7	P7	U7	Q7

Remark: For the prices of other voltages, please consult Schneider Electric (Hong Kong) Limited.

**(2) Coil Voltages 線圈電壓: DC Supply**

Volts	24	48	110	220
LC1D40A - LC1D80A				
Code	BBE	BNE	ENE	KUE
LP1K06 - LC1F330, except for LC1D40A - LC1D80A				
Code	BD	ED	FD	MD
LC1F400 - LC1F630				
Code	-	ED	FD	MD
LC1F780				
Code	-	-	FD	MD

Remark: For the prices of other voltages, please consult Schneider Electric (Hong Kong) Limited.

(3) 110 - 120V AC/DC (4) 220 - 240V AC/DC

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information. 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# 3-pole Reversing Contactors (Kit Set) 三極可逆接觸器 (配套組件)

TeSys  
LC2D/F

9A - 630A, AC-3

Control Circuit 控制電路: AC

Pre-Assembled and Horizontally Mounted 預先組裝、水平安裝

Standard Power Rating, of 3-Phase 50/60Hz Motors, Category AC-3, 380V		Rated Current in AC-3 440V	Auxiliary Contacts		Unit Reference <sup>(1)</sup>	Unit Price HK\$
kW	HP	A	N/O	N/C		

## D Range Contactors D系列接觸器<sup>(2)</sup>

Screw Clamp Terminals 螺絲夾接線端子

4	5.5	9	1	1	LC2D09**	\$476.00
5.5	7.5	12	1	1	LC2D12**	\$592.00
7.5	10	18	1	1	LC2D18**	\$814.00
11	15	25	1	1	LC2D25**	\$1,030.00
15	20	32	1	1	LC2D32**	\$1,181.00
18.5	25	38	1	1	LC2D38**	\$1,400.00
EverLink BTR Screw Connectors 螺絲夾緊端子連接						
18.5	25	40	1	1	LC2D40**	\$2,181.00
22	30	50	1	1	LC2D50**	\$2,396.00
30	40	65	1	1	LC2D65A**	\$2,653.00
Screw Clamp Terminals 螺絲夾接線端子						
37	50	80	1	1	LC2D80**	\$3,684.00
45	60	95	1	1	LC2D95**	\$4,421.00
55	75	115	1	1	LC2D115**	\$5,900.00
75	100	150	1	1	LC2D150**	\$7,072.00



LC2D12\*\*

## F Range Contactors F系列接觸器<sup>(3)</sup>

Screw Clamp Terminals 螺絲夾接線端子

55	75	115	-	-	LC2F115**22H	\$4,346.00
75	100	150	-	-	LC2F150**22H	\$5,377.00
90	125	185	-	-	LC2F185**22H	\$6,586.00
110	150	225	-	-	LC2F225**22H	\$8,062.00
132	180	265	-	-	LC2F265**22H	\$11,023.00
160	220	330	-	-	LC2F330**22H	\$13,379.00
200	270	400	-	-	LC2F400**22H	\$16,031.00
250	340	500	-	-	LC2F500**22H	\$22,514.00
335	450	630	-	-	LC2F630**22H	\$30,055.00



LC2D65A\*\*

(1) Coil Voltages 線圈電壓: AC Supply

Volts	24	48	110	220	230	240	380
LC1K06 - D150 (50/60Hz)							
Code	B7	E7	F7	M7	P7	U7	Q7
LC1F115 - F225 (40 - 400Hz)							
Code	-	E7	F7	M7	P7	U7	Q7
LC1F265 - F630 (40 - 400Hz)							
Code	-	E7	F7	M7	P7	U7	Q7
LC1F780 (40 - 400Hz)							
Code	-	-	F7	M7	P7	U7	Q7



LC2F185\*\*

Remark: For the prices of other voltages, please consult Schneider Electric (Hong Kong) Limited.

(2) All LC2D kits are completed with two D Range Contactors of rated power, mechanical interlock and power connection cable.

(3) All LC2F kits are completed with two F Range Contactors of rated power, horizontal mechanical interlock and one 2 N/O & 2 N/C auxiliary contact block for each contactor. Please refer to page 5/6 for the details of coil voltages.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

For switching 3-Phase Capacitor Banks, used for Power Factor Correction  
用於切換電容器進行功率因數的補償  
Control Circuit 控制電路 : AC



LC1DFK\*\*



LC1DLK\*\*



LC1DTK\*\*

Operating Power at 50/60Hz 400/415V $\varnothing \leq 60^{\circ}\text{C}^{(2)}$ kVAR	Auxiliary Contacts		Unit Reference <sup>(1)</sup>	Unit Price HK\$
	N/O	N/C		
12.5	1	2	<b>LC1DFKM7</b>	\$476.00
16.7	1	2	<b>LC1DGKM7</b>	\$621.00
20	1	2	<b>LC1DLKM7</b>	\$783.00
25	1	2	<b>LC1DMKM7</b>	\$902.00
30	1	2	<b>LC1DPKM7</b>	\$1,245.00
40	1	2	<b>LC1DTKM7</b>	\$1,331.00
63	1	2	<b>LC1DWK12M7</b>	\$1,696.00

(1) The control circuit voltage is 220V. For price of other voltages, please consult Schneider Electric (Hong Kong) Limited.  
(2) In accordance with the standard IEC 70 and 831, the average temperature over 24 hours is 45°C.

# 4-pole Contactors 四極接觸器

TeSys  
LC1K/D/F

20A - 1600A, AC-1  
Control Circuit 控制電路: AC/DC  
Supplied with Operating Coil 帶線圈



LC1K09004\*\*



LC1DT25\*\*



LC1DT80A\*\*



LC1F6304\*\*

Maximum Current in AC-1	Main Poles Contacts		Auxiliary Contacts		Unit Reference <sup>(1)</sup>	Unit Price HK\$	Unit Reference <sup>(3)</sup>	Unit Price HK\$
A	N/O	N/C	N/O	N/C	AC Coil		DC Coil	

## K Range Contactors K系列接觸器

Screw Clamp Terminals 螺絲夾接線端子

20	4	-	-	-	LC1K09004**	\$177.00	-	-
	2	2	-	-	LC1K09008**	\$211.00	-	-

## D Range Contactors D系列接觸器

Screw Clamp Terminals 螺絲夾接線端子

25	4	-	1	1	LC1DT25**	\$267.00	LC1DT25**	\$621.00
	2	2	1	1	LC1D128**	\$298.00	LC1D128**	\$681.00
40	4	-	1	1	LC1DT40**	\$602.00	LC1DT40**	\$1,166.00
	2	2	1	1	LC1D258**	\$665.00	LC1D258**	\$1,282.00
60	4	-	1	1	LC1DT60A** <sup>(2)</sup>	\$1,166.00	LC1DT60A** <sup>(2)</sup>	\$1,784.00
	2	2	-	-	LC1D40008**	\$1,282.00	LP1D40008**	\$1,981.00
80	4	-	1	1	LC1DT80A** <sup>(2)</sup>	\$1,800.00	LC1DT80A** <sup>(2)</sup>	\$2,715.00
	2	2	-	-	LC1D65008**	\$1,976.00	LP1D65008**	\$3,006.00
125	4	-	-	-	LC1D80004**	\$2,360.00	LP1D80004**	\$3,126.00
	2	2	-	-	LC1D80008**	\$2,595.00	LP1D80008**	\$3,425.00
200	4	-	-	-	LC1D115004**	\$3,318.00	LC1D115004**	\$4,421.00

## F Range Contactors F系列接觸器

Screw Clamp Terminals 螺絲夾接線端子

200	4	-	-	-	LC1F1154**	\$3,979.00	LC1F1154**	\$3,979.00
250	4	-	-	-	LC1F1504**	\$4,643.00	LC1F1504**	\$4,643.00
275	4	-	-	-	LC1F1854**	\$5,452.00	LC1F1854**	\$5,452.00
315	4	-	-	-	LC1F2254**	\$6,631.00	LC1F2254**	\$6,631.00
350	4	-	-	-	LC1F2654**	\$7,223.00	LC1F2654**	\$7,223.00
400	4	-	-	-	LC1F3304**	\$8,839.00	LC1F3304**	\$8,839.00
500	4	-	-	-	LC1F4004**	\$11,200.00	LC1F4004**	\$11,200.00
700	4	-	-	-	LC1F5004**	\$14,588.00	LC1F5004**	\$14,588.00
1000	4	-	-	-	LC1F6304**	\$21,364.00	LC1F6304**	\$21,364.00
1600	4	-	-	-	LC1F7804**	\$50,976.00	LC1F7804**	\$50,976.00

(1) Coil Voltages 線圈電壓: AC Supply

Volts	24	48	110	220	230	240	380
LC1K06 - D150 (50/60Hz)							
Code	B7	E7	F7	M7	P7	U7	Q7
LC1F115 - F225 (40 - 400Hz)							
Code	-	E7	F7	M7	P7	U7	Q7
LC1F265 - F630 (40 - 400Hz)							
Code	-	E7	F7	M7	P7	U7	Q7
LC1F780 (40 - 400Hz)							
Code	-	-	F7	M7	P7	U7	Q7

Remark: For the prices of other voltages, please consult Schneider Electric (Hong Kong) Limited.

(2) EverLink BTR screw connectors 螺絲夾緊端子連接

(3) Coil Voltages 線圈電壓: DC Supply

Volts	24	48	110	220
LC1DT60A, LC1DT80A				
Code	BBE	BNE	ENE	KUE
LP1K06 - LC1F330, except for LC1DT60A and LC1DT80A				
Code	BD	ED	FD	MD
LC1F400 - LC1F630				
Code	-	ED	FD	MD
LC1F780				
Code	-	-	FD	MD

Remark: For the prices of other voltages, please consult Schneider Electric (Hong Kong) Limited.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

12A - 780A, AC-3  
Horizontally Mounted 水平安裝  
Control Circuit 控制電路: AC

4-pole D & F Range Changeover Contactors (for self-assembly)  
四極D及F系列轉換接觸器 (需自行組裝)



LC2DT25\*\*



LC2F1854\*\*

Distribution Circuit AC-1 A	Rated Current AC-3 A	Unit Reference <sup>(1)</sup>	Unit Price HK\$
25	12	<b>LC2DT25M7</b>	\$1,047.00
40	25	<b>LC2DT40EM7</b> <b>LC2DT40M7</b>	\$1,486.00 \$1,451.00
60	40	<b>LC2DT60AM7<sup>(2)</sup></b>	\$2,585.00
80	63	<b>LC2DT80AM7<sup>(2)</sup></b>	\$3,720.00
125	80	<b>LC2D80004EM7</b> <b>LC2D80004M7</b>	\$5,333.00 \$5,218.00
200	115	<b>LC2D115004EM7</b>	\$7,515.00
200	115	<b>LC2F1154M722H</b> <b>LC2F1154M722V</b>	\$8,327.00 \$8,561.00
250	150	<b>LC2F1504M722H</b> <b>LC2F1504M722V</b>	\$9,653.00 \$9,889.00
275	185	<b>LC2F1854M722H</b> <b>LC2F1854M722V</b>	\$11,303.00 \$11,536.00
315	225	<b>LC2F2254M722H</b> <b>LC2F2254M722V</b>	\$13,657.00 \$13,895.00
350	265	<b>LC2F2654M722H</b> <b>LC2F2654M722V</b>	\$13,763.00 \$14,888.00
400	330	<b>LC2F3304M722H</b> <b>LC2F3304M722V</b>	\$17,137.00 \$18,263.00
500	400	<b>LC2F4004M722H</b> <b>LC2F4004M722V</b>	\$22,914.00 \$23,986.00
700	500	<b>LC2F5004M722H</b> <b>LC2F5004M722V</b>	\$29,587.00 \$30,894.00
1000	630	<b>LC2F6304M722H</b> <b>LC2F6304M722V</b>	\$43,315.00 \$44,493.00
1600	780	<b>LC2F7804M722V</b>	\$107,840.00


(1) All LC2D Kits are completed with 2 x D Range Contactors of rated power, mechanical interlock (or electrical interlock for LC2\*\*\*EM7) and power connections.  
All LC2F Kits are completed with 2 x F Range Contactors of rated power, mechanical interlock, and 1 x 2 N/C & 2 N/O auxiliary contacts block for each contactor.  
For other voltages, please consult Schneider Electric (Hong Kong) Limited.  
(2) Electrical interlock is excluded.

# Accessories for D Range Contactors D系列接觸器附件

TeSys  
LAD9/9D

Screw Clamps Terminals & Horizontally Mounted on Contactors  
螺絲接線、水平安裝  
Self-assembly 需自行組裝


## For 3-pole Reversing Contactors 用於三極可逆接觸器




LAD9R1



LAD9R3



LA9D4002



LA9D8069

With 2 Identical Contactors	Set of Power Connections Plus Mechanical Interlock	Unit Reference	Unit Price HK\$	Set of Power Connections Plus Electrical & Mechanical Interlock	Unit Reference	Unit Price HK\$
LC1D09 - D38		<b>LAD9R1</b>	\$112.00		<b>LAD9R1V</b>	\$151.00
LC1D40A - D80A		<b>LAD9R3</b>	\$390.00	-	-	-

With 2 Identical Contactors	Set of Power Connections	Unit Reference	Unit Price HK\$	Electrical & Mechanical Interlock	Unit Reference	Unit Price HK\$
LC1D80 & D95 (AC)		<b>LA9D8069</b>	\$415.00		<b>LA9D4002</b>	\$239.00
LC1D80 & D95 (DC)		<b>LA9D8069</b>	\$415.00		<b>LA9D8002</b>	\$239.00
LC1D115 & D150		<b>LA9D11569</b>	\$917.00		<b>LA9D11502</b>	\$301.00

With 2 Identical Contactors	Set of Power Connections	Unit Reference	Unit Price HK\$	Mechanical Interlock	Unit Reference	Unit Price HK\$
LC1D09 - D38		-	-		<b>LAD9V2</b>	\$56.00
LC1D40A - D80A		<b>LA9D65A69</b>	\$269.00		<b>LAD4CM</b>	\$122.00
LC1D80 & D95 (AC)		<b>LA9D8069</b>	\$415.00		<b>LA9D50978</b>	\$122.00
LC1D80 & D95 (DC)		<b>LA9D8069</b>	\$415.00		<b>LA9D80978</b>	\$151.00

## For 3-pole Changeover Contactor Pairs 用於三極轉換接觸器

With 2 Identical Contactors	Set of Power Connections	Unit Reference	Unit Price HK\$	Electrical & Mechanical Interlock	Unit Reference	Unit Price HK\$
LC1D115 and D150		<b>LA9D11571</b>	\$629.00		<b>LA9D11502</b>	\$301.00

## For 4-pole Changeover Contactor Pairs (3-Phase Distribution + Neutral) 用於三相四極轉換接觸器

With 2 Identical Contactors	Set of Power Connections		Mechanical Interlock		Electrical & Mechanical Interlock	
	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
LC1DT20 to LC1DT40	-	-	<b>LADT9R1<sup>(1)</sup></b>	\$266.00	<b>LADT9R1V<sup>(1)</sup></b>	\$301.00
LC1DT60A to DT80A	-	-	<b>LAD4CM</b>	\$122.00	-	-
LC1D80004	<b>LA9D8070</b>	\$436.00	<b>LA9D50978</b>	\$122.00	<b>LA9D4002</b>	\$239.00
LP1D80004	<b>LA9D8070</b>	\$436.00	<b>LA9D80978</b>	\$151.00	<b>LA9D8002</b>	\$239.00
LC1D115004	<b>LA9D11570</b>	\$826.00	-	-	<b>LA9D11502</b>	\$301.00

(1) A set of power connections is included.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。


Screw Clamps Terminals Horizontally & Vertically Mounted on Contactors  
螺絲接線、水平垂直安裝

Reversers Assembled using 2 Contactors of Identical Rating

Contactor Type	Set of Power Connections Reference	Unit Price HK\$	Mechanical Interlock Kit reference	Unit Price HK\$
----------------	------------------------------------	-----------------	------------------------------------	-----------------



LA9F\*970



LA9FF4F  
LA9FG4G

**For Assembly of 3-pole Reversing Contactors for Motor Control**

Horizontally Mounted

LC1 F115	<b>LA9FF976</b>	\$791.00	<b>LA9FF970</b>	\$180.00
LC1 F150	<b>LA9F15076</b>	\$1,327.00	<b>LA9FF970</b>	\$180.00
LC1 F185	<b>LA9FG976</b>	\$1,727.00	<b>LA9FG970</b>	\$213.00
LC1 F225	<b>LA9F22576</b>	\$1,828.00	<b>LA9FG970</b>	\$213.00
LC1 F265	<b>LA9FH976</b>	\$2,040.00	<b>LA9FJ970</b>	\$224.00
LC1 F330	<b>LA9FJ976</b>	\$3,917.00	<b>LA9FJ970</b>	\$224.00
LC1 F400	<b>LA9FJ976</b>	\$3,917.00	<b>LA9FJ970</b>	\$224.00
LC1 F500	<b>LA9FK976</b>	\$4,852.00	<b>LA9FJ970</b>	\$224.00
LC1 F630 or F800	<b>LA9FL976</b>	\$5,474.00	<b>LA9FL970</b>	\$405.00

Vertically Mounted

LC1 F115 or F150	(1)		<b>LA9FF4F</b>	\$427.00
LC1 F185	(1)		<b>LA9FG4G</b>	\$456.00
LC1 F225	(1)		<b>LA9FG4G</b>	\$456.00
LC1 F265 or F330	(1)		<b>LA9FH4H</b>	\$1,281.00
LC1 F440	(1)		<b>LA9FJ4J</b>	\$1,415.00
LC1 F500	(1)		<b>LA9FK4K</b>	\$1,549.00
LC1 F630 or F800	(1)		<b>LA9FL4L</b>	\$1,637.00

**For Assembly of 3-pole Changeover Contactor Pairs**

Horizontally Mounted

LC1 F115	<b>LA9FF982</b>	\$279.00	<b>LA9FF970</b>	\$180.00
LC1 F150	<b>LA9F15082</b>	\$284.00	<b>LA9FF970</b>	\$180.00
LC1 F185	<b>LA9FG982</b>	\$316.00	<b>LA9FG970</b>	\$213.00
LC1 F225	<b>LA9F22582</b>	\$368.00	<b>LA9FG970</b>	\$213.00
LC1 F265	<b>LA9FH982</b>	\$442.00	<b>LA9FJ970</b>	\$224.00
LC1 F330	<b>LA9FJ982</b>	\$482.00	<b>LA9FJ970</b>	\$224.00
LC1 F400	<b>LA9FJ982</b>	\$482.00	<b>LA9FJ970</b>	\$224.00
LC1 F500	<b>LA9FK982</b>	\$754.00	<b>LA9FJ970</b>	\$224.00
LC1 F630 or F800	<b>LA9FL982</b>	\$1,159.00	<b>LA9FL970</b>	\$405.00

Vertically Mounted

LC1 F115 or F150	(1)		<b>LA9FF4F</b>	\$427.00
LC1 F185	(1)		<b>LA9FG4G</b>	\$456.00
LC1 F225	(1)		<b>LA9FG4G</b>	\$456.00
LC1 F265 or F330	(1)		<b>LA9FH4H</b>	\$1,281.00
LC1 F440	(1)		<b>LA9FJ4J</b>	\$1,415.00
LC1 F500	(1)		<b>LA9FK4K</b>	\$1,549.00
LC1 F630 or F800	(1)		<b>LA9FL4L</b>	\$1,637.00


(1) All power connections are to be made by the customer.

# TeSys


## Accessories for D & F Range Contactors LADN/LAD8/LADT D及F系列接觸器附件 LADS/LAD6K/LA9

For 3 and 4-pole, D & F Range Contactors 用於三極及四極, D及F系列接觸器  
Supplied Separately 分拆提供

### Standard, Instantaneous Auxiliary Contact Blocks 標準輔助觸頭




LADN




LADN  
LADC



LAD8N



LADT



LA6DK

Clip on Mounting	No. of Contacts	N/O	N/C	Unit Reference	Unit Price HK\$	
Front LC1D09 - F800	1	1	-	<b>LADN10</b>	\$115.00	
		-	1	<b>LADN01</b>	\$115.00	
	2	1	1	<b>LADN11</b>	\$61.00	
		2	-	<b>LADN20</b>	\$61.00	
		-	2	<b>LADN02</b>	\$61.00	
		4	2	2	<b>LADN22</b>	\$97.00
	Side LC1D09 - D95	1	1	3	<b>LADN13</b>	\$97.00
			4	-	<b>LADN40</b>	\$97.00
		2	-	4	<b>LADN04</b>	\$97.00
			3	1	<b>LADN31</b>	\$97.00
2		2	2	<b>LADC22<sup>(1)</sup></b>	\$149.00	
		1	1	<b>LAD8N11<sup>(2)</sup></b>	\$78.00	
		2	-	<b>LAD8N20<sup>(2)</sup></b>	\$78.00	
		-	2	<b>LAD8N02<sup>(2)</sup></b>	\$78.00	

### Time Delay Auxiliary Contact Blocks 延時輔助觸頭

Clip-On Mounting	Number of Contacts	Time Delay		Unit Reference	Unit Price HK\$
		Type	Setting Range		
Front LC1D09 - F800	1 NO	on delay	0.1 - 3s.	<b>LADT0<sup>(3)</sup></b>	\$354.00
	+		0.1 - 30s.	<b>LADT2</b>	\$354.00
	1 NC		10 - 180s.	<b>LADT4</b>	\$369.00
			1 - 30s.	<b>LADS2<sup>(4)</sup></b>	\$374.00

### Mechanical Latch Blocks for 3 or 4-pole D Range Contactors 機械鎖扣裝置

Clip-On Mounting	Unlatching Control	For use on Contactor	Unit Reference <sup>(5)</sup>	Unit Price HK\$
Front LC1D09 - D115	Manual or Electric	LC1 D09 - D38 (∩ or ∩∩)	<b>LAD6K10*</b>	\$313.00
		LC1 DT20 - DT40 (∩ or ∩∩)	<b>LAD6K10*</b>	\$313.00
		LC1 D40A - D80A (3P∩ or ∩∩)	<b>LAD6K10*</b>	\$313.00
		LC1 DT60A and DT80A (4P∩ or ∩∩)	<b>LAD6K10*</b>	\$313.00

### Accessories 附件

Set of Shims	For Fitting Side Mounting Blocks LAD8N on LC1D80 - D95	LA9D511	\$58.00
--------------	-----------------------------------------------------------	---------	---------

(1) Including 1 N/O + 1 N/C make before break contacts

(2) In order to mount on LAD8N on an LC1D40 to D95, a set of shims must be ordered separately, for details, please consult Schneider Electric (Hong Kong) Limited.

(3) With extended scale from 0.1 to 0.6s

(4) With switching time of 40ms ±15ms between opening of the N/C contact and closing of the N/O contact

(5) Reference to be Completed, by Adding the Code Indicating Control Circuit Voltage:

Volts 50/60Hz	24	42/48	110/127	220/240	380/415
Code	B	E	F	M	Q

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改, 恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

For 3 and 4-pole K & D Range Contactors 用於三極、四極K及D系列接觸器  
Supplied Separately 分拆提供

Standard, Instantaneous Auxiliary Contact Blocks 標準輔助觸頭

Mounting	No. of Contacts	N/O	N/C	Unit Reference	Unit Price HK\$
LC1/2K	2	2	-	LA1KN20	\$61.00
LP1K		-	2	LA1KN02	\$61.00
CA2/3K	1	1	1	LA1KN11	\$61.00
	4	4	-	LA1KN40 <sup>(1)</sup>	\$98.00
		3	1	LA1KN31 <sup>(1)</sup>	\$98.00
		2	2	LA1KN22 <sup>(1)</sup>	\$98.00
		1	3	LA1KN13 <sup>(1)</sup>	\$98.00
		-	4	LA1KN04 <sup>(1)</sup>	\$98.00

Resistor-Capacitor (R.C) Circuits 電阻-電容電路

	V AC	Sold in Lots of	Unit Reference	Unit Price HK\$
LC1K, CA2K	220 - 250V AC	5	LA4KA1U	\$151.00

Varistors (Peak Limiting) 限壓 (峰值)

	V AC/DC	Sold in Lots of	Unit Reference	Unit Price HK\$
LC1K, CA2K, LP1K	12 - 24V AC/DC	5	LA4KE1B	\$151.00
	32 - 48V AC/DC	5	LA4KE1E	\$151.00
	130 - 250V AC/DC	5	LA4KE1UG	\$151.00

Resistor-Capacitor (R.C.) Circuits 電阻-電容電路

Mounting	For use with Contactor <sup>(2)</sup>	V AC	Unit Reference	Unit Price HK\$
Clip-On Side Mounting <sup>(3)</sup>	D09 - D38 (3P)	24 - 48V AC	LAD4RCE	\$151.00
	DT20 - DT40 (4P)	110 - 240V AC	LAD4RCU	\$151.00
Clip-On Front Mounting <sup>(3)</sup>	D40A - D65A (3P)	24 - 48V AC	LAD4RC3E	\$151.00
	DT60A - DT80A (4P)	110 - 240V AC	LAD4RC3U	\$151.00
Screw Fixing <sup>(4)</sup>	D80 - D150 (3P)	24 - 48V AC	LA4DA2E	\$151.00
	and D40 - D115 (4P)	110 - 240V AC	LA4DA2U	\$151.00

Varistors (Peak Limiting) 限壓 (峰值)

Mounting	For use with Contactor <sup>(2)</sup>	V AC/DC	Unit Reference	Unit Price HK\$
Clip-On Side Mounting <sup>(3)</sup>	D09 - D38 (3P)	24 - 48V AC	LAD4VE	\$151.00
	DT20 - DT40 (4P)	110 - 250V AC	LAD4VU	\$151.00
Clip-On Front Mounting <sup>(3)</sup>	D40A - D65A (3P)	24 - 48V AC/DC	LAD4V3E	\$151.00
	DT60A - DT80A (4P)	50 - 127V AC/DC	LAD4V3G	\$151.00
		110 - 250V AC/DC	LAD4V3U	\$151.00
Screw Fixing <sup>(4)</sup>	D80 - D115 (3P or 4P)	24 - 48V AC	LA4DE2E	\$151.00
		110 - 250V AC	LA4DE2U	\$151.00
	D80 - D95 (3P)	24 - 48V DC	LA4DE3E	\$151.00
	D80 (4P)	50 - 127V DC	LA4DE3G	\$151.00

Bidirectional Peak Limiting Diodes 雙向峰值二極管

Mounting	For use with Contactor <sup>(2)</sup>	V AC/DC	Unit Reference	Unit Price HK\$
Clip-On Side Mounting <sup>(3)(5)</sup>	D09 - D38 (3P)	24V AC	LAD4TB	\$151.00
	DT20 - DT40 (4P) <sup>(6)</sup>	72V AC	LAD4TS	\$151.00
Clip-On Front Mounting <sup>(3)</sup>	D40A - D65A (3P)	24V AC	LAD4T3B	\$151.00
	DT60A - DT80A (4P) <sup>(6)</sup>	72V AC	LAD4T3S	\$151.00
Screw Fixing <sup>(4)</sup>	D80 - D95 (3P)	24V AC	LA4DB2B	\$151.00
		72V AC	LA4DB2S	\$151.00
	D40 - D80 (4P)	24V DC	LA4DB3B	\$151.00
		72V DC	LA4DB3S	\$151.00


- (1) Block of 4 contacts for CA2-K and CA3-K only
- (2) For satisfactory protection, a suppressor module must be fitted across the coil of each contactor.
- (3) Clipping on makes the electrical connection. The overall size of the contactor remains unchanged.
- (4) Mounting at the top of the contactor on coil terminals A1 and A2
- (5) The existing suppression device must be removed before installation of accessories.
- (6) From D09 to D38, DC and low consumption 3-pole contactors are fitted with built-in suppression as standard.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。


6



LAD4\*\*



LAD4RC3\*, LAD4V3\*, LAD4T3\*



LA4D\*\*


# TeSys

## Coils for 3/4-pole D & F Range Contactors LX1D/LX1F/LX1D6/LX1F4F

### D 及 F 系列接觸器線圈

Spare Parts 備件


#### AC Coils for D Range Contactors 50/60Hz - AC線圈<sup>(1)</sup>



LX1D\*\*

Contacteur Type	Unit Reference	Unit Price HK\$
LC1D09 to D38	LX1D1**	\$122.00
LC1D40A to D80A	LX1D3**	\$441.00
LC1DT60A to DT80A	LX1D3**	\$441.00
LC1D40 to D95	LX1D6**	\$441.00
LC1D115 to D150	LX1D8**	\$522.00


#### AC Coils for F Range Contactors 40 - 400Hz - AC線圈<sup>(2)</sup>



LX9FF\*\*

	Unit Reference	Unit Price HK\$
For LC1F115, F150	LX9FF***	\$1,553.00
For LC1F185, F225	LX9FG***	\$1,553.00


#### AC Coils for F Range Contactors 50Hz - AC線圈<sup>(2)</sup>



LX1D6\*\*

	Unit Reference	Unit Price HK\$
For LC1F265, F330	LX1FH***2	\$822.00
For LC1F400 (No 24V AC Offer)	LX1FJ***	\$1,727.00
For LC1F500 (No 24V AC Offer)	LX1FK***	\$2,040.00
For LC1F630 (No 24V AC Offer)	LX1FL***	\$2,501.00
For LC1F780 (No 24 & 48V AC Offer)	LX1FX***	\$5,003.00

#### DC Coils for F Range Contactors - DC 線圈<sup>(3)</sup>



LX4FF\*\*

	Unit Reference	Unit price HK\$
For LC1F115, F150	LX4FF***	\$2,114.00
For LC1F185, F225	LX4FG***	\$2,428.00
For LC1F265, F330	LX4FH***	\$2,501.00
For LC1F400 (No 24V AC Offer)	LX4FJ***	\$3,437.00
For LC1F500 (No 24V AC Offer)	LX4FK***	\$3,973.00
For LC1F630 (No 24V AC Offer)	LX4FL***	\$4,688.00
For LC1F780 (No 24 & 48V AC Offer)	LX4FX***	\$8,602.00

#### (1) Coil Voltages 線圈電壓: AC Supply

Volts	24	48	110	220	240	380/440V
Code	B7	E7	F7	M7	U7	Q7


#### (2) Coil Voltages 線圈電壓: AC Supply

Volts	24	48	110	220	240	380
Code	024	048	110	220	240*	380


\* LX1FL220 and LX1FX220 for 240V

#### (3) Coil voltages 線圈電壓: DC supply

Voltage	24	48	110	220
Code	024	048	110	220



LX9FF\*\*\*



LX4FF\*\*\*

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information. 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Manual or Automatic Reset 手動或自動復位

For use with Contactor LC1D09 - D95 跟LC1D09 - D95接觸器一同使用



LRD21



LRD33\*\*



LRD33\*\*

Thermal Overload Relays for D Range, 3-pole Contactor 用於D系列接觸器  
Class 10A Screw Clamp Terminals 螺絲夾接線端子

Relay Setting Range	Fuse to be used with Selected Relay aM	gG	BS88	For use with Contactor LC1	Unit Reference	Unit Price HK\$
A	A	A	A			
0.10 - 0.16	0.25	2	-	D09 - D38	<b>LRD01</b>	\$196.00
0.16 - 0.25	0.5	2	-	D09 - D38	<b>LRD02</b>	\$196.00
0.25 - 0.40	1	2	-	D09 - D38	<b>LRD03</b>	\$196.00
0.40 - 0.63	1	2	-	D09 - D38	<b>LRD04</b>	\$196.00
0.63 - 1	2	4	-	D09 - D38	<b>LRD05</b>	\$196.00
1 - 1.7	2	4	6	D09 - D38	<b>LRD06</b>	\$196.00
1.6 - 2.5	4	6	10	D09 - D38	<b>LRD07</b>	\$196.00
2.5 - 4	6	10	16	D09 - D38	<b>LRD08</b>	\$196.00
4 - 6	8	16	16	D09 - D38	<b>LRD10</b>	\$196.00
5.5 - 8	12	20	20	D09 - D38	<b>LRD12</b>	\$196.00
7 - 10	12	20	20	D09 - D38	<b>LRD14</b>	\$196.00
9 - 13	16	25	25	D12 - D38	<b>LRD16</b>	\$196.00
12 - 18	20	35	32	D18 - D38	<b>LRD21</b>	\$196.00
16 - 24	25	50	50	D25 - D38	<b>LRD22</b>	\$237.00
23 - 32	40	63	63	D25 - D38	<b>LRD32</b>	\$254.00
30 - 38	50	80	80	D32 and D38	<b>LRD35</b>	\$282.00
Class 10A EverLink BTR Screw Connectors 螺絲夾緊端子連接						
17 - 25	25	50	50	D40A - D65A	<b>LRD325</b>	\$449.00
23 - 32	40	63	63	D40A - D65A	<b>LRD332</b>	\$449.00
30 - 40	40	80	80	D40A - D65A	<b>LRD340</b>	\$449.00
37 - 50	63	100	100	D40A - D65A	<b>LRD350</b>	\$497.00
48 - 65	63	100	100	D50A - D65A	<b>LRD365</b>	\$497.00
62 - 80	80	125	125	D80A	<b>LRD380</b>	\$585.00
Class 10A Screw Clamp Terminals 螺絲夾接線端子						
55 - 70	80	125	125	D50 - D95	<b>LRD3361</b>	\$607.00
63 - 80	80	125	125	D65 - D95	<b>LRD3363</b>	\$701.00
80 - 104	100	160	160	D80 and D95	<b>LRD3365</b>	\$701.00

3-pole Electronic Differential Thermal Overload Relays 電子熱過載繼電器  
Class 10 or 10A with Connection using Bars or Connectors

Relay Setting Range	Fuse to be used with Selected Relay aM	gG	For Direct Mounting Beneath Contactor LC1	Unit Reference	Unit Price HK\$
A	A	A			
60 - 100	100	160	D115 and D150	<b>LR9D5367</b>	\$1,944.00
90 - 150	160	250	D115 and D150	<b>LR9D5369</b>	\$1,954.00

Class 10 or 20 Selectable with Connection using Bars or Connectors

Relay Setting Range	Fuse to be used with Selected Relay aM	gG	For Direct Mounting Beneath Contactor LC1	Unit Reference	Unit Price HK\$
A	A	A			
60 - 100	100	160	D115 and D150	<b>LR9D67</b>	\$2,384.00
90 - 150	160	250	D115 and D150	<b>LR9D69</b>	\$2,976.00

Thermal Overload Relays for F Range, 3-pole Contactor 用於三極F系列接觸器  
Class 10 Screw Clamp Terminals 螺絲夾接線端子

Relay Setting Range	Fuses to be used with Selected Relay aM	gG	For Mounting Beneath Contactor LC1	Unit Reference	Unit Price HK\$
A	A	A			
30 - 50	50	80	F115 - F185	<b>LR9F5357</b>	\$1,628.00
48 - 80	80	125	F115 - F185	<b>LR9F5363</b>	\$1,628.00
60 - 100	125	200	F115 - F185	<b>LR9F5367</b>	\$1,597.00
90 - 150	160	250	F115 - F185	<b>LR9F5369</b>	\$1,637.00
132 - 220	200	315	F225 - F265	<b>LR9F5371</b>	\$1,938.00
200 - 330	315	500	F330 - F500	<b>LR9F7375</b>	\$2,532.00
300 - 500	500	800	F330 - F500	<b>LR9F7379</b>	\$3,273.00
380 - 630	630	800	F400 - F630 and F800	<b>LR9F7381</b>	\$4,050.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# 3-pole Thermal Overload Relays 三極熱過載繼電器

TeSys  
LR2K/LAD

Manual or Automatic Reset 手動或自動復位  
For use with Contactor LC1K, F, D115 & D150  
跟LC1K, F, D115 及 D150接觸器一同使用

## Thermal Overload Relays for K Range, 3-pole Contactors 用於K系列接觸器 Class 10A Screw Clamp Terminals 螺絲夾接線端子



LR2K0304

Relay Setting Range	Fuses to be used with Selected Relay aM	gG	BS88	Unit Reference	Unit Price HK\$
A	A	A	A		
0.36 - 0.54	1	1.6	-	<b>LR2K0304</b>	\$192.00
0.54 - 0.8	1	2	-	<b>LR2K0305</b>	\$192.00
0.8 - 1.2	2	4	6	<b>LR2K0306</b>	\$192.00
1.2 - 1.8	2	6	6	<b>LR2K0307</b>	\$192.00
1.8 - 2.6	4	8	10	<b>LR2K0308</b>	\$192.00
2.6 - 3.7	4	10	16	<b>LR2K0310</b>	\$192.00
3.7 - 5.5	6	16	16	<b>LR2K0312</b>	\$192.00
5.5 - 8	8	20	20	<b>LR2K0314</b>	\$192.00




LA7K0064

## Accessories for K Range 3-pole Thermal Overload Relays K系列熱過載繼電器附件

Description	Type of Connection	Unit Reference	Unit Price HK\$
Terminal Block for Separate Clip-On Mounting of the Overload Relay on 35mm Omega Rail	Screw-Clamp	<b>LA7K0064</b>	\$61.00

## Accessories for 3-pole D Range Thermal Overload Relays D系列熱過載繼電器附件



LAD7C\*

Description	For use with	Sold in Lots of	Unit Reference	Unit Price HK\$
Pre-Wiring Kit Allowing Direct Connection of the N/C Contact of Replay LRD01 - 35 or LR3D1 - D35 to the Contactor Terminal Blocks <sup>(1)</sup>	LC1D09 - D18	10	<b>LAD7C1</b>	\$72.00
	LC1D25 - D38	10	<b>LAD7C2</b>	\$75.00
Terminal Blocks <sup>(1)</sup> for Clip-On Mounting on 35mm Rail or Screw Fixing	LRD01 - 35	1	<b>LAD7B106</b>	\$78.00
	LRD33**	1	<b>LA7D3064</b>	\$251.00
EverLink Terminal Block for Independent Mounting Size 4 Allen Key, Insulated, 1000V	LRD3**	1	<b>LAD96560</b>	\$239.00
	LRD3**	5	<b>LADALLEN4</b>	\$109.00
Remote Stop or Electrical Reset Device <sup>(2)</sup>	LRD01 - 35 & LRD313 - LRD380	1	<b>LAD703*<sup>(3)</sup></b>	\$390.00
Remote Stop or Electrical Reset Device <sup>(2)</sup>	LRD33**	1	<b>LA7D03*<sup>(3)</sup></b>	\$564.00


(1) Terminal blocks are supplied with terminals protected against direct finger contact and screws in the open, "ready-to-tighten" position.

(2) The time for which the coil of remote tripping or electrical resetting device LA7D03 or LAD703 can remain energised depends on its rest time:

1s pulse duration with 9s rest time; 5s pulse duration with 30s rest time; 10s pulse duration with 90s rest time. The maximum pulse duration is 20s with a rest time of 300s, while the minimum pulse time is 200ms.

(3) Reference to be completed by adding the code indicating control circuit voltage:

Volts	12	24	48	110	220/230	380/400
50/60Hz	-	B	E	F	M	Q
Consumption, Inrush and Sealed : < 100VA						
DC	J	B	E	F	M	-
Consumption, Inrush and Sealed : < 100W						



LAD7B106

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

7.5kW - 132kW<sup>(1)</sup> without Isolating Device  
Pre-Assembled



LC3D32A\*\*

Plate Mounted Starters 板掛式起動器

Standard Power Ratings of Squirrel Cage Motors Mains Voltage - Delta Connection		Auxiliary Contacts Available on Each Contactor			Star Delta Mechanical Interlock	Basic Reference, to be Completed by Adding the Voltage Code <sup>(2)</sup>	Unit Price HK\$
220/230V	380/400V	Line	Delta	Star			
kW	kW	N/C	N/O	N/C	N/C		
4	7.5	-	-	(3)	1	with	<b>LC3D09A**</b> \$1,342.00
5.5	11	-	-	(3)	1	with	<b>LC3D12A**</b> \$1,490.00
11	18.5	-	-	(3)	1	with	<b>LC3D18A**</b> \$1,713.00
15	25	-	-	(3)	1	with	<b>LC3D32A**</b> \$2,234.00
37	75	1	1	(3)	(3)	without	<b>LC3D80**</b> \$7,368.00
						with	<b>LC3D80**A64</b> \$7,929.00
63	110	1	1	(3)	(3)	without	<b>LC3D115**<sup>(4)</sup></b> \$12,858.00
						with	<b>LC3D115**A64<sup>(4)</sup></b> \$14,051.00
75	132	1	1	(3)	1 <sup>(3)</sup>	without	<b>LC3D150**<sup>(4)</sup></b> \$14,870.00
						with	<b>LC3D150**A64<sup>(4)</sup></b> \$16,185.00

Rail Mounted Starters (35mm 路軌掛式起動器

Standard Power Ratings of Squirrel Cage Motors Mains Voltage - Delta Connection		Auxiliary Contacts Available on Each Contactor		Star Delta Mechanical Interlock	Basic Reference, to be Completed by Adding the Voltage Code <sup>(2)</sup>	Unit Price HK\$
220/230V	380/400V	Delta	Star			
kW	kW	N/C	N/C			
4	7.5	(3)	1	with	<b>LC3D090A**</b>	\$1,308.00
5.5	11	(3)	1	with	<b>LC3D120A**</b>	\$2,554.00
11	18.5	(3)	1	with	<b>LC3D180A**</b>	\$3,144.00
15	25	(3)	1	with	<b>LC3D320A**</b>	\$3,907.00

(1) Protection must be provided by the addition of a thermal overload relay, to be ordered separately. Select appropriate overload relay for setting at 0.58 of the full load rated motor rated motor current.

(2) Standard control circuit voltage:

Volts ~ 50/60Hz*	24	48	110	220	240	380
Star-Delta Starters LC3 D09A - D150, LC3 D090A - D320A						
Code	B7	E7	F7	M7	U7	Q7

Remark: For the prices of other voltages, please consult Schneider Electric (Hong Kong) Limited.

(3) One auxiliary contact block type - LAD N can also be fitted.

(4) These starters consist of contactors LC1 D115 or D150 without connectors.

0.25kW - 15kW


IP65 保護等級

For Non-Reversing Motor Control 用於不可逆電動機控制

## Direct-On-Line Starters (with Overload Relay) 直接起動器 (帶熱過載繼電器)



LE1M35M705



LE1M35\*\*

Standard Power Ratings of 3-Phase 50/60Hz Motors, Category AC-3		Setting Range of Thermal Overload Relay LR2K	Degree of Protection	Unit Reference with Control Circuit Voltage <sup>(1)</sup>			
220V/230V kW	380V/400V kW	A	IP	220VAC	Unit Price HK\$	380VAC	Unit Price HK\$
0.12	0.25	0.54 - 0.8	65	LE1M35M705	\$385.00	LE1M35Q705	\$385.00
0.18	0.37	0.8 - 1.2	65	LE1M35M706	\$385.00	LE1M35Q706	\$385.00
0.25	0.55	1.2 - 1.8	65	LE1M35M707	\$385.00	LE1M35Q707	\$385.00
0.37	1.1	1.8 - 2.6	65	LE1M35M708	\$385.00	LE1M35Q708	\$385.00
0.55	1.5	2.6 - 3.7	65	LE1M35M710	\$385.00	LE1M35Q710	\$385.00
1.1	2.2	3.7 - 5.5	65	LE1M35M712	\$385.00	LE1M35Q712	\$385.00
1.5	3	5.5 - 8	65	LE1M35M714	\$385.00	LE1M35Q714	\$385.00
2.2	4	8 - 11.5	65	LE1M35M716	\$385.00	LE1M35Q716	\$385.00
3	5.5	10 - 14	65	LE1M35M721	\$385.00	LE1M35Q721	\$385.00
3.7	7.5	12 - 16	65	LE1M35M722	\$385.00	LE1M35Q722	\$385.00

## Direct-On-Line Starters (without Overload Relay) 直接起動器 (不帶熱過載繼電器)



LE1D\*\*

Standard Power Ratings of 3-Phase 50/60Hz Motors, Category AC-3		Maximum Current up to	Degree of Protection	Unit Reference with Control Circuit Voltage <sup>(1)</sup>			
220V/230V kW	380/400V kW	A	IP	220VAC	Unit Price HK\$	380VAC	Unit Price HK\$
2.2	4	9	65	LE1D09M7	\$482.00	LE1D09Q7	\$482.00
3	5.5	12	65	LE1D12M7	\$530.00	LE1D12Q7	\$530.00
4	7.5	18	65	LE1D18M7	\$741.00	LE1D18Q7	\$741.00
5.5	11	25	65	LE1D25M7	\$877.00	LE1D25Q7	\$877.00
7.5	15	35	65	LE1D35M7	\$1,127.00	LE1D35Q7	\$1,127.00

(1) For the price of other voltages, please consult Schneider Electric (Hong Kong) Limited

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# TeSys CAD/CA2KN/ Control Relays CA3KN 控制繼電器

D Range & K Range D及K系列

## D Range Control Relays D系列控制繼電器 Control Circuits 控制電路: AC



CAD32\*\*

Type	No. of Contacts	Composition		Unit Reference	Unit Price HK\$
		N/O	N/C		
Instantaneous	5	5	-	<b>CAD50**</b>	\$165.00
		3	2	<b>CAD32**</b>	\$165.00

### Coil Voltages 線圈電壓: AC Supply

Volts 50/60Hz	24	42	48	110	220	240	380
Code	B7	D7	E7	F7	M7	U7	Q7

## Control Circuits 控制線路: DC



CA2KN40\*\*

Type	No. of Contacts	Composition		Unit Reference	Unit Price HK\$
		N/O	N/C		
Instantaneous	5	5	-	<b>CAD50**</b>	\$224.00
		3	2	<b>CAD32**</b>	\$224.00

### Coil Voltages 線圈電壓: DC Supply

Volts U 0.7 - 1.25 Uc	24	48	60	110	125	220
Code	BD	ED	ND	FD	GD	MD

## K Range Control Relays K系列控制繼電器 Control Circuits 控制電路: AC



CA3KN31\*\*

	Consumption	Composition		Unit Reference	Unit Price HK\$
		N/O	N/C		
Screw Clamp Connections	4.5VA	4 N/O	-	<b>CA2KN40**</b>	\$137.00
		3 N/O	1 N/C	<b>CA2KN31**</b>	\$137.00
		2 N/O	2 N/C	<b>CA2KN22**</b>	\$137.00

### Coil Voltages 線圈電壓: AC Supply (Control Relays CA2K)

Volts 50/60Hz	24	48	110	220/230	230/240	380/400
Code	B7	E7	F7	M7	U7	Q7

## Control Circuits 控制電路: DC

	Consumption	Composition		Unit Reference	Unit Price HK\$
		N/O	N/C		
Screw Clamp Connections	3W	4 N/O	-	<b>CA3KN40**</b>	\$180.00
		3 N/O	1 N/C	<b>CA3KN31**</b>	\$180.00
		2 N/O	2 N/C	<b>CA3KN22**</b>	\$180.00

### Coil Voltages 線圈電壓: DC Supply (Control Relays CA3K)

Volts 50/60Hz	24	48	110	220
U 0.8 - 1.15 Uc	BD	ED	FD	MD

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

TeSys Fuse-Disconnecter - Fuse Cartridge Cylindrical 10 x 38 mm without Indicator  
Set of 10



Fuse Curve	Rate Current In	Unit Reference	Unit Price HK\$
aM	0.16	DF2CA001	\$32.00
	0.25	DF2CA002	\$32.00
	0.5	DF2CA005	\$32.00
	1	DF2CA01	\$9.00
	2	DF2CA02	\$9.00
	4	DF2CA04	\$9.00
	6	DF2CA06	\$9.00
	8	DF2CA08	\$9.00
	10	DF2CA10	\$9.00
	12	DF2CA12	\$9.00
	16	DF2CA16	\$9.00
	20	DF2CA20	\$9.00
	25	DF2CA25	\$9.00
	32	DF2CA32	\$9.00
	gG	2	DF2CN02
4		DF2CN04	\$9.00
6		DF2CN06	\$9.00
8		DF2CN08	\$9.00
10		DF2CN10	\$9.00
12		DF2CN12	\$9.00
16		DF2CN16	\$9.00
20		DF2CN20	\$9.00
25		DF2CN25	\$9.00
32		DF2CN32	\$9.00



DF101

Fuse Holders 菲士座

Conventional Thermal Current (Ith) A	Size of Cartridge Fuse or Link mm	Composition	Sold in Lots of	Unit Reference	Unit Price HK\$
25	8.5 x 31.5	1P	12	<b>DF81</b>	\$30.00
		N	12	<b>DF10N</b>	\$40.00
		3P	4	<b>DF83</b>	\$137.00
32	10 x 38	1P	12	<b>DF101</b>	\$32.00
		N	12	<b>DF10N</b>	\$40.00
		3P	4	<b>DF103</b>	\$152.00
50	14 x 51	1P	6	<b>DF141</b>	\$104.00
		N	6	<b>DF14N</b>	\$125.00
		3P	2	<b>DF143C<sup>(1)</sup></b>	\$357.00
125	22 x 58	1P	6	<b>DF221</b>	\$137.00
		N	6	<b>DF22N</b>	\$164.00
		3P	2	<b>DF223C<sup>(1)</sup></b>	\$451.00




DF101V

Fuse Holders with "Blown Fuse" Indicators (Neon) 菲士座(帶熔絲指示器)<sup>(2)</sup>

Conventional Thermal Current (Ith) A	Size of Cartridge Fuse or Link mm	Composition	Sold in Lots of	Unit Reference	Unit Price HK\$
25	8.5 x 31.5	1P	12	<b>DF81V</b>	\$83.00
		3P	4	<b>DF83V</b>	\$273.00
32	10 x 38	1P	12	<b>DF101V</b>	\$95.00
		3P	4	<b>DF103V</b>	\$308.00
50	14 x 51	1P	6	<b>DF141V</b>	\$135.00
		3P	2	<b>DF143VC<sup>(1)</sup></b>	\$446.00
125	22 x 58	1P	6	<b>DF221V</b>	\$166.00
		3P	2	<b>DF223VC<sup>(1)</sup></b>	\$541.00

Fuse Holder Assembly Kits 菲士座組裝配套組件<sup>(3)</sup>



Detail of Assembly Clip and Pin Mounting

Fuse Carriers to be assembled	Size of Cartridge Fuse or Link	Composition	Sold in Lots of	Unit Reference	Unit Price HK\$
DF8	8.5 x 31.5	1 Pins,	12	<b>DF10AP</b>	\$18.00
DF10	10 x 38	2 Clips			
DF14	14 x 51	1 Pin,	10	<b>DF14AP</b>	\$26.00
		3 Clips			
DF22	22 x 58	1 Pin,	10	<b>DF22AP</b>	\$26.00
		3 Clips			

(1) Suffix "C" in unit reference indicates that the fuse carrier can be fitted with auxiliary early break, "blown fuse" signaling and "fuse present" signaling contacts.

(2) Operational voltage of the blown fuse indicator: 110V..690V.

(3) 1 pin and 2 clips are required to assemble 2 x DF8 or DF10 fuse carriers together.  
1 pin and 3 clips are required to assemble 2 x DF14 or DF22 fuse carriers together.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

### Controllers 控制器 (Modbus)



LTMR08MBD

Operational Current A	Supply Voltage	Unit Reference	Unit Price HK\$
0.4 - 8	24V DC	LTMR08MBD	\$6,892.00
	115 - 230V AC	LTMR08MFM	\$6,892.00
1.35 - 27	24V DC	LTMR27MBD	\$7,224.00
	115 - 230V AC	LTMR27MFM	\$7,224.00
5 - 100	24V DC	LTMR100MBD	\$7,781.00
	115 - 230V AC	LTMR100MFM	\$7,781.00

### Extension Modules 伸延模塊<sup>(1)</sup>

Provide 4 Additional Inputs + Voltage Measuring



LTMEV40BD

Supply Voltage	Unit Reference	Unit Price HK\$
24V DC	LTMEV40BD	\$2,400.00
115 - 240V AC	LTMEV40FM	\$2,400.00

### HMI Terminals

Description	Supply Voltage	Unit Reference	Unit Price HK\$
Magelis Compact Display	--- 24 V External	XBTN410	\$3,049.00
Connecting Cable (2.5m)		XBTZ938	\$293.00
Operator Control Unit	via the Controller	LTMCU	\$1,512.00

### Configuration Tools<sup>(2)</sup>

Description	Unit Reference	Unit Price HK\$
Connection Kit for PC Serial Port	VW3A8106	\$924.00
Interface for USB Port	SR2CBL06	\$1,257.00
Connecting Cable 3M	VW3A1104R30	\$185.00

### Current Transformers 電流變壓器

Operating Current Primary (A)	Secondary (A)	Unit Reference	Unit Price HK\$
400	1	LT6CT4001	\$602.00
800	1	LT6CT8001	\$648.00

### Impulse Relays, Type GF 16 脈衝繼電器

Maximum Current Rating Category AC-1 A	Composition		Coil Voltages ~ 50/60Hz ... V		Unit Reference	Unit Price HK\$
	N/O	N/C	V	V		
16	1	-	24	12	GF1610B7	\$212.00
			48	24	GF1610E7	\$212.00
			110	48	GF1610F7	\$212.00
			220	-	GF1610M7	\$212.00
			230/240	110	GF1610U7	\$212.00
	2	-	24	12	GF1620B7	\$259.00
			48	24	GF1620E7	\$259.00
			110	48	GF1620F7	\$259.00
			220	-	GF1620M7	\$259.00
			230/240	110	GF1620U7	\$259.00
1	1	24	12	GF1611B7	\$244.00	
		48	24	GF1611E7	\$244.00	
		110	48	GF1611F7	\$244.00	
		220	-	GF1611M7	\$244.00	
		230/240	110	GF1611U7	\$244.00	

(1) To connect the controllers, please order LTMCC004 (lot size 6).

(2) For TeSys T Configuration Software, please download trial version online or order Somove Software VW3A8104.

NFC Multifunction Timing Relay  
NFC 定時繼電器

The world's first industrial near field communication (NFC) - based timing relay improves operational efficiency of our customers by leveraging digital technology.



RENF22R2MMW

Function	Supply Voltage	Output Relay	Width	Timing Range	Unit Reference	Unit Price HK\$
Total 28 timing function A, Ac, Ad, Ah, Ak, At, B, Bw, C, D, Di, Dt, Di, H, Ht, L, Li, Lt, Lit, N, O, P, Pt, Qt, Qtt, Tl, Tt, W	24-240VDC/ VAC +/-10%	2 C/O	22.5mm	0.1s to 999hrs Accuracy - 100 ms...1s +/-20ms of set value at 25°C - 1s...1h +/-2 % of set value at 25°C - 1...999h +/-1 % of set value at 25°C	<b>RENF22R2MMW</b>	\$810.00

NFC Multifunction 3-phase Control Relay  
NFC 三相控制繼電器

The Near Field Communication (NFC) control relay is designed to monitor in 3-phase power networks and upon detection of faults, the relay contacts can be opened or closed with or without a set timing period. NFC control relay provides simplified product selection and inventory management. It monitors 3-phase or 3-phase + neutral networks with 4 indication LEDs that display exact faults occurred during the process.



RMNF22TB30

Function	Measurement Rang	Time Delay	Output	Unit Reference	Unit Price HK\$
- Phase sequence - Phase loss - Asymmetry - Undervoltage - Overvoltage - Under-frequency - Over-frequency	208...480V~	Adjustable 0.1 s...60 min (Phase loss and Phase sequence instant trigger)	2 x 1CO 8 A	<b>RMNF22TB30</b>	\$979.00

## Zelio NFC Relay Mobile Application

To use NFC timing/ control relay, an Android phone with NFC feature and Android OS (version 4.4 and above) are required. With this mobile app, accurate parameter settings can be achieved and the 2 relay outputs can be individually configured. The Zelio NFC app can be downloaded in the mobile with one of the following methods:

- Align the mobile phone NFC antenna to the product NFC antenna. This will take you to the Google Play page for downloading the app.
- Go to Google Play and search for "Zelio NFC".
- Scan the below QR code to download the Zelio NFC app.



Zelio Time Timing Relays - Universal 時間繼電器－通用型  
 Zelio Time Timing Relays - Optimum 時間繼電器－優化型



RE22R1MYMR

### Multifunction Relays 多功能

Supply Voltage	Relay Output	Unit Reference	Unit Price HK\$
24-240 VAC/VDC @50/60Hz	1 C/O	<b>RE22R1MYMR</b>	\$749.00
24-240VAC/VDC @50/60Hz	2 C/O	<b>RE22R2MYMR</b>	\$1,004.00



RE22R1AMR

### On Delay Relays 延時開始

Supply Voltage	Relay Output	Unit Reference	Unit Price HK\$
24-240VAC/VDC @50/60Hz	1 C/O	<b>RE22R1AMR</b>	\$521.00
24-240VAC/VDC @50/60Hz	2 C/O	<b>RE22R2AMR</b>	\$677.00



RE22R1CMR

### Off Delay Relays 延時停止

Supply Voltage	Relay Output	Function	Unit Reference	Unit Price HK\$
24-240VAC/VDC @50/60Hz	1 C/O	C, Ct	<b>RE22R1CMR</b>	\$581.00
24-240VAC/VDC @50/60Hz	2 C/O	C	<b>RE22R2CMR</b>	\$782.00
24-240VAC/VDC @50/60Hz	2 C/O	K	<b>RE22R2KMR</b>	\$1,124.00

### On Delay Relay 延時開始 (Relay Output)

Composition	Supply Voltage	Timing Range	Unit Reference	Unit Price HK\$
1 C/O	≈ 24V	0.1 - 1s 1 - 10s 6 - 60s 1 - 10mins 6 - 60mins 1 - 10h 10 - 100h	<b>RE17RAMU</b>	\$386.00



RE17LAMW

### On Delay Relay 延時開始 (Solid State Output)

Power Supply Circuit	Function	Timing Range	Unit Reference	Unit Price HK\$
24-240VAC/VDC @50/60Hz	On-Delay	0.1 - 1s 1 - 10s 6 - 60s 1 - 10mins 6 - 60mins 1 - 10h 10 - 100h	<b>RE17LAMW</b>	\$310.00



RE17LCBM

### Off Delay Relay 延時停止 (Solid State Output)

Power Supply Circuit	Function	Timing Range	Unit Reference	Unit Price HK\$
24-240VAC @50/60Hz	Off-delay	0.1 - 1s 1 - 10s 6 - 60s 1 - 10mins 6 - 60mins 1 - 10h 10 - 100h	<b>RE17LCBM</b>	\$640.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Zelio Control 保護元件及繼電器

Zelio Control Relays 檢測和控制繼電器  
 Current Control 電流控制  
 Voltage Control 電壓控制

## Current Measurement Relay: Overcurrent Detection 電流測量: 過流檢測



RM22JA21MR

This device is designed to detect when a preset current threshold is exceeded on AC or DC supply. Overcurrent can be detected within a measuring range of 4mA - 1A.

Time Delay	Current to be measured depending on connection ~ or ...	Width mm	Output Relay	Basic Reference, complete with code indicating the voltage <sup>(1)</sup>	Unit Price HK\$
None	4mA-1A AC/DC 50/60Hz 10-100mA E3-M Terminals 20-200mA E2-M Terminals 4-40mA E1-M Terminals	22.5	2 C/O	<b>RM22JA21MR</b>	\$987.00

## Current Measurement Relays: Overcurrent or Undercurrent Detection 電流測量: 過流或欠流檢測



RM22JA31MR

This device is designed to detect when a preset current threshold is exceeded on AC or DC supply. Overcurrent or undercurrent can be detected within a measuring range of 3mA - 1A.

Adjustable Time Delays	Current to be Measured Depending on Connection ~ or ...	Width mm	Output Relay	Basic Reference, complete with code indicating the voltage <sup>(1)</sup>	Unit Price HK\$
0.1 - 30s (+/- 10%)	4mA-1A AC/DC 50/60Hz 100-100mA E3-M Terminals 20-200mA E2-M Terminals 4-400mA E1-M Terminals	22.5	2 C/O	<b>RM22JA31MR<sup>(2)</sup></b>	\$1,320.00
	150mA-15A AC/DC 50/60Hz 1.5-15A E3-M Terminals 0.5-5A E2-M Terminals 0.15-1.5A E1-M Terminals	35	2 C/O	<b>RM35JA32MR<sup>(2)</sup></b> <b>RM35JA32MT<sup>(2)</sup></b>	\$1,425.00 \$1,425.00

## Voltage Measurement Relays: Overvoltage or Undervoltage Detection 電壓測量: 過壓或欠壓檢測



RM22UA31MR

This device is designed to detect when a preset voltage threshold is exceeded on AC or DC supply. Overvoltage or undervoltage can be detected within a measuring range of 50mA - 500V.

Adjustable Time Delays	Voltage to be measured depending on connection ~ or ... V	Width mm	Output Relay	Basic Reference, complete with code indicating the voltage <sup>(1)</sup>	Unit Price HK\$
0.1 - 30s (+/- 10%)	50mV-5V AC/DC 50/60HZ	22.5	2 C/O	<b>RM22UA31MR</b>	\$1,319.00
	1-100V AC/DC 50/60Hz	22.5	2 C/O	<b>RM22UA32MR</b>	\$1,319.00
	15-500V AC/DC 50/60Hz	22.5	2 C/O	<b>RM22UA33MR</b>	\$1,319.00

(1) Standard supply voltage

(2) Unit reference ending with MR represents 24-240VAC/DC supply; MT represents 380-415VAC supply

### Zelio Control Relays 檢測和控制繼電器 Phase Control 相位控制



RM22TG20

#### Control Relay: Phase Failure Detection & Phase Sequence 控制: 相序缺檢測

This devices monitor the presence and rotational direction of phase in a 3-phase supply.

Time delay s	Rated Mains Supply Voltage <sup>(1)</sup> V	Control Threshold V	Width mm	Output Relay	Unit Reference	Unit Price HK\$
None	208-480VAC	183-528VAC	22.5	2 C/O	<b>RM22TG20</b>	\$630.00



RM22TU21

#### Control Relays: Phase Sequence + Phase Failure Detection + Undervoltage 控制: 相序和缺相檢測 + 欠壓

Time Delay s	Rated Mains Supply Voltage (Un) V	Control Threshold 2 - 20% of Un Selected V	Width mm	Output Relay	Unit Reference	Unit Price HK\$
None	200-240V 40/60Hz	160-288VAC	22.5	2 C/O	<b>RM22TU21</b>	\$696.00
	380-480V 50/60Hz	304-576VAC	22.5	2 C/O	<b>RM22TU23</b>	\$696.00



RM22TR33

#### Control Relays: Phase Sequence + Phase Failure Detection + Overvoltage + Undervoltage 控制: 相序和缺相檢測 + 過壓 + 欠壓

Adjustable Time Delay s	Rated Mains Supply Voltage (Un) V	Control Threshold 2 - 20% of Un Selected V	Width mm	Output Relay	Unit Reference	Unit Price HK\$
<b>Relays with Adjustable Voltage Thresholds</b>						
0.1 - 30s	220-240V 50/60Hz	160-288VAC	22.5	2 C/O	<b>RM22TR31</b>	\$1,295.00
	380-480V AC 50/60Hz	304-576 VAC	22.5	2 C/O	<b>RM22TR33</b>	\$1,295.00



RM22TA33

#### Control Relays: Phase Failure Detection + Phase Sequence + Asymmetry 控制: 相序和缺相檢測 + 相不對觸檢測

Time Delay on Energisation s	Rated Mains Supply Voltage (Un) V	Control Threshold 2 - 20% of Un Selected V	Width mm	Output Relay	Unit Reference	Unit Price HK\$
Adjustable	380-480V 50/60Hz	304-576V	22.5	2 C/O	<b>RM22TA33</b>	\$1,547.00

(1) Standard supply voltage

# Zelio Relay 保護元件及繼電器

Zelio Plug-In Relays 插座式繼電器  
 RXM\*A Miniature Relays 小型繼電器  
 Sockets & Accessories for RXM Relays 插座及附件



RXZE2M114M  
+  
Relay RXM4AB1F7



RXZE2S114M

## RXM Miniature Relays 小型繼電器

No. of Contacts	Amp Rating	LED	Sold in Lots of	Unit Reference <sup>(1)</sup>	Unit Price HK\$
2	12	No	10	<b>RXM2AB1**</b>	\$35.00
2	12	Yes	10	<b>RXM2AB2**</b>	\$42.00
3	10	No	10	<b>RXM3AB1**</b>	\$37.00
3	10	Yes	10	<b>RXM3AB2**</b>	\$44.00
4	6	No	10	<b>RXM4AB1**</b>	\$40.00
4	6	Yes	10	<b>RXM4AB2**</b>	\$45.00

## Sockets 插座

For use with	I/O	Sold in Lots of	Unit Reference	Unit Price HK\$
RXM2AB, RXM4	Mixed	10	<b>RXZE2M114</b>	\$30.00
RXM2	Separate	10	<b>RXZE2S108M</b>	\$30.00
RXM3	Separate	10	<b>RXZE2S111M</b>	\$30.00
RXM4	Separate	10	<b>RXZE2S114M</b>	\$30.00
	Mixed	10	<b>RXZE2M114M</b>	\$30.00

## Accessories 附件

Description	Application	Sold in Lots of	Unit Reference	Unit Price HK\$
Metal Maintaining Clamp	For all Sockets	10	<b>RXZ400</b>	\$6.00
Protection Module	for RXZE****M			
Diode	6/250VDC	20	<b>RXM040W</b>	\$15.00
Varistor with LED	24/60VAC/VDC	20	<b>RXM021BN</b>	\$27.00
	110/230VAC/VDC	20	<b>RXM021FP</b>	\$27.00
RC Circuit	110/240VAC/VDC	20	<b>RXM041FU7</b>	\$27.00

Zelio Plug-In Relays 插座式繼電器  
 RXM\*L Miniature Relays 小型繼電器  
 Sockets & Accessories for RXM Relays 插座及附件

No. of Contacts	Amp Rating	LED	Sold in Lots of	Unit Reference <sup>(2)</sup>	Unit Price HK\$
2	5	No	10	<b>RXM2LB1**</b>	\$28.00
2	5	Yes	10	<b>RXM2LB2**</b>	\$31.00
4	3	No	10	<b>RXM4LB1**</b>	\$33.00
4	3	Yes	10	<b>RXM4LB2**</b>	\$35.00



RXZE1M2C

## Sockets 插座

For use with	Sold in Lots of	Unit Reference	Unit Price HK\$
RXM2	10	<b>RXZE1M2C</b>	\$15.00
RXM4	10	<b>RXZE1M4C</b>	\$18.00

(1) Refer to the list below for complete unit reference.

(2) Refer to the list below for complete unit reference.

\*\* Available coil voltage

JD = 12VDC  
 BD = 24VDC  
 ED = 48VDC  
 FD = 110VDC

B7 = 24VAC  
 E7 = 48VAC  
 F7 = 120VAC  
 P7 = 230VAC


\*\* Available coil voltage

JD = 12VDC  
 BD = 24VDC  
 ED = 48VDC

B7 = 24VAC  
 F7 = 120VAC  
 P7 = 230VAC

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Zelio Plug-in Relays 插座式繼電器  
REXL Miniature Timer Relays 小型時間繼電器



### Single Function

Timing Range	Functions	No. of Relay Outputs	Voltages V	Unit Reference	Unit Price HK\$
0.1 s...1 s, 1 s...10 s, 0.1 min...1 min, 1 min...10 min, 0.1 h...1 h, 1 h...10 h, 10 h...100 h (7 Switchable Ranges)	A	2	~ 12	<b>REXL2TMJD</b>	\$156.00
			~ 24	<b>REXL2TMBD</b>	\$156.00
			~ 24 (50/60Hz)	<b>REXL2TMB7</b>	\$139.00
			~ 120 (50/60Hz)	<b>REXL2TMF7</b>	\$139.00
			~ 230 (50/60Hz)	<b>REXL2TMP7</b>	\$139.00
			~ 12	<b>REXL4TMJD</b>	\$166.00
			~ 24 <sup>(1)</sup>	<b>REXL4TMBD</b>	\$166.00
~ 24 (50/60Hz)	<b>REXL4TMB7</b>	\$144.00			
	~ 120 (50/60Hz)	<b>REXL4TMF7</b>	\$144.00		
	~ 230 (50/60Hz)	<b>REXL4TMP7</b>	\$144.00		



### Sockets for Relays<sup>(2)</sup>

Contact Terminal Arrangement	For use with Relays	Connection	Unit Reference	Unit Price HK\$
Mixed <sup>(3)</sup>	REXL2TM ●●	Screw Clamp	<b>RXZE2M114<sup>(5)</sup></b>	\$30.00
	REXL4TM ●●		<b>RXZE2M114M<sup>(6)</sup></b>	
	REXL4TM ●●	Connector	<b>RXZE2M114M<sup>(6)</sup></b>	\$30.00
Separate <sup>(4)</sup>	REXL2TM ●●	Connector	<b>RXZE2S108M</b>	\$30.00
	REXL4TM ●●	Connector	<b>RXZE2S114M</b>	\$30.00
	REXL2TM ●●	Spring Clamp	<b>RXZE2S114S</b>	\$64.00
	REXL4TM ●●			

- (1) For ~ 48V supply, the additional resistor is 560Ω 2W/24V.  
For ~ 48V, the additional resistor is 390Ω 4W/24V.  
(2) Sold in lots of 10.  
(3) The inputs are mixed with the relay's supply with the outputs being located on the opposite side of the socket.  
(4) The inputs and outputs are separated from the relay supply.  
(5) Thermal current Ith: 10 A  
(6) Thermal current Ith: 12 A

# Zelio Relay 保護元件及繼電器

Zelio Plug-In Relays 插座式繼電器  
 RXG Interface Relays 16mm 界面繼電器 16mm  
 Sockets & Accessories for RXG Relays 插座及附件

## Standard Cover Relays with Lockable Test Button



RXG11RD

Rated Voltage	Sold in lots of	1 Contact, 10A		2 Contacts, 5A	
		Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
6VDC	10	RXG11RD	\$60.00	RXG21RD	\$71.00
12VDC	10	RXG11JD	\$60.00	RXG21JD	\$71.00
24VDC	10	RXG11BD	\$60.00	RXG21BD	\$71.00
48VDC	10	RXG11ED	\$60.00	RXG21ED	\$71.00
60VDC	10	RXG11ND	\$60.00	RXG21ND	\$71.00
110VDC	10	RXG11FD	\$60.00	RXG21FD	\$71.00
24VAC	10	RXG11B7	\$88.00	RXG21B7	\$99.00
48VAC	10	RXG11E7	\$88.00	RXG21E7	\$99.00
120VAC	10	RXG11F7	\$88.00	RXG21F7	\$99.00
220VAC	10	RXG11M7	\$88.00	RXG21M7	\$99.00
230VAC	10	RXG11P7	\$88.00	RXG21P7	\$99.00

## Standard Cover Relays with Lockable Test Button and LED



RXG22B7

Rated Voltage	Sold in lots of	1 Contact, 10A		2 Contacts, 5A	
		Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
6VDC	10	RXG12RD	\$69.00	RXG22RD	\$82.00
12VDC	10	RXG12JD	\$69.00	RXG22JD	\$82.00
24VDC	10	RXG12BD	\$69.00	RXG22BD	\$82.00
48VDC	10	RXG12ED	\$69.00	RXG22ED	\$82.00
60VDC	10	RXG12ND	\$69.00	RXG22ND	\$82.00
110VDC	10	RXG12FD	\$69.00	RXG22FD	\$82.00
24VAC	10	RXG12B7	\$97.00	RXG22B7	\$108.00
48VAC	10	RXG12E7	\$97.00	RXG22E7	\$108.00
120VAC	10	RXG12F7	\$97.00	RXG22F7	\$108.00
220VAC	10	RXG12M7	\$97.00	RXG22M7	\$108.00
230VAC	10	RXG12P7	\$97.00	RXG22P7	\$108.00

## Standard Cover Relays with LED



RXG13RD

Rated Voltage	Sold in lots of	1 Contact, 10A		2 Contacts, 5A	
		Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
6VDC	10	RXG13RD	\$51.00	RXG23RD	\$62.00
12VDC	10	RXG13JD	\$51.00	RXG23JD	\$62.00
24VDC	10	RXG13BD	\$51.00	RXG23BD	\$62.00
48VDC	10	RXG13ED	\$51.00	RXG23ED	\$62.00
60VDC	10	RXG13ND	\$51.00	RXG23ND	\$62.00
110VDC	10	RXG13FD	\$51.00	RXG23FD	\$62.00
24VAC	10	RXG13B7	\$79.00	RXG23B7	\$90.00
48VAC	10	RXG13E7	\$79.00	RXG23E7	\$90.00
120VAC	10	RXG13F7	\$79.00	RXG23F7	\$90.00
220VAC	10	RXG13M7	\$79.00	RXG23M7	\$90.00
230VAC	10	RXG13P7	\$79.00	RXG23P7	\$90.00

## Clear Cover Relays



RXG15RD

Rated Voltage	Sold in lots of	1 Contact, 10A		2 Contacts, 5A	
		Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
6VDC	10	RXG15RD	\$46.00	RXG25RD	\$58.00
12VDC	10	RXG15JD	\$46.00	RXG25JD	\$58.00
24VDC	10	RXG15BD	\$46.00	RXG25BD	\$58.00
48VDC	10	RXG15ED	\$46.00	RXG25ED	\$58.00
60VDC	10	RXG15ND	\$46.00	RXG25ND	\$58.00
110VDC	10	RXG15FD	\$46.00	RXG25FD	\$58.00
24VAC	10	RXG15B7	\$73.00	RXG25B7	\$86.00
48VAC	10	RXG15E7	\$73.00	RXG25E7	\$86.00
120VAC	10	RXG15F7	\$73.00	RXG25F7	\$86.00
220VAC	10	RXG15M7	\$73.00	RXG25M7	\$86.00
230VAC	10	RXG15P7	\$73.00	RXG25P7	\$86.00

## Sockets 插座



RGZE1S48M

With separate contact terminals, screw connector connection and built-in clamp

Description	Thermal current (Ith)	Relay type	Sold in lots of	Unit Reference	Unit Price HK\$
1 CO socket with 1-pole	10 A	RXG1*	10	RGZE1S35M	\$42.00
2 CO socket with 2-pole	5 A	RXG2*	10	RGZE1S48M	\$69.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Protection Devices & Relays

## 保護元件及繼電器

# Zelio Relay

Zelio Plug-In Relays 插座式繼電器  
RSB Interface Relays 界面繼電器  
Sockets & Accessories for RSB Relays 插座及附件

### 1 Contact, 12A 單接點



RSB1A120 + RSZE1S35M

Rated Voltage	Sold in Lots of	Unit Reference	Unit Price HK\$
24VDC	10	<b>RSB1A120BD</b>	\$17.00
24VAC	10	<b>RSB1A120B7</b>	\$32.00
48VDC	10	<b>RSB1A120ED</b>	\$17.00
48VAC	10	<b>RSB1A120E7</b>	\$32.00
120VDC	10	<b>RSB1A120FD</b>	\$29.00
120VAC	10	<b>RSB1A120F7</b>	\$43.00
12VDC	10	<b>RSB1A120JD</b>	\$18.00
220VAC	10	<b>RSB1A120M7</b>	\$45.00
60VDC	10	<b>RSB1A120ND</b>	\$42.00
230VAC	10	<b>RSB1A120P7</b>	\$45.00
240VAC	10	<b>RSB1A120U7</b>	\$50.00

### 1 Contact, 16A 單接點



RSB1A160JD + RSZE1S48M

Rated Voltage	Sold in Lots of	Unit Reference	Unit Price HK\$
24VDC	10	<b>RSB1A160BD</b>	\$20.00
24VAC	10	<b>RSB1A160B7</b>	\$34.00
48VDC	10	<b>RSB1A160ED</b>	\$24.00
48VAC	10	<b>RSB1A160E7</b>	\$34.00
120VDC	10	<b>RSB1A160FD</b>	\$31.00
120VAC	10	<b>RSB1A160F7</b>	\$50.00
12VDC	10	<b>RSB1A160JD</b>	\$20.00
220VAC	10	<b>RSB1A160M7</b>	\$50.00
60VDC	10	<b>RSB1A160ND</b>	\$24.00
230VAC	10	<b>RSB1A160P7</b>	\$52.00
240VAC	10	<b>RSB1A160U7</b>	\$52.00

### 2 Contacts, 8A 雙接點



RSB2A080 + RSZE1S48M

Rated Voltage	Sold in Lots of	Unit Reference	Unit Price HK\$
24VDC	10	<b>RSB2A080BD</b>	\$24.00
24VAC	10	<b>RSB2A080B7</b>	\$38.00
48VDC	10	<b>RSB2A080ED</b>	\$24.00
48VAC	10	<b>RSB2A080E7</b>	\$38.00
120VDC	10	<b>RSB2A080FD</b>	\$38.00
120VAC	10	<b>RSB2A080F7</b>	\$50.00
12VDC	10	<b>RSB2A080JD</b>	\$24.00
220VAC	10	<b>RSB2A080M7</b>	\$50.00
60VDC	10	<b>RSB2A080ND</b>	\$24.00
230VAC	10	<b>RSB2A080P7</b>	\$50.00
240VAC	10	<b>RSB2A080U7</b>	\$54.00

### Sockets 插座



RSZE1S48M

For use with	Sold in Lots of	Unit Reference	Unit Price HK\$
RSB2A080, RSB1A160	10	<b>RSZE1S48M</b>	\$31.00
RSB1A120	10	<b>RSZE1S35M</b>	\$33.00

### Accessories 附件



RSZR215

Description	Sold in Lots of	Unit Reference	Unit Price HK\$
Maintaining	10	<b>RSZR215</b>	\$5.00
Legend	10	<b>RSZL300</b>	\$5.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

6

# Zelio Relay 保護元件及繼電器

Zelio Plug-In Relays 插座式繼電器  
 RUM Universal Relays 通用繼電器  
 Sockets & Accessories for RUM Relays 插座及附件

## RUM Universal Relays 通用繼電器<sup>(1)</sup>



RUMC32F7  
+  
Socket RUZC3M

No. of Contacts	Amp Rating	LED	Sold in Lots of	Unit Reference	Unit Price HK\$
2	10	No	10	<b>RUMC21**</b>	\$82.00
2	10	Yes	10	<b>RUMC22**</b>	\$100.00
3	10	No	10	<b>RUMC31**</b>	\$87.00
3	10	Yes	10	<b>RUMC32**</b>	\$102.00



RUZC3M

## Sockets 插座

For use with	I/O	Sold in Lots of	Unit Reference	Unit Price HK\$
RUM C2	Mixed	10	<b>RUZC2M</b>	\$34.00
RUM C3	Mixed	10	<b>RUZC3M</b>	\$38.00
RUM C2	Separate	10	<b>RUZSC2M</b>	\$50.00

## Accessories 附件

Description	Application	Sold in Lots of	Unit Reference	Unit Price HK\$
Clip in Legend	All Relays	10	<b>RXZL520</b>	\$100.00
	All Sockets with Separate Contacts	10	<b>RUZL420</b>	\$184.00
Metal Maintaining Clamp	All Sockets	10	<b>RUZC200</b>	\$12.00
Bus Lumper 2 Pole	All Sockets with Separate Contacts	10	<b>RUZS2</b>	\$8.00



RUZC200

## Protection Modules 保護組件



RUW241P7

Diode (6/250VDC)	All Sockets	10	<b>RUW240BD</b>	\$19.00
RC Circuit (110/240VAC)	All Sockets	10	<b>RUW241P7</b>	\$30.00
Varistor				
24VAC/DC	All Sockets	10	<b>RUW242B7</b>	\$28.00
240VAC/DC	All Sockets	10	<b>RUW242P7</b>	\$28.00



RUW101MW

## Time Modules 時間組件<sup>(2)</sup>

Multifunction (24-240VAC/VDC)	All Sockets	10	<b>RUW101MW</b>	\$383.00
-------------------------------	-------------	----	-----------------	----------

(1) Refer to the list below for complete unit reference.

\*\* Available coil voltage

JD = 12VDC	B7 = 24VAC
BD = 24VDC	E7 = 48VAC
ED = 48VDC	F7 = 120VAC
FD = 110VDC	P7 = 230VAC

(2) Please consult Schneider Electric (Hong Kong) Limited for availability.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

#### Relays & Sockets for self-assembly 繼電器和插座可供自行組裝

##### SSL Single-Phase Solid State Relays (Sold in lots of 12)



SSL1A12JD

Switching	Voltage Range		Load Current Range	Unit Reference	Unit Price HK\$
	Control Input V	Load Output V			
DC Switching	3 to 12	1 to 24	3.5	SSL1D03JD	\$124.00
		1 to 48	0.1	SSL1D101JD	\$74.00
	15 to 30	1 to 24	3.5	SSL1D03BD	\$124.00
	16 to 30	1 to 48	0.1	SSL1D101BD	\$74.00
	38 to 72	1 to 24	3.5	SSL1D03ND	\$124.00
Zero Voltage Switching	3 to 12	~ 24 to 280	0.1	SSL1D101ND	\$74.00
	15 to 30	~ 24 to 280	2	SSL1A12JD	\$82.00
	38 to 72	~ 24 to 280	2	SSL1A12BD	\$82.00
Random Switching	3 to 12	~ 24 to 280	2	SSL1A12ND	\$82.00
	15 to 30	~ 24 to 280	2	SSL1A12JDR	\$87.00
	38 to 72	~ 24 to 280	2	SSL1A12BDR	\$87.00
				SSL1A12NDR	\$87.00

##### Sockets Equipped with LED & Protection Circuit (Sold in lots of 10)



SSLZVA1 + SSL1D03JD

Control Voltage (Nominal) for use with Relays V	Socket Type Screw Connector	Unit Reference	Unit Price HK\$	Spring Terminal	Unit Price HK\$
				Unit Reference	
5	SSL1D03JD SSL1D101JD SSL1A12JD SSL1A12JDR	SSLZVA1	\$54.00	SSLZRA1	\$63.00
24	SSL1D03BD SSL1D101BD SSL1A12BD SSL1A12BDR	SSLZVA1	\$54.00	SSLZRA1	\$63.00
60	SSL1D03ND SSL1D101ND SSL1A12ND SSL1A12NDR	SSLZVA2	\$54.00	SSLZRA2	\$63.00
~/~110	SSL1D03ND SSL1D101ND SSL1A12ND SSL1A12NDR	SSLZVA3	\$56.00	SSLZRA3	\$65.00
~/~230	SSL1D03ND SSL1D101ND SSL1A12ND SSL1A12NDR	SSLZVA4	\$58.00	SSLZRA4	\$67.00

##### Accessories for Sockets<sup>(1)</sup>



RSLZ2



RSLZ3

Description	Compatibility	Unit Reference	Unit Price HK\$
Clip-In Legents (2 Sheets of 64 Legends)	SSL Sockets	RSLZ5	\$55.00
Bus Jumper (10 x 20-Pole Jumper)	SSL Sockets	RSLZ2	\$22.00
Partition Plate (10 Partition Plates)	SSL Sockets	RSLZ3	\$55.00

(1) For solid-state relays up to 50A application, please consult Schneider Electric (Hong Kong) Limited.

## Notes

---

## Variable Speed Drives & Soft Starters 變頻器及軟起動器

Altistart 01/22 Soft Start - Soft Stop Units .....	7 - 1
軟起動 - 軟停止器	
Altistart 48 Soft Start - Soft Stop Units.....	7 - 2
軟起動 - 軟停止器	
Altistart 12 Variable Speed Drives .....	7 - 3
變頻器	
Altivar 212 Variable Speed Drives .....	7 - 4
變頻器	
Altivar ATV320 Variable Speed Drives .....	7 - 5
變頻器	
Altivar Process ATV630 Variable Speed Drives .....	7 - 7
變頻器	
Altivar Process ATV930 Variable Speed Drives .....	7 - 8
變頻器	
Altivar Process Variable Speed Drives Options .....	7 - 9
變頻器配件	

# Soft Start - Soft Stop Units

## Altistart 01/22 軟起動 - 軟停止器

For Asynchronous Motors 用於異步電機  
 Power Range 功率範圍: 0.37-15kW (ATS01)  
 Power Range 功率範圍: 4-355kW (ATS22)

### Soft Start Units 軟起動器 for 0.37-5.5kW Motor Three-Phase Supply Voltage 三相電源: 200-480V, 50/60Hz



ATS01N103FT

210V HP	230V kW/HP	400V kW	460V HP	Nominal Current A	Circuit Breaker <sup>(1)(2)</sup>	Contactor <sup>(2)</sup>	Unit Reference	Unit Price HK\$
-	0.37/0.5	1.1	0.5	3	GV2ME●●	LC1K06 or LC1D09	<b>ATS01N103FT</b>	\$1,064.00
-	0.55/-	-	1.5	-	-	-	-	-
0.5	0.75/1	2.2	2	6	GV2ME●●	LC1K06 or LC1D09	<b>ATS01N106FT</b>	\$1,320.00
-	1.1/1.5	-	3	-	-	-	-	-
1	1.5/2	4	5	9	GV2ME14	LC1K09 or LC1D09	<b>ATS01N109FT</b>	\$1,579.00
1.5	2.2/3	5.5	7.5	12	GV2ME16	LC1K12 or LC1D12	<b>ATS01N112FT</b>	\$1,852.00

### Soft Start - Soft Stop Units 軟起動 - 軟停止器 for 1.5-15kW Motor Three-Phase Supply Voltage 三相電源: 380-415V, 50/60Hz



ATS01N212QN

400V kW	400V HP	Nominal Current A	Circuit Breaker <sup>(1)(2)</sup>	Unit Reference	Unit Price HK\$
1.5	2	6	GV2ME●●	<b>ATS01N206QN</b>	\$1,974.00
2.2	3	-	-	-	-
3	5	9	GV2ME14	<b>ATS01N209QN</b>	\$2,247.00
4	-	-	-	-	-
5.5	7.5	12	GV2ME16	<b>ATS01N212QN</b>	\$2,508.00
-	-	-	-	-	-
7.5	10	22	GV2ME●●	<b>ATS01N222QN</b>	\$3,157.00
11	15	-	-	-	-
15	20	32	GV2ME32	<b>ATS01N232QN</b>	\$3,689.00

### Soft Start - Soft Stop Units 軟起動 - 軟停止器 Three-Phase Supply Voltage 三相電源: 230-440V, 50/60Hz

Motor Power Indicated on Rating Plate



ATS22D17Q



ATS22C11Q

230V kW	400V kW	440V kW	Normal Current A	Unit Reference <sup>(3)</sup>	Unit Price HK\$
4	7.5	7.5	17	<b>ATS22D17Q</b>	\$5,588.00
7.5	15	15	32	<b>ATS22D32Q</b>	\$5,787.00
11	22	22	47	<b>ATS22D47Q</b>	\$7,333.00
15	30	30	62	<b>ATS22D62Q</b>	\$8,781.00
18.5	37	37	75	<b>ATS22D75Q</b>	\$9,865.00
22	45	45	88	<b>ATS22D88Q</b>	\$10,061.00
30	55	55	110	<b>ATS22C11Q</b>	\$12,559.00
37	75	75	140	<b>ATS22C14Q</b>	\$14,272.00
45	90	90	170	<b>ATS22C17Q</b>	\$16,733.00
55	110	110	210	<b>ATS22C21Q</b>	\$21,146.00
75	132	132	250	<b>ATS22C25Q</b>	\$23,750.00
90	160	160	320	<b>ATS22C32Q</b>	\$27,151.00
110	220	220	410	<b>ATS22C41Q</b>	\$30,529.00
132	250	250	480	<b>ATS22C48Q</b>	\$37,322.00
160	315	355	590	<b>ATS22C59Q</b>	\$47,795.00

(1) Please refer to the catalogue for complete reference number.

(2) Parts are excluded.

(3) ATS22 with integrated bypass contactor function. Applications outside the standard characteristics (e.g. greater number of starts, excess current required at time of start) could involve derating to at least the next lowest level.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Soft Start - Soft Stop Units 軟起動 - 軟停止器

Altistart 48

For Asynchronous Motors 用於異步電機  
Power Range 功率範圍: 4-630kW



ATS48

## Soft Start - Soft Stop Units 軟起動 - 軟停止器 Three-Phase Supply Voltage 三相電源: 230-415V, 50/60Hz

Motor Power Indicated on Rating Plate		Nominal Current	Factory Setting Current	Power Dissipated at Nominal Load	Unit Reference	Unit Price HK\$
230V kW	400V kW					
4	7.5	17	14.8	59	<b>ATS48D17Q</b>	\$6,259.00
5.5	11	22	21	74	<b>ATS48D22Q</b>	\$6,616.00
7.5	15	32	28.5	104	<b>ATS48D32Q</b>	\$7,424.00
9	18.5	38	35	116	<b>ATS48D38Q</b>	\$7,953.00
11	22	47	42	142	<b>ATS48D47Q</b>	\$8,844.00
15	30	62	57	201	<b>ATS48D62Q</b>	\$9,754.00
18.5	37	75	69	245	<b>ATS48D75Q</b>	\$10,229.00
22	45	88	81	290	<b>ATS48D88Q</b>	\$13,172.00
30	55	110	100	322	<b>ATS48C11Q</b>	\$14,557.00
37	75	140	131	391	<b>ATS48C14Q</b>	\$16,741.00
45	90	170	162	479	<b>ATS48C17Q</b>	\$18,924.00
55	110	210	195	580	<b>ATS48C21Q</b>	\$21,521.00
75	132	250	233	695	<b>ATS48C25Q</b>	\$24,018.00
90	160	320	285	902	<b>ATS48C32Q</b>	\$30,539.00
110	220	410	388	1339	<b>ATS48C41Q</b>	\$33,946.00
132	250	480	437	1386	<b>ATS48C48Q</b>	\$47,083.00
160	315	590	560	1731	<b>ATS48C59Q</b>	\$55,315.00
-	355	660	605	1958	<b>ATS48C66Q</b>	\$64,895.00
220	400	790	675	2537	<b>ATS48C79Q</b>	\$72,782.00
250	500	1000	855	2865	<b>ATS48M10Q</b>	\$84,428.00
355	630	1200	1045	3497	<b>ATS48M12Q</b>	\$99,251.00



VW3G48101

### Option 選件

Description	Unit Reference	Unit Price HK\$
Remote Terminal	<b>VW3G48101</b>	\$889.00

7

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

For Asynchronous Motors 用於異步電機  
Power Range 功率範圍: 0.18-4kW

Drives with Heatsink (Frequency Range 頻率範圍: 0.5-400Hz)

Motor		Line Supply		Altivar 12		Unit Reference	Unit Price HK\$
Power Indicated on Rating Plate		Max. Line Current at U1	at U2	Max. Continuous Output Current	In		
kW	HP	A	A	In			



ATV12H037M2

Single-Phase Supply Voltage 單相電源: 100-120V, 50/60Hz

0.18	0.25	6	5	1.4	<b>ATV12H018F1</b>	\$1,495.00
0.37	0.5	11.4	9.3	2.4	<b>ATV12H037F1</b>	\$1,617.00
0.75	1	18.9	15.7	4.2	<b>ATV12H075F1</b>	\$1,836.00

Single-Phase Supply Voltage 單相電源: 200-240V, 50/60Hz

0.18	0.25	3.4	2.8	1.4	<b>ATV12H018M2</b>	\$1,352.00
0.37	0.55	5.9	4.9	2.4	<b>ATV12H037M2</b>	\$1,474.00
0.55	0.75	8	6.7	3.5	<b>ATV12H055M2</b>	\$1,523.00
0.75	1	10.2	8.5	4.2	<b>ATV12H075M2</b>	\$1,579.00
1.5	2	17.8	14.9	7.5	<b>ATV12HU15M2</b>	\$2,065.00
2.2	3	24	20.2	10	<b>ATV12HU22M2</b>	\$2,559.00

Three-Phase Supply Voltage 三相電源: 200-240V, 50/60Hz

0.18	0.25	2	1.7	1.4	<b>ATV12H018M3</b>	\$1,256.00
0.37	0.55	3.6	3	2.4	<b>ATV12H037M3</b>	\$1,352.00
0.75	1	6.3	5.3	4.2	<b>ATV12H075M3</b>	\$1,504.00
1.5	2	11.1	9.3	7.5	<b>ATV12HU15M3</b>	\$1,903.00
2.2	3	14.9	12.5	10	<b>ATV12HU22M3</b>	\$2,388.00
3	-	19	15.9	12.2	<b>ATV12HU30M3</b>	\$2,816.00
4	5	23.8	19.9	16.7	<b>ATV12HU40M3</b>	\$3,102.00

Configuration Tools - SoMove Lite Setup Software & Associated Accessories

Description	Unit Reference	Unit Price HK\$
SoMove Lite Setup Software <sup>(1)</sup>	-	-
USB/RJ45 Cable, 2.5m <sup>(2)</sup>	<b>TCSMCNAM3M002P</b>	\$681.00

Remote Display Terminals & Associated Cordsets



VW3A1006

Description	Degree of Protection	Length m	Unit Reference	Unit Price HK\$
Remote Display Terminal	IP54	-	<b>VW3A1006</b>	\$544.00
	IP65	-	<b>VW3A1007</b>	\$687.00
Remote-Mounting Cordset		1	<b>VW3A1104R10</b>	\$136.00
Equipped with 2 RJ45 Connector		3	<b>VW3A1104R30</b>	\$185.00

(1) Downloadable at se.com.hk or available on the "Description of the Motion & Drives Offer" DVD ROM VW3 A8 200  
(2) Required to connect a PC to the device with USB Connector (PC end) and RJ45 Connector (Device end)

# Variable Speed Drives

## 變頻器

# Altivar 212

For Asynchronous Motors 用於異步電機  
 Power Range 功率範圍: 0.75-7.5kW  
 THDI (Total Current Harmonic Distortion) <35%

Drives (Frequency Range 頻率範圍: 0.5-200Hz)  
 Three-Phase Supply Voltage 三相電源: 380-480V, 50/60Hz



ATV212HD15N4

Motor Power Indicated on Rating Plate kW	Line Supply Line Current at 380V <sup>(1)</sup> HP	Line Supply A	Altivar 212 Max. Continuous Output Current <sup>(2)</sup> A	Drive (with EMC Filter)		Unit Price HK\$
				Unit Reference IP21	IP55	
0.75	1	1.7	2.2	<b>ATV212H075N4</b>		\$3,203.00
					<b>ATV212W075N4</b>	\$4,322.00
1.5	2	3.2	3.7	<b>ATV212HU15N4</b>		\$3,526.00
					<b>ATV212WU15N4</b>	\$4,531.00
2.2	3	4.6	5.1	<b>ATV212HU22N4</b>		\$3,867.00
					<b>ATV212WU22N4</b>	\$5,209.00
3	-	6.2	7.2	<b>ATV212HU30N4</b>		\$4,452.00
					<b>ATV212WU30N4</b>	\$5,975.00
4	5	8.1	9.1	<b>ATV212HU40N4</b>		\$5,134.00
					<b>ATV212WU40N4</b>	\$6,675.00
5.5	7.5	10.9	12	<b>ATV212HU55N4</b>		\$5,925.00
					<b>ATV212WU55N4</b>	\$7,344.00
7.5	10	14.7	16	<b>ATV212HU75N4</b>		\$6,467.00
					<b>ATV212WU75N4</b>	\$8,644.00
11	15	21.1	22.5	<b>ATV212HD11N4</b>		\$8,400.00
					<b>ATV212WD11N4</b>	\$14,664.00
15	20	28.5	33.6	<b>ATV212HD15N4</b>		\$10,672.00
					<b>ATV212WD15N4</b>	\$16,757.00
18.5	25	34.8	37	<b>ATV212HD18N4</b>		\$13,498.00
					<b>ATV212WD18N4</b>	\$19,713.00
22	30	41.6	43.5	<b>ATV212HD22N4</b>		\$17,523.00
					<b>ATV212WD22N4</b>	\$23,192.00
30	40	44.7	58.5	<b>ATV212HD30N4</b>		\$19,995.00
					<b>ATV212WD30N4</b>	\$25,994.00
37	50	68.9	79	<b>ATV212HD37N4</b>		\$22,586.00
					<b>ATV212WD37N4</b>	\$30,013.00
45	60	83.8	94	<b>ATV212HD45N4</b>		\$28,852.00
					<b>ATV212WD45N4</b>	\$39,155.00
55	75	102.7	116	<b>ATV212HD55N4</b>		\$35,117.00
					<b>ATV212WD55N4</b>	\$40,093.00
75	100	141.8	160	<b>ATV212HD75N4</b>		\$42,951.00
					<b>ATV212WD75N4</b>	\$51,826.00

### Communication Interface 通訊界面

Description	Unit Reference	Unit Price HK\$
LONwork Card	<b>VW3A21212</b>	\$1,976.00

### Option 配件

Description	Unit Reference	Unit Price HK\$
Remote Graphic Display Terminal	<b>VW3A1101</b>	\$1,946.00
PC Connection Kit	<b>VW3A8106</b>	\$880.00

(1) Typical line current for the indicated motor power and for the maximum prospective line short-circuit current I<sub>sc</sub> stated in ATV212 catalogue.  
 (2) These output currents are stated for normal switching frequency stated in ATV212 catalogue.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Variable Speed Drives

## Altivar ATV320 變頻器

For Asynchronous Motors 用於異步電機

功率範圍: 0.18-15kW

Transient Overtorque ~ 170...200% of the Nominal Motor Torque

### Drives with Compact Control Block<sup>(1)</sup>

Motor		Line Supply		Altivar Machine ATV320		Unit Reference <sup>(2)</sup>	Unit Price HK\$
Power Indicated on Rating Plate <sup>(2)</sup>		Max. Line Current <sup>(3)(4)</sup> at U1		Max. Continuous Output Current (In) <sup>(2)</sup>			
kW	HP	A	A	A			

Single-Phase Supply Voltage 單相電源: 200-240V 50/60Hz, with Integrated EMC Filter<sup>(4)(5)(6)</sup>

0.18	0.25	3.4	2.8	1.5	<b>ATV320U02M2C</b>	\$1,779.00
0.37	0.5	5.9	4.9	3.3	<b>ATV320U04M2C</b>	\$2,027.00
0.55	0.75	7.9	6.6	3.7	<b>ATV320U06M2C</b>	\$2,132.00
0.75	1	10	8.4	4.8	<b>ATV320U07M2C</b>	\$2,217.00
1.1	1.5	13.8	11.6	6.9	<b>ATV320U11M2C</b>	\$2,541.00
1.5	2	17.8	14.9	8	<b>ATV320U15M2C</b>	\$2,837.00
2.2	3	24	20.2	11	<b>ATV320U22M2C</b>	\$3,298.00



ATV320U11M2C

Three-Phase Supply Voltage 三相電源: 380-500V 50/60Hz, with Integrated EMC Filter<sup>(4)(5)(6)</sup>

0.37	0.5	2.1	1.6	1.5	<b>ATV320U04N4C</b>	\$2,470.00
0.55	0.75	2.8	2.2	1.9	<b>ATV320U06N4C</b>	\$2,618.00
0.75	1	3.6	2.8	2.3	<b>ATV320U07N4C</b>	\$2,626.00
1.1	1.5	5	3.8	3	<b>ATV320U11N4C</b>	\$2,752.00
1.5	2	6.4	4.9	4.1	<b>ATV320U15N4C</b>	\$2,910.00
2.2	3	8.7	6.6	5.5	<b>ATV320U22N4C</b>	\$3,581.00
3	4	11.1	8.4	7.1	<b>ATV320U30N4C</b>	\$4,287.00
4	5	13.7	10.6	9.5	<b>ATV320U40N4C</b>	\$4,310.00

### Drives with Book Control Block

Motor		Line Supply		Altivar Machine ATV320		Unit Reference <sup>(2)</sup>	Unit Price HK\$
Power Indicated on Rating Plate <sup>(2)</sup>		Max. Line Current <sup>(3)(4)</sup> at U1		Max. Continuous Output Current (In) <sup>(2)</sup>			
kW	HP	A	A	A			

Single-Phase Supply Voltage 單相電源: 200-240V 50/60Hz, with Integrated EMC Filter<sup>(4)(5)(7)</sup>

0.18	0.25	3.4	2.8	1.5	<b>ATV320U02M2B</b>	\$2,530.00
0.37	0.5	6	5	3.3	<b>ATV320U04M2B</b>	\$2,732.00
0.55	0.75	7.9	6.7	3.7	<b>ATV320U06M2B</b>	\$2,853.00
0.75	1	10.1	8.5	4.8	<b>ATV320U07M2B</b>	\$2,930.00
1.1	1.5	13.6	11.5	6.9	<b>ATV320U11M2B</b>	\$3,019.00
1.5	2	17.6	14.8	8	<b>ATV320U15M2B</b>	\$3,312.00
2.2	3	23.9	20.1	11	<b>ATV320U22M2B</b>	\$3,887.00



ATV320U15M2B

Three-Phase Supply Voltage 三相電源: 380-500V 50/60Hz, with Integrated EMC Filter<sup>(4)(5)(7)</sup>

0.37	0.5	2.1	1.6	1.5	<b>ATV320U04N4B</b>	\$2,789.00
0.55	0.75	2.8	2.2	1.9	<b>ATV320U06N4B</b>	\$2,955.00
0.75	1	3.6	2.7	2.3	<b>ATV320U07N4B</b>	\$3,103.00
1.1	1.5	6.5	3.8	3	<b>ATV320U11N4B</b>	\$3,258.00
1.5	2	6.4	4.9	4.1	<b>ATV320U15N4B</b>	\$3,421.00
2.2	3	8.7	6.6	5.5	<b>ATV320U22N4B</b>	\$3,581.00
3	4	11.1	8.4	7.1	<b>ATV320U30N4B</b>	\$4,287.00
4	5	13.7	10.5	9.5	<b>ATV320U40N4B</b>	\$4,310.00
5.5	7.5	20.7	14.5	14.3	<b>ATV320U55N4B</b>	\$5,802.00
7.5	10	26.5	18.7	17	<b>ATV320U75N4B</b>	\$6,300.00
11	15	36.6	25.6	27.7	<b>ATV320D11N4B</b>	\$7,986.00
15	20	47.3	33.3	33	<b>ATV320D15N4B</b>	\$9,616.00

(1) From 5.5kW to 15kW, select the product with the book control block. The external shape of drives is cubical (see dimension table). The concerned references are ATV320U55N4B, ATV320U75N4B, ATV320D11N4B and ATV320D15N4B.

(2) These values are given for a nominal switching frequency of 4 kHz, for use in continuous operation. The switching frequency is adjustable from 2 to 16 kHz. Above 4 kHz, derate the nominal drive current. The nominal motor current should not exceed this value. See derating curves.

(3) Typical value for a 4-pole motor and a maximum switching frequency of 4 kHz, with no line choke for maximum prospective line Isc (4).

(4) Nominal supply voltage, Min. U1, Max. U2: 200 (U1)...240 V (U2), 380 (U1)...500 V (U2).

(5) Drives supplied with category C2 integrated EMC filter which can be disconnected.

(6) Drives are supplied with an EMC plate for self-assembly.

(7) Connection in compliance with EMC standards:

- ATV320...M2B, AT320U04N4B drives are supplied with an EMC plate. This is an integral part of the power terminal and cannot be separated.

- ATV320U55N4B...D15N4B drives are supplied with an EMC plate for self-assembly.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information. 價格如有更改, 恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

For Asynchronous Motors 用於異步電機

功率範圍: 0.18-15kW

Transient Overtorque ~ 170...200% of the Nominal Motor Torque

### Configuration Tools - SoMove Lite Setup Software & Associated Accessories

Description	Unit Reference	Unit Price HK\$
SoMove Lite Setup Software <sup>(1)</sup>	-	-
USB/RJ45 Cable, 2.5 <sup>(2)</sup>	<b>TCSMCNAM3M002P</b>	\$681.00

### Remote Display Terminal

Description	Degree of Protection	Length m	Unit Reference	Unit Price HK\$
Remote Display Terminals	IP 54	-	<b>VW3A1006</b>	\$544.00
	IP 65	-	<b>VW3A1007</b>	\$687.00
Remote Cables		1	<b>VW3A1104R10</b>	\$136.00
Equipped with 2 RJ45 Connectors		3	<b>VW3A1104R30</b>	\$185.00

### Remote Graphic Display Terminal



VW3A1101

Description	Length m	Unit Reference	Unit Price HK\$
Remote Graphic Display Terminals	-	<b>VW3A1101</b>	\$1,946.00
Remote Cables	1	<b>VW3A1104R10</b>	\$136.00
Equipped with 2 RJ45 Connectors	3	<b>VW3A1104R30</b>	\$185.00
Female/Female RJ45 Adaptor	-	<b>VW3A1105</b>	\$208.00

(1) Downloadable at se.com.hk or available on the "Description of the Motion & Drives Offer" DVD ROM VW3 A8 200  
 (2) Required to connect a PC to the device with USB Connector (PC end) and RJ45 Connector (Device end).

# Altivar ATV630 變頻器

For Synchronous and Asynchronous Motors 用於同步和異步電機  
 Power Range 功率範圍: 0.75-315kW  
 Variable & Constant Torque Application  
 Altivar Process ATV630



ATV630D22N4



ATV630C22N4

Three-Phase Supply Voltage 三相電源: 380-480V 50/60Hz, IP21  
 Embedded with DC Chokes  
 IP 21/UL Type 1 Drives with Category C2 or C3 Integrated EMC Filter - Wall Mounted

Motor		Line Supply		Altivar ATV 630			Unit Reference	Unit Price HK\$
Power Indicated on Rating Plate		Line Current at 380V	Max. Continuous Output Current <sup>(1)(2)</sup>	Max. Transient Current for 60s	IP			
KW	HP	A	A	A				
0.75	1	1.5	2.2	2.4	21	<b>ATV630U07N4</b>	\$5,245.00	
1.5	2	3	4	4.4	21	<b>ATV630U15N4</b>	\$5,781.00	
2.2	3	4.3	5.6	6.2	21	<b>ATV630U22N4</b>	\$6,531.00	
3	-	5.8	7.2	7.9	21	<b>ATV630U30N4</b>	\$6,641.00	
4	5	7.6	9.3	10.2	21	<b>ATV630U40N4</b>	\$7,137.00	
5.5	7.5	10.4	12.7	14	21	<b>ATV630U55N4</b>	\$7,733.00	
7.5	10	13.8	16.5	18.2	21	<b>ATV630U75N4</b>	\$8,684.00	
11	15	19.8	23.5	25.9	21	<b>ATV630D11N4</b>	\$11,128.00	
15	20	27	31.7	34.9	21	<b>ATV630D15N4</b>	\$13,572.00	
18.5	25	33.4	39.2	43.1	21	<b>ATV630D18N4</b>	\$17,176.00	
22	30	39.6	46.3	50.9	21	<b>ATV630D22N4</b>	\$20,395.00	
30	40	53.3	61.5	67.7	21	<b>ATV630D30N4</b>	\$24,883.00	
37	50	66.2	74.5	82	21	<b>ATV630D37N4</b>	\$28,267.00	
45	60	79.8	88	96.8	21	<b>ATV630D45N4</b>	\$35,786.00	
55	75	97.2	106	116.6	21	<b>ATV630D55N4</b>	\$43,303.00	
75	100	131.3	145	159.5	21	<b>ATV630D75N4</b>	\$52,704.00	
90	125	156.2	173	190.3	21	<b>ATV630D90N4</b>	\$67,742.00	
110	150	201	211	232.1	00 <sup>(1)</sup>	<b>ATV630C11N4</b>	\$76,105.00	
132	200	237	250	275	00 <sup>(1)</sup>	<b>ATV630C13N4</b>	\$87,672.00	
160	250	284	302	332.2	00 <sup>(1)</sup>	<b>ATV630C16N4</b>	\$101,960.00	
220	350	397	427	470	00 <sup>(1)</sup>	<b>ATV630C22N4</b>	\$123,266.00	
250	400	451	481	529	00 <sup>(1)</sup>	<b>ATV630C25N4</b>	\$141,241.00	
315	500	569	616	678	00 <sup>(1)</sup>	<b>ATV630C31N4</b>	\$174,980.00	

(1) Please contact Schneider Electric (Hong Kong) Limited for details of VSD offer >315kW  
 These values are given for use in continuous operation with a nominal switching frequency of 2.5 kHz (ATV630D55N4...C31N4).  
 The switching frequency is adjustable from 2...8 kHz (ATV630D55N4...C31N4).  
 Above the nominal switching frequency, the drive will automatically reduce it in the event of an excessive temperature rise.  
 For continuous operation above the nominal switching frequency, nominal drive current should be derated according to the derating curves available at se.com.hk

(2) Product supplied as IP 00 for mounting in an enclosure. For IP 21/UL type 1 wall mounting, an adaptation kit should be ordered separately.  
 Please consult Schneider Electric (Hong Kong) Limited for details.

# Variable Speed Drives 變頻器

## Altivar ATV930

For Synchronous and Asynchronous Motors 用於同步和異步電機  
Power Range 功率範圍: 0.75-220kW  
Variable & Constant Torque Application  
Altivar Process ATV930



ATV930U55N4



ATV930C22N4

Three-Phase Supply Voltage 三相電源: 380-480V 50/60Hz, IP21<sup>(1)</sup>  
Embedded with DC Chokes  
IP 21/UL Type 1 Drives with Category C3 Integrated EMC Filter without Braking Unit - Wall Mounted

Motor Power Indicated on Rating Plate KW	Line Supply Line Current at 380V HP	Altivar ATV 930		Max. Transient Current for 60s A	IP	Unit Reference	Unit Price HK\$
		Max. Continuous Output Current <sup>(1)(2)</sup> A	Max. Transient Current for 60s A				
0.75	1	1.5	2.2	2.6	21	<b>ATV930U07N4</b>	\$6,407.00
1.5	2	3	4	4.8	21	<b>ATV930U15N4</b>	\$6,422.00
2.2	3	4.3	5.6	6.7	21	<b>ATV930U22N4</b>	\$6,745.00
3	-	5.8	7.2	8.6	21	<b>ATV930U30N4</b>	\$7,583.00
4	5	7.6	9.3	11.2	21	<b>ATV930U40N4</b>	\$7,842.00
5.5	7.5	10.4	12.7	15.2	21	<b>ATV930U55N4</b>	\$8,483.00
7.5	10	13.8	16.5	19.8	21	<b>ATV930U75N4</b>	\$9,963.00
11	15	19.8	23.5	28.2	21	<b>ATV930D11N4</b>	\$12,712.00
15	20	27	31.7	38	21	<b>ATV930D15N4</b>	\$15,474.00
18.5	25	33.4	39.2	47	21	<b>ATV930D18N4</b>	\$19,284.00
22	30	39.6	46.3	55.6	21	<b>ATV930D22N4</b>	\$22,464.00
30	40	53.3	61.5	73.8	21	<b>ATV930D30N4</b>	\$27,963.00
37	50	66.2	74.5	89.4	21	<b>ATV930D37N4</b>	\$31,773.00
45	60	79.8	88	105.6	21	<b>ATV930D45N4</b>	\$40,256.00
55	75	97.2	106	127.2	21	<b>ATV930D55N4</b>	\$48,726.00
75	100	131.3	145	174	21	<b>ATV930D75N4</b>	\$59,318.00
90	125	156.2	173	207.6	21	<b>ATV930D90N4</b>	\$67,792.00
220	350	397	427	512	00 <sup>(2)</sup>	<b>ATV930C22N4</b>	\$164,934.00

(1) Please contact Schneider Electric (Hong Kong) Limited for details of VSD offer > 315kW

(2) Product supplied as IP 00 for mounting in an enclosure. For IP 21/UL type 1 wall mounting, a conformity kit should be ordered. Please consult Schneider Electric (Hong Kong) Limited for details.



VW3A1111

### Graphic Display Terminal (Supplied with the Drive)

Description	Unit Reference	Unit Price HK\$
Graphic Display Terminal <sup>(1)</sup>	<b>VW3A1111</b>	\$1,853.00



VW3A1112

### Communication Accessory

Description	Unit Reference	Unit Price HK\$
IP 20 Wi-Fi Dongle Remote Mounting of the Ethernet Port for Connection of Wi-Fi Equipment (PC, Tablet, Smartphone, etc.) Powered by Internal Rechargeable Battery	<b>TCSEGW13FA0</b>	\$1,063.00

### Accessories for Graphic Display Terminal

Description	Length m/ft	IP	Unit Reference	Unit Price HK\$
Remote Mounting Kit Order with Remote-Mounting Cordset VW3A1104Rppp	-	65/UL Type 12	<b>VW3A1112</b>	\$375.00
Tightening Tool Forremotemountingkit	-	-	<b>ZB5AZ905</b>	\$59.00
Remote-Mounting Cordset Equipped with 2 RJ45 Connectors	1/3.28 3/9.84 5/16.40 10/32.81	-	<b>VW3A1104R10</b> <b>VW3A1104R30</b> <b>VW3A1104R50</b> <b>VW3A1104R100</b>	\$136.00 \$185.00 \$212.00 \$333.00
USB/Mini B USB Cable for Connecting the Display Terminal to a PC	-	-	<b>TCSXCNAMUM3P</b>	\$1,192.00
IP 65 Remote Mounting Kit for Ethernet Port <sup>(2)</sup> ø 22 RJ45 Female/Female Adapter with Seal	-	68	<b>VW3A1115</b>	\$718.00

### Multidrop Connection Accessories

These accessories are used to connect a graphic display terminal to several drives via a multidrop link. This Multidrop Connection uses the RJ45 Terminal Port on the front of the drive.

#### Connection Accessories

Description	Sold in Lots of	Unit Reference	Unit Price HK\$
MODBUS Splitter Box 10 RJ45 Connectors and 1 Screw Terminal Block	-	<b>LU9GC3</b>	\$1,194.00
MODBUS T-Junction Boxes with 0.3 m/0.98 ft Integrated Cable with 1 m/3.28 ft Integrated Cable	-	<b>VW3A8306TF03</b> <b>VW3A8306TF10</b>	\$180.00 \$264.00
MODBUS Line Terminator For RJ45 connector	R = 120 Ω C = 1 nf	<b>VW3A8306RC</b>	\$24.00

#### Cordsets (Equipped with 2 RJ45 Connectors)

Used for	Length m/ft	Unit Reference	Unit Price HK\$
Serial Link	0.3/0.98	<b>VW3A8306R03</b>	\$41.00
	1/3.28	<b>VW3A8306R10</b>	\$48.00
	3/9.84	<b>VW3A8306R30</b>	\$73.00

(1) Graphic display terminal used only as handheld terminal.

(2) Required to connect a remote PC to the RJ45 port on an IP21 drive mounted in an enclosure or on wall. Drill hole with standard ø22 tool for pushbutton. A remote-mounting cordset VW3A1104Rp0p is required to equip with 2 RJ45 connectors.

### Passive Filters 無源濾波器

Description	THDI=10%		THDI=5%	
	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
6A 400V	VW3A46101	\$7,855.00	VW3A46120	\$11,254.00
10A 400V	VW3A46102	\$9,568.00	VW3A46121	\$13,502.00
14A 400V	VW3A46103	\$10,514.00	VW3A46122	\$13,930.00
22A 400V	VW3A46104	\$12,474.00	VW3A46123	\$15,710.00
29A 400V	VW3A46105	\$14,088.00	VW3A46124	\$18,337.00
35A 400V	VW3A46106	\$15,583.00	VW3A46125	\$20,058.00
43A 400V	VW3A46107	\$17,047.00	VW3A46126	\$25,227.00
58A 400V	VW3A46108	\$21,061.00	VW3A46127	\$27,805.00
72A 400V	VW3A46109	\$24,485.00	VW3A46128	\$32,508.00
86A 400V	VW3A46110	\$27,796.00	VW3A46129	\$36,800.00
101A 400V	VW3A46111	\$31,313.00	VW3A46130	\$44,025.00
144A 400V	VW3A46112	\$37,003.00	VW3A46131	\$52,916.00
180A 400V	VW3A46113	\$44,091.00	VW3A46132	\$61,828.00
217A 400V	VW3A46114	\$49,513.00	VW3A46133	\$67,996.00
252A 400V	VW3A46115	\$57,914.00	VW3A46134	\$72,924.00
304A 400V	VW3A46116	\$62,798.00	VW3A46135	\$86,229.00
308A 400V	VW3A46118	\$81,999.00	VW3A46137	\$119,770.00
433A 400V	VW3A46119	\$99,026.00	VW3A46138	\$146,240.00

### I/O Expansion Modules I/O 擴展模塊

Description	I/O Type				Unit Reference	Unit Price HK\$
	Digital Inputs	Digital Outputs	Analog Inputs	Relay Outputs		
Module with Digital and Analog I/O	6	2	2 <sup>(1)</sup>	-	VW3A3203	\$947.00
Module with Relay Outputs	-	-	-	3 <sup>(2)</sup>	VW3A3204	\$1,629.00

### Additional EMC Input Filters 附加EMC輸入濾波器

For Drivers	Maximum Length of Shielded Cable <sup>(3)</sup>			In <sup>(4)</sup>	If	Degree of Protection	Unit Reference	Unit Price HK\$
	IEC/EN 61800-3 Category C1 <sup>(5)</sup>	IEC/EN 61800-3 Category C2 <sup>(5)</sup>	IEC/EN 61800-3 Category C3 <sup>(5)</sup>					
Three-Phase Supply Voltage: 380-480V, 50 Hz								
ATV630U07N4...U22N4	50	150	300	8	7.6	20	VW3A4701	\$2,156.00
ATV650U07N4...U22N4								
ATV650U07N4E...U22N4E								
ATV630D18N4...D22N4	50	150	300	50	7.6	20	VW3A4704	\$4,286.00
ATV650D18N4...D22N4								
ATV650D18N4E...D22N4E								
ATV630D30N4	50	150	300	70	13.9	20	VW3A4705	\$8,262.00
ATV650D30N4								
ATV650D30N4E								
ATV630D37N4...D45N4	50	150	300	100	13.9	20	VW3A4706	\$12,882.00
ATV650D37N4...D45N4								
ATV650D37N4E...D45N4E								
ATV630C11N4...C13N4	-	150	300	240	27.8	00	VW3A4709	\$21,120.00
ATV630C16N4	-	150	300	305	27.8	00	VW3A4710	\$19,456.00
ATV630C22N4...C31N4	50	300	-	546	500	00	VW3A4411	\$15,869.00

(1) Differential analog inputs configurable via software as current 0-20 mA/4-20 mA), or for PTC, PT100 or PT1000, 2 or 3-wire when configured as PTC probe inputs, they must never be used to protect an ATEX motor in applications in explosive atmospheres. Please refer to the ATEX guide at se.com.hk.

(2) NO contacts

(3) The maximum lengths are given as examples only as they depend on the stray capacitance of the motors and cables used. If motors are connected in parallel, it is the total length of all cables that should be taken into account.

(4) Nominal filter current

(5) Values given depend on the nominal switching frequency of the drive which is subject to drive rating.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information. 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

### dv/dt Output Filters dv/dt 輸出濾波器

For Drivers	Maximum Length of Motor Cable		Degree of Protection	In <sup>(3)</sup>	Unit Reference <sup>(4)</sup>	Unit Price HK\$
	Maximum Switching Frequency <sup>(1)</sup> kHz	Shielded Cable <sup>(2)</sup> m/ft				
Three-Phase Supply Voltage: 380-480V						
ATV630U07N4...U22N4	4	300/984	20	6	<b>VW3A5301</b>	\$3,108.00
ATV650U07N4...U22N4						
ATV650U07N4E...U22N4E						
ATV630U30N4...U55N4	4	300/984	20	15	<b>VW3A5302</b>	\$4,307.00
ATV650U30N4...U55N4						
ATV650U30N4E...U55N4E						
ATV630U75N4...D11N4	4	300/984	20	25	<b>VW3A5303</b>	\$4,584.00
ATV650U75N4...D11N4						
ATV650U75N4E...D11N4E						
ATV630D15N4...D22N4	4	300/984	20	50	<b>VW3A5304</b>	\$7,394.00
ATV650D15N4...D22N4						
ATV650D15N4E...D22N4E						
ATV630D30N4...D45N4	4	300/984	20	95	<b>VW3A5305</b>	\$11,277.00
ATV650D30N4...D45N4						
ATV650D30N4E...D45N4E						
ATV630C11N4...C16N4	2.5	300/984	00	305	<b>VW3A5307</b>	\$13,988.00
ATV630C22N4	2.5	250/820	00	481	<b>VW3A5106</b>	\$20,429.00
ATV630C25N4...C31N4	2.5	200/656	00	759	<b>VW3A5107</b>	\$27,390.00

### IP 20 Protection Kit for IP 00 Filters IP 20 防護套件, 用於IP 00過濾器

Description	For dv/dt Filters	Unit Reference	Unit Price HK\$
Mechanical Kit including Cover and Cable Clamps	<b>VW3A5106</b> <b>VW3A5107</b>	<b>VW3A9613</b>	\$18,254.00

### IP 21 Protection Kit for IP 20 Filters IP 21 防護套件, 用於IP 20過濾器

Description	For dv/dt Filters	Unit Reference	Unit Price HK\$
Mechanical Kit including Cover and Cable Clamps	<b>VW3A5301</b> <b>VW3A5302</b> <b>VW3A5303</b> <b>VW3A5305</b>	<b>VW3A53902</b> <b>VW3A53905</b>	\$303.00 \$492.00

(1) The filters are designed to operate in a switching frequency range between 2 and 8 kHz.

(2) Values given depend on the nominal switching frequency of the drive which is subject to drive rating. The cable lengths are given as examples only and can vary depending on application. They correspond to motors conforming to IEC 6034-25 and NEMA MG1/31.2006.

(3) Nominal filter current

(4) When using with **ATV650U07N4/N4E...D90N4/N4E** drives, the filter must be mounted in a separate enclosure to maintain IP 55 protection during installation.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改, 恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

### Sinus Filters 正弦濾波器

For Drives	Nominal Current A	Degree of Protection IP	Unit Reference <sup>(1)(2)</sup>	Unit Price HK\$
Three-Phase Supply Voltage: 380-480V				
ATV630U30N4...U55N4 ATV650U30N4...U55N4 ATV650U30N4E...U55N4E	15	20	<b>VW3A5402</b>	\$7,673.00
ATV630D15N4...D22N4 ATV650D15N4...D22N4 ATV650D15N4E...D22N4E	50	20	<b>VW3A5404</b>	\$16,724.00
ATV630D30N4...D45N4 ATV650D30N4...D45N4 ATV650D30N4E...D45N4E	95	20	<b>VW3A5405</b>	\$30,035.00
ATV630D55N4...D90N4 ATV650D55N4...D90N4 ATV650D55N4E...D90N4E	180	00	<b>VW3A5406</b>	\$42,447.00
ATV630C13N4...C16N4 <sup>(3)</sup>	305	00	<b>VW3A5407</b>	\$67,249.00
ATV630C22N4	400	00	<b>VW3A5209</b>	\$110,007.00
ATV630C25N4...C31N4	600	00	<b>VW3A5210</b>	\$204,626.00

### IP 21 Protection Kit for IP 20 Filters IP 21 防護套件, 用於IP 20過濾器

Description	For Sinus Filter	Unit Reference	Unit Price HK\$
Mechanical Kit including Cover and Cable Clamps	<b>VW3A5402</b>	<b>VW3A53901</b>	\$228.00
	<b>VW3A5403</b>	<b>VW3A53902</b>	\$303.00
	<b>VW3A5405</b>	<b>VW3A53904</b>	\$364.00

### Common Mode Filters 共模濾波器

For Drives	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
Maximum Length of Unshielded Cable	150m/492.12ft		300m/984.25ft	
ATV630U07M3...U40M3	<b>VW3A5501</b>	\$1,976.00	<b>VW3A5502</b>	\$2,481.00
ATV630U55M3	<b>VW3A5501</b>	\$1,976.00	<b>VW3A5502</b>	\$2,481.00
ATV630U75M3...D11M3	<b>VW3A5503</b>	\$7,932.00	<b>VW3A5504</b>	\$9,257.00
ATV630D15M3...D45M3	<b>VW3A5503</b>	\$7,932.00	<b>VW3A5504</b>	\$9,257.00
ATV630D55M3...D75M3	<b>VW3A5505</b>	\$14,275.00	<b>VW3A5506</b>	\$18,553.00
Maximum Length of Unshielded Cable	500m/1,640.42ft		1,000m/3,280.83ft	
ATV630U07M3...U40M3	<b>2 x VW3A5501</b>	\$3,952.00	<b>VW3A5501 + VW3A5502</b>	\$4,457.00
ATV630U55M3	<b>VW3A5501 + VW3A5502</b>	\$4,457.00	<b>2 x VW3A5502</b>	\$4,962.00
ATV630U75M3...D11M3	<b>2 x VW3A5503</b>	\$15,864.00	<b>VW3A5503 + VW3A5504</b>	\$17,189.00
ATV630D15M3...D45M3	<b>VW3A5503 + VW3A5504</b>	\$17,189.00	<b>2 x VW3A5504</b>	\$18,514.00
ATV630D55M3...D75M3	<b>2 x VW3A5505</b>	\$28,550.00	<b>2 x VW3A5506</b>	\$37,106.00

(1) The filters are designed to operate in a switching frequency range between 4 and 8 kHz.

(2) When using with **ATV650U07N4/N4E...D90N4/N4E** drives, the filter must be mounted in a separate enclosure to maintain IP 55 protection during installation.

(3) In normal duty, it is suggested to apply a derating of 1 to the drive nominal power with a minimum switching frequency of 4 kHz. For example: an ATV630C13N4 drive with sinus filter can be used on a 110 kW motor and an ATV630C16N4 drive with sinus filter can be used on a 132 kW motor.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information. 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

## Notes

---

## Control & Signaling Units 控制及信號產品

Harmony ø22mm XB4/XB5 Push Buttons & Pilot Lights .....	8 - 1
ø22mm按鈕及指示燈系列	
Harmony ø30mm XB5 Flush Push Buttons & Pilot Lights .....	8 - 6
ø30mm平面按鈕及指示燈系列	
Harmony ø16mm XB6 Push Buttons & Pilot Lights .....	8 - 7
ø16mm按鈕及指示燈系列	
Harmony XVM/XVB Modular Tower Lights .....	8 - 8
信號燈柱	
Harmony XVR Rotating Beacons .....	8 - 8
旋轉光信號指示燈	
Harmony XAL/XAP Control Stations .....	8 - 9
控制按鈕盒	
Harmony K1 Cam Switches .....	8 - 11
萬能轉換開關	
Harmony® eXLhoist XAR Wireless Remote Control System .....	8 - 12
無線遙控系列	
Harmony XAC Pendant Control Stations .....	8 - 12
懸掛式按鈕盒	

With Chromium Plated Metal Bezel XB4 / Double Insulated Bezel XB5  
金屬XB4及塑膠XB5系列  
Complete Units with Screw Clamp Terminal Connections  
整體式單元, 帶螺絲夾緊接線端子

Push Buttons, Spring Return 按鈕、彈簧復位

Shape of Head	Type	Type of N/O	Contact of N/C	Marking	Color of Cap	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	Flush	1	-	-	-	<b>XB4BA*1<sup>(1)</sup></b>	\$63.00	<b>XB5AA*1<sup>(1)</sup></b>	\$51.00
		-	1	-	Red	<b>XB4BA42</b>	\$63.00	<b>XB5AA42</b>	\$51.00
	Flush	1	-	"I" (white)	Green	<b>XB4BA3311</b>	\$74.00	<b>XB5AA3311</b>	\$53.00
	Flush	-	1	"O" (white)	Red	<b>XB4BA4322</b>	\$74.00	<b>XB5AA4322</b>	\$53.00
	Flush	1	-	↑ (black)	White	<b>XB4BA3341<sup>(2)</sup></b>	\$74.00	<b>XB5AA3341<sup>(2)</sup></b>	\$53.00
	Flush	1	-	↑ (white)	Black	<b>XB4BA3351<sup>(2)</sup></b>	\$74.00	<b>XB5AA3351<sup>(2)</sup></b>	\$53.00
	Flush, Booted, Clear Silicone (Color of Push Unobscured)	1	-	-	-	<b>XB4BP*1<sup>(1)</sup></b>	\$74.00	<b>XB5AP*1<sup>(1)</sup></b>	\$69.00
		-	1	-	Red	<b>XB4BP42</b>	\$74.00	<b>XB5AP42</b>	\$69.00
	Projecting	-	1	-	Red	<b>XB4BL42</b>	\$88.00	<b>XB5AL42</b>	\$71.00
	Mushroom Head Ø40	1	-	-	Black	<b>XB4BC21</b>	\$99.00	<b>XB5AC21</b>	\$82.00



XB4BA4322



XB4BP51



XB4BL42



XB4BC21

Double-Headed Pushbuttons, Spring Return 雙頭按鈕、彈簧復位

Shape of Head	Description	Type of N/O	Contact of N/C	Degree of Protection	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	1 Flush Green Push (Marked "I") 1 Projecting Red Push (Marked "O")	1	1	IP 66	<b>XB4BL73415</b>	\$183.00	<b>XB5AL73415</b>	\$93.00



XB4BL73415

Emergency Stop & Mushroom Head Pushbuttons, Ø40 (red) 急停紅色蘑菇頭按鈕

Shape of Head	Type	Type of N/O	Contact of N/C	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	Trigger Action Push-Pull	1	1	<b>XB4BT845</b>	\$187.00	<b>XB5AT845</b>	\$133.00
	Trigger Action Turn to Release	1	1	<b>XB4BS8445</b>	\$134.00	<b>XB5AS8445</b>	\$105.00
	Trigger Action Key Release (n° 455)	1	1	<b>XB4BS9445</b>	\$240.00	<b>XB5AS9445</b>	\$179.00
	Push-Pull	-	1	<b>XB4BT842</b>	\$143.00	<b>XB5AT842</b>	\$103.00
	Turn to Release	-	1	<b>XB4BS8442</b>	\$90.00	<b>XB5AS8442</b>	\$73.00
	Key Release (n° 455)	-	1	<b>XB4BS9442</b>	\$195.00	<b>XB5AS9442</b>	\$157.00



XB4BL73415



XB4BT845



XB4BS9445



XB4BD33



XB4BJ33



XB4BG33

Selector Switches & Key Switches 選擇開關和鎖匙開關

	Type of N/O	Contact of N/C	Number and Type of Positions(3)	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	1	-	2-Stay Put	<b>XB4BD21</b>	\$90.00	<b>XB5AD21</b>	\$66.00
			2-Stay Put	<b>XB4BD25</b>	\$117.00	<b>XB5AD25</b>	\$84.00
	2	-	3-Stay Put	<b>XB4BD33</b>	\$117.00	<b>XB5AD33</b>	\$84.00
			3-Spring Return to Centre	<b>XB4BD53</b>	\$117.00	<b>XB5AD53</b>	\$84.00
	1	-	2-Stay Put	<b>XB4BJ21</b>	\$97.00	<b>XB5AJ21</b>	\$77.00
			3-Stay Put	<b>XB4BJ33</b>	\$124.00	<b>XB5AJ33</b>	\$93.00
	2	-	3-Spring Return to Centre	<b>XB4BJ53</b>	\$124.00	<b>XB5AJ53</b>	\$93.00
	1	-	2-Stay Put	<b>XB4BG21</b>	\$183.00	<b>XB5AG21</b>	\$125.00
			2-Stay Put	<b>XB4BG41</b>	\$183.00	<b>XB5AG41</b>	\$125.00
			2-Spring Return to Centre	<b>XB4BG61</b>	\$208.00	<b>XB5AG61</b>	\$145.00
	2	-	3-Stay Put	<b>XB4BG03</b>	\$202.00	<b>XB5AG03</b>	\$138.00
			3-Stay Put	<b>XB4BG33</b>	\$202.00	<b>XB5AG33</b>	\$131.00

(1) \* = 2 (Black), 3 (Green), 5 (Yellow), 6 (Blue)

(2) Cap supplied not clipped-in, allowing orientation of arrow in 4 directions: ↑, ↓, ← or →

(3) The symbol indicates key withdrawal position(s).

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改, 恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Ø22mm Push Buttons & Pilot Lights Ø22mm 按鈕及指示燈系列

## Harmony XB4/XB5

With Chromium Plated Metal Bezel XB4 / Double Insulated Bezel XB5  
金屬XB4及塑膠XB5系列  
Complete Units with Screw Clamp Terminal Connections  
整體式單元, 帶螺絲夾緊接線端子

### Pilot Lights with Integral LED 指示燈帶LED



XB4BV5

Shape of Head	Supply Voltage	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	24VAC/VDC	<b>XB4BVB*(1)</b>	\$88.00	<b>XB5AVB*(1)</b>	\$64.00
	110-120VAC	<b>XB4BVG*(1)</b>	\$92.00	<b>XB5AVG*(1)</b>	\$85.00
	230-240VAC	<b>XB4BVM*(1)</b>	\$97.00	<b>XB5AVM*(1)</b>	\$89.00

### Pilot Lights for BA 9s Bulb 指示燈配BA 9s燈泡



XB4BV64

Shape of Head	Supply Voltage	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	<b>Direct Supply, for BA 9s ≤ 250V, 2.4W Bulb (Bulb not included)</b>				
	≤ 250V	<b>XB4BV6*(2)</b>	\$58.00	<b>XB5AV6*(2)</b>	\$61.00



XB4BV33

Shape of Head	Supply Voltage	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	<b>Via Integral Transformer with 1.2VA, 6V Secondary, BA 9s Incandescent Bulb Included</b>				
	110-120VAC 50/60Hz	<b>XB4BV3*(2)</b>	\$119.00	<b>XB5AV3*(2)</b>	\$113.00
	230VAC 50Hz 220-240VAC	<b>XB4BV4*(2)</b>	\$119.00	<b>XB5AV4*(2)</b>	\$113.00

### Illuminated Pushbuttons, Spring Return, Flush Push 帶指示燈頭按鈕、彈簧復位



XB4BW33B5

Shape of Head	Description	Type of Contact	Supply Voltage	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	Integral LED	1 1	24VAC/VDC	<b>XB4BW3*B5(1)</b>	\$196.00	<b>XB5AW3*B5(1)</b>	\$114.00
			110-120VAC	<b>XB4BW3*G5(1)</b>	\$208.00	<b>XB5AW3*G5(1)</b>	\$123.00
			230-240VAC	<b>XB4BW3*M5(1)</b>	\$219.00	<b>XB5AW3*M5(1)</b>	\$131.00
	Direct Supply for BA 9s 2.4W Max. Bulb excluded	1 1	250V	<b>XB4BW3*65(2)</b>	\$157.00	<b>XB5AW3*65(2)</b>	\$114.00
			110-120VAC 50/60Hz	<b>XB4BW3*35(2)</b>	\$242.00	<b>XB5AW3*35(2)</b>	\$135.00
				230VAC 50Hz 220-240VAC 60Hz	<b>XB4BW3*45(2)</b>	\$337.00	<b>XB5AW3*45(2)</b>



XB4BW34G5



XB4BW3445

### Harmony Flush Mounting Kits 平面安裝套件



ZB5AZ022



ZB5AZ023

Description	For use with	Color	Sold in Lots of	Unit Reference	Unit Price HK\$
Ø30 mm/1.181 in.	for Pushbuttons and Pilot Lights	Black	1	<b>ZB5AZ021</b>	\$53.00
Plastic Flush Mounting Kit	for Selector Switches and Illuminated Pushbuttons	Black	1	<b>ZB5AZ022</b>	\$53.00
Ø30 mm/1.181 in.	for Pushbuttons and Pilot Lights	Black	1	<b>ZB5AZ023</b>	\$58.00
Plastic Flush Mounting Kit with 1 Line Legend	for Selector Switches and Illuminated Pushbuttons	Black	1	<b>ZB5AZ024</b>	\$58.00
Ø30 mm/1.181 in.	for Pushbuttons and Pilot Light	Black	1	<b>ZB5AZ025</b>	\$58.00
Plastic Flush Mounting Kit with 2 Lines Legend	for Selector Switches and Illuminated Pushbuttons	Black	1	<b>ZB5AZ026</b>	\$58.00

(1) \* = 1 (White), 3 (Green), 4 (Red), 5 (Orange), 6 (Blue)  
(2) \* = 1 (White), 3 (Green), 4 (Red), 5 (Orange)

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改, 恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

With Chromium Plated Metal Bezel XB4 / Double Insulated Bezel XB5  
金屬XB4及塑膠XB5系列  
Complete Units with Screw Clamp Terminal Connections  
整體式單元, 帶螺絲夾緊接線端子

### Timer 定時器



XB5DTB22

Description	Output Type	Supply Voltage	Time Delay Type	Time Delay Range	Unit Reference	Unit Price HK\$
Panel-Mounted Timer Function with LED Status and 1 Static Output in 22.5mm/0.886 in. Hole	1 Static Output	24VDC	Type A (Delay on Energization)	0.5...10s	<b>XB5DTB22</b>	\$685.00
				3...60s	<b>XB5DTB23</b>	\$685.00
				0.5...10 min	<b>XB5DTB24</b>	\$685.00
		100-240VAC 50/60Hz	Type A (Delay on Energization)	3...60 min	<b>XB5DTB25</b>	\$685.00
				0.5...10s	<b>XB5DTGM2</b>	\$822.00
				3...60s	<b>XB5DTGM3</b>	\$822.00
			0.5...10 min	<b>XB5DTGM4</b>	\$822.00	
			3...60 min	<b>XB5DTGM5</b>	\$822.00	

### USB & RJ45 Ports 接口



XB5PUSB3



XB5PRJ45

Description	Interface Type	Connection Voltage	Degree of Protection	Unit Reference	Unit Price HK\$
Panel-Mounted USB and RJ45 Ports in 22.5mm/0.886 in. Hole with Notch	USB Interface Jack Type A	USB Port 3.0 A-A	IP 20 IP 65, IP 67, IP69K with Protection Cover <sup>(1)</sup>	<b>XB5PUSB3</b>	\$287.00
	Ethernet Interface, RJ 45 Lack	RJ45 Port Cat. 6	IP 20 IP 65, IP 67, IP69K with Protection Cover <sup>(1)</sup>	<b>XB5PRJ45</b>	\$287.00

### IP65/67/69K Protection Covers



ZBSP1



ZBSP2

Description	Color	For use with	Unit Reference	Unit Price HK\$
Plastic Protection Cover IP65/IP67	Black	Ø22mm/0.886 in. USB and RJ45 Ports	<b>ZBSP1</b>	\$52.00
Rigid Plastic Protection Cover IP65/IP67	Transparent	Ø22mm/0.886 in. USB and RJ45 Ports	<b>ZBSP2</b>	\$210.00
Metal Protection Cover IP65/IP67/ IP69K	Silver	Ø22mm/0.886 in. USB and RJ45 Ports	<b>ZBSP3</b>	\$980.00

### Complete Potentiometers 電位器



XB5AD912R1K



XB4BD912R1K

Description	Type	Resistance kΩ	Unit Reference	Unit Price HK\$
+/-10% Linear Mode Precision Complete Potentiometer with Screw Terminals	Plastic	1	<b>XB5AD912R1K</b>	\$544.00
		4.7	<b>XB5AD912R4K7</b>	\$544.00
		10	<b>XB5AD912R10K</b>	\$544.00
		47	<b>XB5AD912R47K</b>	\$544.00
		100	<b>XB5AD912R100K</b>	\$544.00
		470	<b>XB5AD912R470K</b>	\$544.00
	Metal	1	<b>XB4BD912R1K</b>	\$572.00
		4.7	<b>XB4BD912R4K7</b>	\$572.00
		10	<b>XB4BD912R10K</b>	\$572.00
		47	<b>XB4BD912R47K</b>	\$572.00
		100	<b>XB4BD912R100K</b>	\$572.00
		470	<b>XB4BD912R470K</b>	\$572.00

### Three-Phase Pilot Lights with Integral LED 三相指示燈



XB5EV57K4



XB5EV57L4

Description	Shape of Head	Supply Voltage	Color of 3 LED	Mounting Diameter	Unit Reference	Unit Price HK\$
Complete units - with Plain Lens 400VAC - Three-Phases Voltage Indicator Pilot Light with 3 LED		400 ~ - 50/60Hz	Red Green Yellow	30mm	<b>XB5EV57K4</b>	\$1,766.00
			White White White	30mm	<b>XB5EV57L4</b>	\$1,856.00

(1) Please contact Schneider Electric (Hong Kong) Limited for more resistance models.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改, 恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Ø22mm Push Buttons & Pilot Lights Ø22mm 按鈕及指示燈系列

Harmony  
XB4/XB5

With Chromium Plated Metal Bezel XB4 / Double Insulated Bezel XB5  
金屬XB4及塑膠XB5系列  
Complete Units with Screw Clamp Terminal Connections  
整體式單元, 帶螺絲夾緊接線端子

## Emergency Stop with Monitoring Contacts, Trigger Action & Mechanical Latching 帶燈急停按鈕



Description	Shape of Head	Type of Reset	Type of Contact/ Supply Voltage/ Mounting Dia	Push Diameter/ Color	Unit Reference	Unit Price HK\$
Red ø40 Emergency Stop Turn to Release 2 N/C 1 N/O Monitoring Contacts	Non-Illuminated	Push-Pull and Turn to Release	2 N/C + 1 N/O - / 22mm	40mm/Red	<b>XB5AS84449</b>	\$789.00
	Illuminated (Red)	Push-Pull and Turn to Release	2 N/C + 1 N/O 24VDC / 22mm	40mm/Red	<b>XB5AS86449B4</b>	\$948.00

## Annunciators 呼喚器<sup>(1)</sup>



Description	Color	Supply Voltage	Unit Reference	Unit Price HK\$
Continuous or Intermittent Buzzer - 90dB, 4/6.8kHz	- (Non-illuminated)	24VAC/VDC	<b>XB5KSB</b>	\$311.00
		110-120VAC/VDC	<b>XB5KSG</b>	\$349.00
		230-240VAC	<b>XB5KSM</b>	\$359.00
	Red (Illuminated)	24VAC/VDC	<b>XB5KS2B4</b>	\$349.00
		110-120VAC/VDC	<b>XB5KS2G4</b>	\$384.00
		230-240VAC	<b>XB5KS2M4</b>	\$399.00
	Yellow (Illuminated)	24VAC/VDC	<b>XB5KS2B8</b>	\$349.00
		110-120VAC/VDC	<b>XB5KS2G8</b>	\$384.00
		230-240VAC	<b>XB5KS2M8</b>	\$399.00

(1) Spare parts: Nut ZB5AZ901; anti-rotation plate: ZB5AZ902; fixing nut tightening key: ZB5AZ905.

With Chromium Plated Metal Bezel XB4 / Double Insulated Bezel XB5  
金屬XB4及塑膠XB5系列  
Complete Units with Screw Clamp Terminal Connections  
整體式單元, 帶螺絲夾緊接線端子

Double-Headed Pushbuttons, Spring Return, with Integral LED Pilot Light  
帶LED指示燈雙頭按鈕、彈簧復位



XB4BW73731B5

Shape of Head	Description	Degree of Protection	Type of Contact	Type of Contact	Supply Voltage	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	1 Flush Green Push (Marked "I") 1 Central Pilot Light 1 Projecting Red Push (Marked "O")	IP 66	1	1	24VAC/VDC	<b>XB4BW73731B5</b>	\$177.00	<b>XB5AW73731B5</b>	\$157.00
					110-120VAC	<b>XB4BW73731G5</b>	\$197.00	<b>XB5AW73731G5</b>	\$166.00
					230-240VAC	<b>XB4BW73731M5</b>	\$211.00	<b>XB5AW73731M5</b>	\$174.00

Illuminated Selector Switches with Integral LED (2 Position Stay Put)  
帶LED指示燈選擇開關 (兩位自鎖)



XB4BK125B5

Shape of Head	Type of Operator	Type of N/O	Contact of N/C	Supply Voltage	Color of Handle	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	Standard	1	1	24VAC/VDC	Green	<b>XB4BK123B5</b>	\$231.00	<b>XB5AK123B5</b>	\$166.00
					Red	<b>XB4BK124B5</b>	\$231.00	<b>XB5AK124B5</b>	\$166.00
					Orange	<b>XB4BK125B5</b>	\$231.00	<b>XB5AK125B5</b>	\$166.00
				110-120VAC	Green	<b>XB4BK123G5</b>	\$244.00	<b>XB5AK123G5</b>	\$175.00
					Red	<b>XB4BK124G5</b>	\$244.00	<b>XB5AK124G5</b>	\$175.00
					Orange	<b>XB4BK125G5</b>	\$244.00	<b>XB5AK125G5</b>	\$175.00
				230-240VAC	Green	<b>XB4BK123M5</b>	\$254.00	<b>XB5AK123M5</b>	\$183.00
					Red	<b>XB4BK124M5</b>	\$254.00	<b>XB5AK124M5</b>	\$183.00
					Orange	<b>XB4BK125M5</b>	\$254.00	<b>XB5AK125M5</b>	\$183.00

Body/Fixing Collar 軸環



ZB4BZ009

For use with	Sold in Lots of	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
Electrical Block (Contact or Light)	10	<b>ZB4BZ009</b>	\$17.00	<b>ZB5AZ009</b>	\$14.00

Contact Block with Screw Clamp Terminal Connections 觸頭



ZBE101



ZBE205

Description	Type of N/O	Contact of N/C	Sold in Lots of	Unit Reference	Unit Price HK\$
Standard Single Contact Block	1	-	5	<b>ZBE101</b>	\$32.00
	-	1	5	<b>ZBE102</b>	\$32.00
Standard Double Contact Blocks	2	-	5	<b>ZBE203</b>	\$75.00
	-	2	5	<b>ZBE204</b>	\$75.00
	1	1	5	<b>ZBE205</b>	\$75.00

Hour Counters 小時計數器



XB5DSB

Characteristics	Supply Voltage V	Unit Reference	Unit Price HK\$
Indication 0 - 9999.9	≈ 12 - 24 50/60Hz	<b>XB5DSB</b>	\$710.00
	~ 230 - 240 50Hz	<b>XB5DSM</b>	\$555.00

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改, 恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Ø30mm Flush Push Buttons & Pilot Lights Harmony Ø30mm 平面按鈕及指示燈系列 XB5

With Double Insulated Bezel XB5 塑膠XB5系列  
Complete Units with Screw Clamp Terminal Connections  
整體式單元, 帶螺絲夾緊接線端子



XB5FA31



ZB5FA0



ZB5FA9



ZB5FD2



XB5FD33



XB5FVB1



XB5FVG3



ZB5FV043



XB5FW31B5



XB5FW34G5



ZB5FW313

## Flush Push Button 平面按鈕

Shape of Head	Type of Push	Type of N/O	Contact of N/C	Unit Reference	Unit Price HK\$
<b>Complete Units</b>					
	Flush	1	-	<b>XB5FA*<sup>(1)</sup></b> <b>(ZB5AZ101 + ZB5FA*)<sup>(1)</sup></b>	\$76.00
	Flush	-	1	<b>XB5FA42</b> <b>(ZB5AZ1012+ ZB5FA4)</b>	\$76.00
<b>Head only, Circular</b>					
	Without Cap			<b>ZB5FA0</b>	\$51.00
	Flush, with set of 6 Colored Caps			<b>ZB5FA9</b>	\$85.00
	Flush			<b>ZB5FA*<sup>(2)</sup></b>	\$53.00

## Flush Selector Switch 平面選擇開關

Shape of Head	Type of Operator	Type of N/O	Contact of N/C	Position Number	Type	Unit Reference	Unit Price HK\$
<b>Complete Units</b>							
	Standard Handle, Black	1	-	2-Position 90°	Stay Put	<b>XB5FD21</b> <b>(ZB5AZ101 + ZB5FD2)</b>	\$118.00
		1	-		Spring Return from Right to Left	<b>XB5FD41</b> <b>(ZB5AZ101 + ZB5FD4)</b>	\$132.00
		1	1		Stay Put	<b>XB5FD25</b> <b>(ZB5AZ105 + ZB5FD2)</b>	\$135.00
		2	-	3-Position ± 45°	Stay Put	<b>XB5FD33</b> <b>(ZB5AZ103 + ZB5FD3)</b>	\$135.00
					Spring return to Center	<b>XB5FD53</b> <b>(ZB5AZ103 + ZB5FD5)</b>	\$145.00

## Flush Pilot Light with Integral LED 平面指示燈帶LED

Shape of Head	Supply Voltage	Unit Reference	Unit Price HK\$
<b>Complete Units (with Plain Lens)</b>			
	24VAC	<b>XB5FVB*<sup>(3)</sup></b> <b>(ZB5AVB* + ZB5FV0*3)<sup>(3)</sup></b>	\$86.00
	110-120VAC	<b>XB5FVG*<sup>(3)</sup></b> <b>(ZB5AVG* + ZB5FV0*3)<sup>(3)</sup></b>	\$106.00
	230-240VAC	<b>XB5FVM*<sup>(3)</sup></b> <b>(ZB5AVM* + ZB5FV0*3)<sup>(3)</sup></b>	\$110.00
<b>Heads only, Circular with Plain Lens, Integral LED only</b>			
		<b>ZB5FV0*3<sup>(4)</sup></b>	\$50.00

## Flush Illuminated Push Button 平面帶燈按鈕

Shape of Head	Description	Type of N/O	Contact of N/C	Type of Push	Supply Voltage	Unit Reference	Unit Price HK\$
<b>Complete Units (with Plain Lens)</b>							
	Integral LED	1	1	Flush	24VAC/VDC	<b>XB5FW3*B5<sup>(3)</sup></b> <b>(ZB5AW0B*5 + ZB5FW3*3)<sup>(3)</sup></b>	\$224.00
					110-120VAC	<b>XB5FW3*G5<sup>(3)</sup></b> <b>(ZB5AW0G*5 + ZB5FW3*3)<sup>(3)</sup></b>	\$232.00
					230-240VAC	<b>XB5FW3*M5<sup>(3)</sup></b> <b>(ZB5AW0M*5 + ZB5FW3*3)<sup>(3)</sup></b>	\$238.00
<b>Heads only, Circular (2) - with Plain Lens</b>							
				Flush		<b>ZB5FW3*3<sup>(4)</sup></b>	\$139.00

(1) \* = 1 (White), 2 (Black), 3 (Green), 5 (Yellow), 6 (Blue), 8 (Gray)  
(2) \* = 1 (White), 2 (Black), 3 (Green), 4 (Red), 5 (Yellow), 6 (Blue), 8 (Gray)  
(3) \* = 1 (White), 3 (Green), 4 (Red), 5 (Orange), 6 (Blue)  
(4) \* = 1 (White), 3 (Green), 4 (Red), 5 (Orange), 6 (Blue), 8 (Yellow)

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改, 恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

With Plastic Bezel 塑膠系列  
Complete Units with Faston Connectors 整體式單元

Illuminated Pushbuttons (with 12-24V LED Included) 指示燈式按鈕 (帶LED)



XB6DW1B1B



XB6CW4B5B



XB6DE3B1B



XB6AE4B2B

Type	Type of N/O	Contact of N/C	Color	Unit Reference <sup>(1)</sup>	Unit Price HK\$
Flush Spring Return	1	-	White	<b>XB6•W1B1B</b>	\$135.00
			Green	<b>XB6•W3B1B</b>	\$135.00
			White	<b>XB6•W1B5B</b>	\$168.00
			Green	<b>XB6•W3B5B</b>	\$168.00
			Red	<b>XB6•W4B5B</b>	\$168.00
Flush, Latching	1	-	Green	<b>XB6•F3B1B</b>	\$135.00
			White	<b>XB6•F1B5B</b>	\$168.00
			Green	<b>XB6•F3B5B</b>	\$168.00
Projecting, Spring Return	1	-	Green	<b>XB6•E3B1B</b>	\$135.00
			Red	<b>XB6•E4B2B</b>	\$135.00
			Green	<b>XB6•E3B5B</b>	\$168.00
			Red	<b>XB6•E4B5B</b>	\$168.00
			Green	<b>XB6•E3B5B</b>	\$168.00

Pilot Lights (with 12-24V LED Included) 指示燈 (帶LED)

Shape of Head	Color	Unit Reference	Unit Price HK\$
	Green	<b>XB6DV3BB</b>	\$95.00
	Red	<b>XB6DV4BB</b>	\$95.00
	Red	<b>XB6CV4BB</b>	\$95.00
	Green	<b>XB6CV3BB</b>	\$95.00
	White	<b>XB6AV1BB</b>	\$95.00
	Green	<b>XB6AV3BB</b>	\$95.00
	Red	<b>XB6AV4BB</b>	\$95.00
	Yellow	<b>XB6AV5BB</b>	\$95.00

Pushbuttons 按鈕



XB6DA42B

Shape of Head	Type	Type of N/O	Contact of N/C	Color	Unit Reference	Unit Price HK\$
	Flush, Spring Return	1	-	Green	<b>XB6DA31B</b>	\$70.00
				Black	<b>XB6DA22B</b>	\$70.00
				Red	<b>XB6DA42B</b>	\$70.00
				Red	<b>XB6DA45B</b>	\$87.00
	Flush, Spring Return	-	1	Black	<b>XB6CA22B</b>	\$70.00
				Red	<b>XB6CA42B</b>	\$70.00
				Green	<b>XB6CA35B</b>	\$87.00
				Red	<b>XB6CA45B</b>	\$87.00
	Flush, Spring Return	1	-	Green	<b>XB6AA31B</b>	\$70.00
				Black	<b>XB6AA25B</b>	\$87.00
				Red	<b>XB6AA45B</b>	\$87.00

Selector Switches (Switching Angle: Handle: 60°, Key: 70°) 選擇開關



XB6CGC5B

Shape of Head	Type	Type of N/O	Contact of N/C	Number and Type of Positions	Unit Reference	Unit Price HK\$
	Handle	1	1	2-Stay put	<b>XB6DD225B</b>	\$99.00
				3-Stay put	<b>XB6DD235B</b>	\$99.00
	Handle	1	1	2-Stay put	<b>XB6CD225B</b>	\$99.00
				3-Stay put	<b>XB6CD235B</b>	\$99.00
	Key	1	1	2-Stay put	<b>XB6CGC5B</b>	\$210.00
				3-Stay put	<b>XB6CGH5B</b>	\$210.00

(1) Shape of head

D= C= A=

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。


# Modular Tower Lights 信號燈柱 Harmony Rotating Beacons 旋轉光信號指示燈 XVM/XVB/XVR

## Pre-Cabled Tower Lights 帶線指示燈



Description	Light Source (Included)	Voltage V	Signaling Color <sup>(1)</sup> - Steady <sup>(3)</sup>	Unit Reference <sup>(2)</sup>	Unit Price HK\$
<b>With 3 Illuminated Units</b>					
Without Buzzer	Incandescent Bulb, 5W	≈ 24	R-O-G	<b>XVMB1RAG</b>	\$304.00
	Super Bright LED	≈ 24	R-O-G	<b>XVMM1RAG</b>	\$327.00
		≈ 230	R-O-G	<b>XVMB2RAGSB</b>	\$575.00
		≈ 230	R-O-G	<b>XVMM2RAGSB</b>	\$575.00
With Buzzer Integrated in Base Unit	Incandescent Bulb, 5W	≈ 24	R-O-G	<b>XVMB1RAGS</b>	\$401.00
	Super Bright LED	≈ 24	R-O-G	<b>XVMM1RAGS</b>	\$401.00
		≈ 230	R-O-G	<b>XVMB2RAGSSB</b>	\$667.00
		≈ 230	R-O-G	<b>XVMM2RAGSSB</b>	\$667.00

## Customer Assembled Illuminated Beacons 自行組裝指示燈



Description	Characteristics	Voltage V	Color	Unit Reference	Unit Price HK\$
<b>1 Base Mounting Units</b>					
Base Unit and Cover	Base Unit without Buzzer	-	White	<b>XVMC21</b>	\$65.00
	Base Unit with Integral Buzzer	≈ 24	White	<b>XVMC29B</b>	\$163.00
		≈ 230	White	<b>XVMC29M</b>	\$198.00
<b>2 Illuminated Units</b>					
Lens Units only for BA 15d Base Fitting Bulb	Bulb excluded, 5W Max.	Up to ≈ 230	Green	<b>XVMC33</b>	\$57.00
			Red	<b>XVMC34</b>	\$57.00
			Orange	<b>XVMC35</b>	\$57.00
			Blue	<b>XVMC36</b>	\$57.00
			Clear	<b>XVMC37</b>	\$57.00

## 3 Light Sources for Lens Units<sup>(4)</sup> & Accessories 鏡頭單元用的光源及附件

Description	Signaling	Power	Sold in Lots of	Voltage V	Color	Unit Reference	Unit Price HK\$
Incandescent Bulbs	Steady Light	5W	10	≈ 24	-	<b>DL1EDBS</b>	\$14.00
				≈ 230	-	<b>DL1EDMS</b>	\$14.00
Super Bright LEDs	Steady Light: Replace "D" by "K" for Ordering Flashing Light, Price would be Different from Steady Light	-	1	≈ 24	White	<b>DL2EDB1SB</b>	\$97.00
					Green	<b>DL2EDB3SB</b>	\$97.00
					Red	<b>DL2EDB4SB</b>	\$97.00
					Blue	<b>DL2EDB6SB</b>	\$97.00
					Orange	<b>DL2EDB8SB</b>	\$97.00
					White	<b>DL2EDM1SB</b>	\$97.00
					Green	<b>DL2EDM3SB</b>	\$97.00
					Red	<b>DL2EDM4SB</b>	\$97.00
Discharge Tubes	"Flash"	0.8 Joule	1	≈ 24	-	<b>DL6BB</b>	\$256.00
					-	<b>DL6BM</b>	\$256.00
					-	<b>ZBX13</b>	\$18.00
Mounting Tool	Mounting and Removal of Incandescent Bulbs Type DL 1						

## 4 Support Tubes & Fixing Bases 支撐管及固定底座

Description	Color	Length (mm)	Height Under Base Unit (mm)	Unit Reference	Unit Price HK\$
Ø20mm Aluminium Support Tube with Plastic Fixing Plate	White	100	78	<b>XVMZ02</b>	\$56.00
		250	228	<b>XVMZ03</b>	\$74.00
		400	378	<b>XVMZ04</b>	\$111.00
Ø20mm Aluminium Support Tube with Metal Bracket	White	100	78	<b>XVMZ02T</b>	\$65.00
		250	228	<b>XVMZ03T</b>	\$92.00
		400	378	<b>XVMZ04T</b>	\$147.00

## Pre-Cabled Rotating Beacons (with Super Bright LED) 旋轉光信號指示燈

Diameter mm <sup>(5)</sup>	Degree of Protection	Voltage	Buzzer Option	Color	Unit Reference	Unit Price HK\$
Ø106	IP23	24VAC/VDC	Without	Red	<b>XVR10B04</b>	\$1,270.00
				Orange	<b>XVR10B05</b>	\$1,270.00
Ø120	IP23	24VAC/VDC	Without	Red	<b>XVR12B04</b>	\$1,270.00
				Orange	<b>XVR12B05</b>	\$1,270.00
			With	Red	<b>XVR12B04S</b>	\$1,495.00
				Orange	<b>XVR12B05S</b>	\$1,495.00

(1) Signaling color: R: Red; G: Green; O: Orange.

(2) The colors listed in unit reference are in the same order as the mounting of illuminated units (from top to bottom).

(3) Please contact Schneider Electric (Hong Kong) Limited for detail of flashing and "flash" signaling color.

(4) All light sources are push-and-turn (15°) mounting in a BA 15d base within the illuminated units.

(5) For diameters Ø84 and Ø130, please consult Schneider Electric (Hong Kong) Limited.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information. 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。



Double Insulated Bezel 塑膠系列  
Complete Stations with Screw Clamp Connections 整體盒帶螺絲夾緊接線端子

Start or Stop Function (Light Grey Base “RAL 7035”, Dark Grey Lid “RAL 7016”)  
開始及停止功能



XALD102



XALD115



XALD211H29



XALD134



XALD144E



XALD363G

Description	Type	Type of N/O	Contact of N/C	Marking	Unit Reference	Unit Price HK\$	
<b>Marking on Pushbutton 按鈕帶標誌</b>							
1 Spring Return Pushbutton	Flush Green	1	-	I	<b>XALD102</b>	\$149.00	
	Flush Red	-	1	O	<b>XALD112</b>	\$149.00	
	Stop	Projecting Red	-	1	O	<b>XALD114</b>	\$149.00
						<b>XALD115</b>	\$169.00
2 Spring Return Pushbuttons	1 Flush Green	1	-	I	<b>XALD213</b>	\$240.00	
							1 Flush Red
	1	1	I	<b>XALD213E</b>	\$324.00		
	1	1	O	<b>XALD214</b>	\$240.00		

Marking on Legend Holder & Legend below Head 標識

1 Spring Return Pushbutton	Flush Green	1	-	Start	<b>XALD101H29</b>	\$149.00
	Flush Red	-	1	Stop	<b>XALD111H29</b>	\$149.00
2 Spring Return Pushbuttons	1 Flush Green	1	-	Start	<b>XALD211H29</b>	\$149.00
	1 Flush Red	-	1	Stop		
1 Selector Switch	Standard Handle	1	-	O-I	<b>XALD134</b>	\$186.00
2-Position Stay Put	Key Switch Key n° 455 Key withdrawal in Left-Hand	1	1	O-I	<b>XALD144E</b>	\$310.00

With Pilot Light & Marking on Pushbutton 帶燈、按鈕帶標誌

Description	Type	Type of N/O	Contact of N/C	Marking	Pilot Light Supply	Unit Reference	Unit Price HK\$
2 Spring Return Pushbuttons and 1 Pilot Light with Integral Red LED	1 Flush Green	1	-	I	120VAC	<b>XALD363G</b>	\$396.00
	1 Flush Red	-	1	O	230VAC	<b>XALD363M</b>	\$396.00

Protected  
LED

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Double Insulated Bezel 塑膠系列  
Complete Stations with Screw Clamp Connections 整體盒帶螺絲夾緊接線端子  
IP 65 Metal Empty Enclosures 金屬空盒

## Emergency Stop Function (Light Grey Base "RAL 7035", Yellow Lid "RAL 1021") 急停功能 (灰色座, 黃色蓋)



XALK178



XALK188



XALK198

Description	Type	Type of N/O	Contact of N/C	Unit Reference	Unit Price HK\$
<b>Unmarked 無註明</b>					
Ø40 mm, Red Turn to Release	Trigger Action	-	1	<b>XALK178</b>	\$152.00
1 Mushroom Head Pushbutton (with Legend Plate) (XALK01 + ZB5A844 + ZB5AZ102 + ZBY2330)	Trigger Action	-	1	<b>XALK178C</b>	\$132.00
Ø40 mm, Red Turn to Release	Trigger Action	-	2	<b>XALK178F</b>	\$169.00
Ø40 mm, Red Key Release (Key n° 455)	Trigger Action	-	1	<b>XALK188</b>	\$298.00
Ø40 mm, Red Key Release (Key n° 455)	Trigger Action	-	2	<b>XALK188F</b>	\$324.00
1 Mushroom Head Pushbutton Ø40 mm, Red Push-Pull	Trigger Action	-	1	<b>XALK198</b>	\$345.00

## Three Functions (Light Grey Base "RAL 7035", Dark Grey Lid "RAL 7016") 三種功能



XALD339




XALD334

Description	Type	Type of N/O	Contact of N/C	Marking	Unit Reference	Unit Price HK\$
<b>Marking on Pushbutton 按鈕帶標誌</b>						
3 Spring Return Pushbuttons	1 Flush Green	1	-	I	<b>XALD339</b>	\$324.00
	1 Flush Red	-	1	O		
	1 Flush Green	1	-	II	<b>XALD324</b>	\$324.00
	1 Flush White	1	-	↑		
	1 Flush Red	-	1	↓	<b>XALD334</b>	\$324.00
	1 Flush Black	1	-	↔		
	1 Flush White	1	-	↑	<b>XALD325</b>	\$324.00
	1 Flush Red	-	1	↓		
	1 Flush Black	1	-	↔		

## Marking on Legend Holder and Legend below Head 標識

2 Spring Return Pushbuttons + 1 Latching Mushroom Head Pushbuttons Ø30 mm	1 Flush White	1	-	↑	<b>XALD328</b>	\$352.00
	1 Mushroom Head Red <sup>(1)</sup>	-	1	O		
	1 Flush Black	1	-	↓		

## IP 65 Metal Empty Enclosures 金屬空盒



XAPM2504

Description	Front Face Dimensions mm	Unit Reference	Unit Price HK\$
1 Hole Dia. 22.2mm	80 x 80	<b>XAPM1501</b>	\$316.00
2 Hole Dia. 22.2mm	80 x 80	<b>XAPM1502</b>	\$316.00
3 Hole Dia. 22.2mm	80 x 130	<b>XAPM2503</b>	\$443.00
4 Hole Dia. 22.2mm	80 x 130	<b>XAPM2504</b>	\$443.00

(1) Standard "Turn to Release"

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Complete Switches, 12A 整體開關  
Front Mounting, "Multi-Fixing" or By Ø22mm Hole 前安裝, 多孔固定 或  
Ø22mm孔固定(with 45 x 45 mm Front Plate and 35 mm Handle)



K•••••LH

Ammeter Switches 電流表開關

	"0" Position	Front Mounting Method	Unit Reference	Unit Price HK\$
For 3 Circuits	With	Multi-Fixing	<b>K1F003MLH</b>	\$240.00
		By Ø22mm Hole	<b>K1F003MCH</b>	\$259.00
	Without	Multi-Fixing	<b>K1F013MLH</b>	\$240.00
		By Ø22mm Hole	<b>K1F013MCH</b>	\$259.00



K•••••LH

Voltmeter Switches 電壓表開關

	"0" Position	Front Mounting Method	Unit Reference	Unit Price HK\$
<b>For Measurements between Three-Phase and Neutral</b>				
	With	Multi-Fixing	<b>K1D023MLH</b>	\$171.00
		By Ø22mm Hole	<b>K1D023MCH</b>	\$201.00
	Without	Multi-Fixing	<b>K1D033MLH</b>	\$151.00
		By Ø22mm Hole	<b>K1D033MCH</b>	\$151.00
<b>For Measurements between Three-Phase</b>				
	With	Multi-Fixing	<b>K1D024MLH</b>	\$171.00
		By Ø22mm Hole	<b>K1D024MCH</b>	\$201.00
	Without	Multi-Fixing	<b>K1D034MLH</b>	\$151.00
		By Ø22mm Hole	<b>K1D034MCH</b>	\$151.00
<b>For Measurements between Three-Phase and between Single-Phase and Neutral</b>				
	With	Multi-Fixing	<b>K1E025MLH</b>	\$187.00
		By Ø22mm Hole	<b>K1E025MCH</b>	\$212.00
	Without	Multi-Fixing	<b>K1E035MLH</b>	\$165.00
		By Ø22mm Hole	<b>K1E035MCH</b>	\$165.00
<b>For Measurements between Three-Phase of 2 Supplies</b>				
	With	Multi-Fixing	<b>K1H026MLH</b>	\$214.00
		By Ø22mm Hole	<b>K1H026MCH</b>	\$239.00
	Without	Multi-Fixing	<b>K1H036MLH</b>	\$195.00
		By Ø22mm Hole	<b>K1H036MCH</b>	\$195.00
<b>For Measurements between Three-Phase and between Each of the Three-Phase and Neutral</b>				
	With	Multi-Fixing	<b>K1F027MLH</b>	\$236.00
		By Ø22mm Hole	<b>K1F027MCH</b>	\$246.00

# Harmony<sup>®</sup>

## Wireless Remote Control System 無線遙控系列 eXLhoist XAR Pendant Control Stations 懸掛式按鈕盒 Harmony XAC

Wireless Remote Control System  
Complete Unit without Charger Device  
For Control Circuits 用於控制電路  
Double Insulated Complete Stations IP 657 塑膠系列整體盒, IP 657保護等級



### Remote Control Device Base Station with Wired Connection Cable Gland

	Power Supply	Outputs	Inputs	Motion Pushbuttons	Auxiliary Pushbuttons	Unit Reference <sup>(1)</sup>	Unit Price HK\$
With LEDs	z 24...240	12 Relays + 2 Safety Relays	N/A	6	2	<b>XARSK8L12W</b>	\$17,510.00
With Display		18 Relays + 2 Safety Relays	18 Digital (12 Limiters + 6 Alarms)	6	2	<b>XARSK8D18W</b>	\$22,285.00
					6	<b>XARSK12D18W</b>	\$24,938.00

### “Small Hoist” Applications 小型起重用途 (with 2 Operators Forming an Integral Part of the Enclosure)



No. of Operations	Functions	Marking on Legend	Unit Reference	Unit Price HK\$
2		1 N/O	<b>XACA201</b>	\$753.00
Mechanically Interlocked	↑ ↓	1 N/C + 1 N/O	<b>XACA205</b>	\$833.00
2		1 N/O	<b>XACA211</b>	\$937.00
Mechanically Interlocked Booted Pushbuttons	↑ ↓	1 N/C + 1 N/O	<b>XACA215</b>	\$1,040.00



### General Purpose 一般用途 (with Interchangeable Booted Operators)



No. of Operations	Functions	Marking on Legend	Unit Reference	Unit Price HK\$
2	↑ ↓	1 N/O	<b>XACA271</b>	\$937.00
		1 N/C + 1 N/O	<b>XACA281</b>	\$1,026.00
4	↑ ↓ ← →	1 N/O	<b>XACA471</b>	\$1,278.00
		1 N/C + 1 N/O	<b>XACA481</b>	\$1,410.00
6	↑ ↓ ← → ↗ ↘	1 N/O	<b>XACA671</b>	\$1,631.00
		1 N/C + 1 N/O	<b>XACA681</b>	\$1,855.00
8	↑ ↓ ← → ↗ ↘   ○	1 N/O for 7 Operators + 1 N/C for 8 Operators	<b>XACA871</b>	\$2,020.00
		1 N/C + 1 N/O	<b>XACA881</b>	\$2,299.00

(1) Starting kit with remote control system, accessories, USB/RJ45 cable and configuration software is included.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

## Notes

---

## Detection Devices 傳感器

OsiSense XS Proximity Switches .....	9 - 1
電感式接近開關	
OsiSense XS Proximity Switches & Accessories .....	9 - 2
電感式接近開關及附件	
OsiSense XU Photo-Electric Switches .....	9 - 3
光電開關	
Limit Switches	
限位開關	
<i>OsiSense XCK</i> .....	9 - 5
<i>OsiSense XCM</i> .....	9 - 6
<i>OsiSense XC/XCJ/XCE</i> .....	9 - 7
<i>OsiSense XCKM</i> .....	9 - 8
<i>OsiSense XCKJ</i> .....	9 - 9
OsiSense XM Pressure Switches .....	9 - 10
壓力開關	
OsiSense XMLR Electronic Pressure Sensors & Accessories .....	9 - 11
電子壓力感應器及附件	
Preventa XY2 Trip Wire Switches, Accessories & Spare Parts .....	9 - 11
急停拉線開關、附件及備件	

Cylindrical & Flat 圓柱型及扁型  
 Flush Mountable, Flush & Non Flush Mountable 埋入式, 埋入式及非埋入式安裝

### Cylindrical, Flush Mountable 圓柱型, 埋入式安裝<sup>(1)</sup>

DC 2-Wire, 10-58V, Solid-State Output, with Overload & Short-Circuit Protection

Dimension mm	Nominal Sensing Distance Sn, mm	Unit Reference	Unit Price HK\$
12	2	<b>XS512B1DAL2<sup>(2)</sup></b>	\$540.00
18	5	<b>XS518B1DAL2<sup>(2)</sup></b>	\$540.00



XS512B1\*AL2

DC 3-Wire, Solid-State Output, N/O, 10-36V, with Overload & Short-Circuit Protection

Dimension mm	Nominal Sensing Distance Sn, mm	Unit Reference	Unit Price HK\$
8	1.5	<b>XS508B1*AL2<sup>(2)</sup></b>	\$457.00
12	2	<b>XS512B1*AL2<sup>(2)</sup></b>	\$414.00
18	5	<b>XS518B1*AL2<sup>(2)</sup></b>	\$414.00



XS518B1\*AL2

\* Substitute to N to order NPN, substitute to P to order PNP.

DC 3-Wire, Solid-State Output, N/O, 12-24V, with Overload & Short-Circuit Protection

Dimension mm	Nominal Sensing Distance Sn, mm	Unit Reference	Unit Price HK\$
8	2.5	<b>XS608B1*AL2<sup>(2)</sup></b>	\$581.00
12	4	<b>XS612B1*AL2<sup>(2)</sup></b>	\$529.00
18	8	<b>XS618B1*AL2<sup>(2)</sup></b>	\$529.00
30	15	<b>XS630B1*AL2<sup>(2)</sup></b>	\$581.00



XS612B1M\*L2

\* Substitute to N to order NPN, substitute to P to order PNP.

AC/DC 2-Wire, 24-240V

Dimension mm	Nominal Sensing Distance Sn, mm	Unit Reference	Unit Price HK\$
12	4	<b>XS612B1M*L2<sup>(2)</sup></b>	\$740.00
18	8	<b>XS618B1M*L2<sup>(2)</sup></b>	\$740.00
30	15	<b>XS630B1M*L2<sup>(2)</sup></b>	\$815.00



XS618B1M\*L2

\* Substitute to A to order N/O output, substitute to B to order N/C output.

### Cylindrical, Flush Mountable & Non Flush Mountable

圓柱型, 埋入式及非埋入式安裝<sup>(1)</sup>

DC 3-Wire, Solid-State Output, N/O, 12-24V, with Overload & Short-Circuit Protection

Dimension mm	Nominal Sensing Distance Sn, mm	Unit Reference	Unit Price HK\$
30	18	<b>XS630B2*AL01M12</b>	\$795.00



XS630B2PAL01M12

\* Substitute to N to order NPN, substitute to P to order PNP.

### Flat, Flush Mountable 扁型, 埋入式安裝<sup>(1)</sup>

DC 3-Wire, Solid-State Output, N/O, 12-24V, with Overload & Short-Circuit Protection, LED

Description	Nominal Sensing Distance Sn, mm	Unit Reference	Unit Price HK\$
Form D, 80 x 80 x 26mm	40	<b>XS7D1A1*AL2<sup>(2)</sup></b>	\$516.00



XS7D1A1\*AL2

\* Substitute to N to order NPN, substitute to P to order PNP.

### Flat, Flush Mountable & Non Flush Mountable

扁型, 埋入式及非埋入式安裝<sup>(1)</sup>

DC 3-Wire, Solid-State Output, N/O, 12-24V, with Protection

Description	Nominal Sensing Distance Sn, mm	Unit Reference	Unit Price HK\$
Form C, 40 x 40 x 15mm	25	<b>XS8C1A1*AL2<sup>(3)</sup></b>	\$821.00
Form D, 80 x 80 x 26mm	60	<b>XS8D1A1*AL2<sup>(2)</sup></b>	\$945.00



XS8C1A1MAL2

\* Substitute to N to order NPN, substitute to P to order PNP.

AC/DC 2-Wire, 24-240V

Description	Nominal Sensing Distance Sn, mm	Unit Reference	Unit Price HK\$
Form C, 40 x 40 x 15mm	25	<b>XS8C1A1M*L2<sup>(4)</sup></b>	\$979.00

\* Substitute to A to order N/O output, substitute to B to order N/C output.

(1) Please contact Schneider Electric (Hong Kong) Limited for availability of all substitutions.

(2) Replace "L2" with "M12" to order M12 connector

(3) Replace "L2" with "M8" to order M8 connector and "L2" with "L01M12" to order remote M12 connector

(4) Replace "L2" with "L01U20" to order remote 1/2"-20 UNF connector

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改, 恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Proximity Switches & Accessories 電感式接近開關及附件

OsiSense XS

Plastic, Cylindrical, Non Flush Mountable 膠料, 圓柱型, 非埋入式



XS4P08\*A340

Plastic, Cylindrical, Non Flush Mountable 膠料, 圓柱型, 非埋入式安裝  
DC 3-Wire, Solid-State Output, N/O, 12-24V, with Protection

Dimension mm	Nominal Sensing Distance Sn, mm	Unit Reference	Unit Price HK\$
8	2.5	<b>XS4P08*A340</b>	\$328.00
12	4	<b>XS4P12*A340</b>	\$352.00
18	8	<b>XS4P18*A340</b>	\$408.00
30	15	<b>XS4P30*A340</b>	\$459.00

\* Substitute to N to order NPN, substitute to P to order PNP



XS4P12\*A340

AC/DC 2-Wire, N/O or N/C Output, 24-240V, with Protection

Dimension mm	Nominal Sensing Distance Sn, mm	Unit Reference	Unit Price HK\$
8	2.5	<b>XS4P08M*230</b>	\$569.00
12	4	<b>XS4P12M*230</b>	\$587.00
18	8	<b>XS4P18M*230</b>	\$592.00
30	15	<b>XS4P30M*230</b>	\$629.00

\* Substitute to A to order N/O output, substitute to B to order N/O output



XS4P08M\*230

Miniature, Cylindrical, Flush Mountable & Non Flush Mountable  
細小型, 圓柱型, 埋入式及非埋入式安裝  
DC 3-Wire, Solid-State Output, N/O, 5-24V, with Overload & Short-Circuit Protection

Dimension mm	Nominal Sensing Distance Sn, mm	Unit Reference	Unit Price HK\$
4 plain	5-24V	<b>XS1L04*A310</b>	\$474.00
5	5-24V	<b>XS1N05*A310</b>	\$444.00

\* Substitute to N to order NPN, substitute to P to order PNP



XS1L04\*A310

DC 4-Wire, PNP/NPN, N/O or N/C, 12-24V, with Protection

Dimension mm	Nominal Sensing Distance Sn, mm	Unit Reference	Unit Price HK\$
30	Non-Flush Mounting	<b>XS4P30KP340</b>	\$502.00

## Accessories for Inductive Proximity Switches 電感式接近開關附件

### Fixing Brackets

Description	Sensor Diameter, mm	Type	Unit Reference	Unit Price HK\$
For use with Cylindrical Inductive Proximity Sensors	Dia. 4	XS1L04	<b>XSZB104</b>	\$27.00
	M5	XS1N05	<b>XSZB105</b>	\$27.00
	Dia. 6.5	XS1/XS2L06	<b>XSZB165</b>	\$27.00
	M8	XS1/XS2/XS4	<b>XSZB108</b>	\$27.00
	M30	XS1/XS2/XS4	<b>XSZB130</b>	\$52.00

### Fixing Nuts

Description	Sensor Diameter, mm	Type	Unit Reference	Unit Price HK\$
2 Zamuc Nuts, Nickel and Chromium Plated with 2 Shakeproof Washers	M5	XS1N05	<b>XSZE105</b>	\$20.00
	M8	XS1/XS2	<b>XSZE108</b>	\$20.00
	M12	XS1/XS2	<b>XSZE112</b>	\$20.00
	M18	XS1/XS2	<b>XSZE118</b>	\$20.00
	M30	XS1/XS2	<b>XSZE130</b>	\$42.00



XS1N05\*A310

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改, 恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Dia. 18, Metal or Plastic 金屬或膠料  
 DC 3-Wire, Solid State Output, with Overload & Short-Circuit Protection  
 Amplifiers 放大器



XUB\*B\*L2

Dia. 18  
 Metal 金屬 Pre-Cable (L=2m)<sup>(1)</sup>

Description	Sensing Distance, m	Output Function	Unit Reference	Unit Price HK\$
Diffuse with Adjustable Sensitivity	0.6	Light-on	<b>XUB5B*ANL2<sup>(2)</sup></b>	\$492.00
Reflex	4	Light-on	<b>XUB1B*ANL2<sup>(2)</sup></b>	\$422.00
Reflector 50 x 50mm			<b>XUZC50</b>	\$66.00

\* Substitute to N to Order NPN, substitute to P to order PNP



XUB\*A\*L2

Plastic 膠料

Description	Sensing Distance, m	Output Function	Unit Reference	Unit Price HK\$
Diffuse	0.1	Light-on	<b>XUB4A*ANL2<sup>(2)</sup></b>	\$403.00
Diffuse with Adjustable Sensitivity	0.6	Light-on	<b>XUB5A*ANL2<sup>(2)</sup></b>	\$468.00
Reflex	4	Light-on	<b>XUB1A*ANL2<sup>(2)</sup></b>	\$449.00
Reflector 50 x 50mm			<b>XUZC50</b>	\$66.00

\* Substitute to N to Order NPN, substitute to P to order PNP



XUM5A\*CNL2

Miniature Design 細小型 (with Adjustable Sensitivity 可調敏感度) Pre-Cable (L=2m)<sup>(1)</sup>

Description	Sensing Distance	Output Function	Unit Reference	Unit Price HK\$
Diffuse	1m	Light-on	<b>XUM5A*CNL2<sup>(3)</sup></b>	\$573.00
Thru-beam	Transmitter	-	<b>XUM2AKCNL2T<sup>(3)</sup></b>	\$339.00
	Receiver	Light-on	<b>XUM2A*CNL2R<sup>(3)</sup></b>	\$583.00
Reflex	5m with XUZC50	Light-on	<b>XUM9A*CNL2<sup>(3)</sup></b>	\$661.00
Reflector 50 x 50mm			<b>XUZC50</b>	\$66.00

\* Substitute to N to Order NPN, substitute to P to order PNP



XUK\*L2

Compact Design 50 x 50 輕巧型 Pre-Cabled (L=2m)<sup>(2)</sup>  
 DC 3-Wire, Solid State Output, N/O, with Overload & Short-Circuit Protection

Description	Sensing Distance, m	Output Function	Unit Reference	Unit Price HK\$
Diffuse with Adjustable Sensitivity	1	Light-on	<b>XUK5A*ANL2<sup>(2)</sup></b>	\$563.00
Reflex	7	Light-on	<b>XUK1A*ANL2<sup>(2)</sup></b>	\$563.00
Reflector 50 x 50mm			<b>XUZC50</b>	\$66.00

\* Substitute to N to Order NPN, substitute to P to order PNP

AC/DC, 5-Wire, 1 NC/NO Relay Output

Description	Sensing Distance, m	Output Function	Unit Reference	Unit Price HK\$
Diffuse with Adjustable Sensitivity	1	Light-on	<b>XUK5ARCNL2<sup>(2)</sup></b>	\$643.00
Thru-Beam	Transmitter	-	<b>XUK2ARCNL2T<sup>(2)</sup></b>	\$452.00
	Receiver	Light-on	<b>XUK2ARCNL2R<sup>(2)</sup></b>	\$582.00
Polarised Reflex	5	Light-on	<b>XUK9ARCNL2<sup>(2)</sup></b>	\$709.00
Reflex	7	Light-on	<b>XUK1ARCNL2<sup>(2)</sup></b>	\$643.00
Reflector 50 x 50mm			<b>XUZC50</b>	\$66.00

(1) For all substitutions, please consult Schneider Electric (Hong Kong) Limited for availability.

(2) Replace "L2" with "M12" to order M12 connector

(3) Replace "L2" with "M8" to order M8 connector

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Compact Design 輕巧型  
AC/DC, 5-Wire, 1 NC/NO Relay Output  
DC 3-Wire, Solid State Output

## Compact Design 輕巧型<sup>(1)(2)</sup> AC/DC, 5-Wire, 1 NC/NO Relay Output

Description	Sensing Distance, m	Output Function	Unit Reference	Unit Price HK\$
Thru-Beam (Receiver)	40	-	<b>XUX0ARCTT16T<sup>(3)</sup></b>	\$716.00
Polarised Reflex	11	Light-on	<b>XUX9ARCNT16<sup>(3)</sup></b>	\$1,163.00
Reflex	14	Light-on	<b>XUX1ARCNT16<sup>(3)</sup></b>	\$1,060.00
Reflector 50 x 50mm			<b>XUZC50</b>	\$66.00

## Accessories for Photo-Electric Switches 光電開關附件

### Reflectors

Description	Sensor Diameter, mm	Unit Reference	Unit Price HK\$
For use with Reflex Models	Dia. 21	<b>XUZC21</b>	\$46.00
	Dia. 39	<b>XUZC39</b>	\$59.00
	Dia. 80	<b>XUZC80</b>	\$73.00
High Reflection Type	50 x 50	<b>XUZC50</b>	\$66.00

### Fixing Accessories 固定附件

Description	For use with Sensor Type	Unit Reference	Unit Price HK\$
Stainless Steel Fixing Bracket	XUB	<b>XUZA118</b>	\$52.00
Metal Fixing Brackets	XUM	<b>XUZA50</b>	\$44.00
	XUK	<b>XUZA51</b>	\$50.00
	XUX	<b>XUZX2000</b>	\$45.00

(1) Please contact Schneider Electric (Hong Kong) Limited for availability of all substitutions.  
(2) For Ø7 to 10mm cable  
(3) Replace "T16" with "M12" to order M12 connector

# OsiSense XCK Limit Switches 限位開關

Plastic 膠料  
Compact 輕巧型



XCKN2118\*\*\*



XCKP2106\*\*\*



XCKP2110\*\*\*

## Plastic, Type XCKN<sup>(1)</sup> Rotary Heads 旋轉操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Thermoplastic Roller Lever	2-pole N/C + N/O	<b>XCKN2118G11<sup>(2)</sup></b>	\$101.00

## Plunger Heads 柱塞操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Metal End Plunger	2-pole N/C + N/O	<b>XCKN2110G11<sup>(2)</sup></b>	\$95.00
Thermoplastic Roller Lever Plunger Horizontal Actuation in 1 Direction	2-pole N/C + N/O	<b>XCKN2121G11<sup>(2)</sup></b>	\$133.00

## Plastic, Type XCKP<sup>(1)</sup> Multi-Directional Heads 多方向操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Cat's Whisker	2-pole N/C + N/O	<b>XCKP2106G11<sup>(3)</sup></b>	\$179.00

## Plunger Heads 柱塞操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Metal End Plunger	2-pole N/C + N/O	<b>XCKP2110G11<sup>(3)</sup></b>	\$156.00
Thermoplastic Roller Lever Horizontal Actuation in 1 Direction	2-pole N/C + N/O	<b>XCKP2121G11<sup>(3)</sup></b>	\$179.00

## Body with Contact, without Cable Gland Entry 本體帶接點, 不帶電纜密封管

Description	Unit Reference	Unit Price HK\$
N/C + N/O Snap Action with Positive Operation	<b>ZCP21</b>	\$95.00

## Cable Gland Entry 電纜密封管

Description	Unit Reference	Unit Price HK\$
ISO M16 x 1.5	<b>ZCPEP16</b>	\$10.00
Pg11	<b>ZCPEG11</b>	\$11.00

## Plastic, Type XCKT (with 2 Cable Entries) Multi-Directional Heads 多方向操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Cat's Whisker	2-pole N/C + N/O	<b>XCKT2106G11<sup>(3)</sup></b>	\$223.00

## Plunger Heads 柱塞操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Steel Roller Plunger	2-pole N/C + N/O	<b>XCKT2102G11<sup>(3)</sup></b>	\$223.00
Metal End Plunger	2-pole N/C + N/O	<b>XCKT2110G11<sup>(3)</sup></b>	\$201.00
Thermoplastic Roller Lever Horizontal Actuation in 1 Direction	2-pole N/C + N/O	<b>XCKT2121G11<sup>(3)</sup></b>	\$223.00

## Body with Contact, with Cable Gland Entry 本體帶接點及電纜密封器

Description	Cable Entry	Unit Reference	Unit Price HK\$
N/C + N/O Snap Action with Positive Operation	ISO M16 x 1.5	<b>ZCT21P16</b>	\$151.00

(1) Please contact Schneider Electric (Hong Kong) Limited for availability of all substitutions.

(2) Replace "G11" with "P20" to order ISO M20 x 1.5 cable entry

(3) Replace "G11" with "P16" to order ISO M16 x 1.5 cable entry

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改, 恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Pre-Cabled 帶線  
Compact 輕巧型



XCMD2115L1

## Metal, Type XCMD Rotary Heads 旋轉操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Thermoplastic Roller Lever	2-pole N/C + N/O	<b>XCMD2115L1</b>	\$322.00
Steel Roller Lever	2-pole N/C + N/O	<b>XCMD2116L1</b>	\$330.00

## Multi-Directional Heads 多方向操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Cat's Whisker	2-pole N/C + N/O	<b>XCMD2106L1</b>	\$325.00

## Plunger Heads 柱塞操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Steel Roller Plunger	2-pole N/C + N/O	<b>XCMD2102L1</b>	\$325.00
Metal End Plunger	2-pole N/C + N/O	<b>XCMD2110L1</b>	\$304.00



XCMN2102L1

## Plastic, Type XCMN Plunger Heads 柱塞操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Steel Roller Plunger	2-pole N/C + N/O	<b>XCMN2102L1</b>	\$233.00
Metal End Plunger	2-pole N/C + N/O	<b>XCMN2110L1</b>	\$191.00
Thermoplastic Roller Lever Plunger	2-pole N/C + N/O	<b>XCMN2121L1</b>	\$240.00
Horizontal Actuation in 1 Direction			

Type XCR, XCKS Double Insulated 雙層絕緣  
(Type XCKS Conforms to CENELEC EN 50041)  
Type XCJ, XCE Metal 金屬系列



XCRF17

Type XCR, XCKS  
Stay Put (90° in Each Direction)

Description	Contact Operation	Unit Reference	Unit Price HK\$
Cross Rod	Both Contacts Operate in Each Direction	<b>XCRE18</b>	\$1,223.00
	1 Contact Operates in Each Direction	<b>XCRF17</b>	\$1,223.00



XCKS131

Rotary Heads 旋轉操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Thermoplastic Roller Lever	2-pole N/C + N/O	<b>XCKS131</b>	\$227.00
Variable Length Thermoplastic Roller Lever <sup>(1)</sup>	2-pole N/C + N/O	<b>XCKS141</b>	\$242.00
Round Thermoplastic Rod Lever, Dia. 6mm <sup>(2)</sup>	2-pole N/C + N/O	<b>XCKS159</b>	\$220.00



XCKS141

Plunger Heads 柱塞操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Steel Roller Plunger	2-pole N/C + N/O	<b>XCKS102</b>	\$207.00
Metal End Plunger	2-pole N/C + N/O	<b>XCKS101</b>	\$196.00



ZCKS1

Body with Contact 本體帶接點

Description	Unit Reference	Unit Price HK\$
1 C/O Snap Action Contact with Positive Opening Operation	<b>ZCKS1</b>	\$133.00



XCJ110

Type XCJ

For Light to Medium Duty Applications 輕型至中型負載應用

Plunger Heads 柱塞操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Steel End Plunger	1 C/O	<b>XCJ110</b>	\$95.00
Steel Roller Plunger for Lateral Cam Movement	1 C/O	<b>XCJ102</b>	\$101.00
Steel Roller Plunger for Traverse Cam Movement	1 C/O	<b>XCJ103</b>	\$101.00
Short Flat Roller Lever Plunger	1 C/O	<b>XCJ127</b>	\$95.00



XCJ102

Type XCE

For Medium Duty Applications 中型負載應用

Plunger Heads 柱塞操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Steel End Plunger	1 C/O	<b>XCE110</b>	\$120.00
Steel Roller Plunger for Lateral Cam Movement	1 C/O	<b>XCE102</b>	\$128.00
Steel Roller Plunger for Traverse Cam Movement	1 C/O	<b>XCE103</b>	\$162.00



XCJ127

Rotary Heads 旋轉操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Thermoplastic Roller Lever	1 C/O	<b>XCE118</b>	\$128.00
Variable Length Thermoplastic Roller Lever	1 C/O	<b>XCE145</b>	\$148.00
Round Rod Ø3mm Steel Rod	1 C/O	<b>XCE154</b>	\$167.00



XCE118

XCE154

Multi-Directional Heads 多方向操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Cat's Whisker	1 C/O	<b>XCE106</b>	\$128.00
Spring Rod Lever	1 C/O	<b>XCE181</b>	\$128.00

(1) Adjustable throughout 360° in 5° steps or in 90° steps by reversing the lever mounting or clamp  
(2) Adjustable throughout 360° in 5° steps or in 45° steps by reversing the lever mounting or clamp

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

### Type XCKM Metal 金屬系列



XCKM115

#### Rotary Heads 旋轉操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Thermoplastic Roller Lever <sup>(1)</sup>	2-pole N/C + N/O	<b>XCKM115</b>	\$239.00



XCKM102

#### Multi-Directional Heads 多方向操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Cat's Whisker	2-pole N/C + N/O	<b>XCKM106</b>	\$194.00



XCKM110

#### Plunger Heads 柱塞操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Steel Roller Plunger	2-pole N/C + N/O	<b>XCKM102</b>	\$212.00
Metal End Plunger	2-pole N/C + N/O	<b>XCKM110</b>	\$165.00
Thermoplastic Roller Lever Plunger Horizontal Actuation in 1 Direction	2-pole N/C + N/O	<b>XCKM121</b>	\$179.00

#### Body with Contact 本體帶接點

Description	Unit Reference	Unit Price HK\$
Body with 2-pole Contact, NC + N/O, Snap Action	<b>ZCKM1</b>	\$131.00



XCKM121

#### Rotary Heads 旋轉操作頭

Description	Unit Reference	Unit Price HK\$
Thermoplastic Roller Lever <sup>(1)</sup>	<b>ZCKD31</b>	\$96.00
Variable Length Thermoplastic Roller Lever <sup>(1)</sup>	<b>ZCKD41</b>	\$109.00
Round Rod Lever, Thermoplastic Dia. 6mm, L = 200mm <sup>(2)</sup>	<b>ZCKD59</b>	\$89.00



ZCKD10

#### Multi-Directional Heads 多方向操作頭

Description	Unit Reference	Unit Price HK\$
Cat's Whisker	<b>ZCKD06</b>	\$64.00
Spring Rod	<b>ZCKD08</b>	\$64.00



ZCKD15

#### Plunger Heads 柱塞操作頭

Description	Unit Reference	Unit Price HK\$
Metal End Plunger	<b>ZCKD01</b>	\$64.00
Steel Roller Plunger	<b>ZCKD10</b>	\$52.00
Thermoplastic Roller Lever Plunger 1 Direction of Actuation	<b>ZCKD02</b>	\$84.00
Thermoplastic Roller Lever <sup>(1)</sup>	<b>ZCKD21</b>	\$64.00
Steel Roller Lever Plunger, 1 Direction of Actuation	<b>ZCKD15</b>	\$108.00
	<b>ZCKD23</b>	\$120.00



ZCKD23

(1) Adjustable throughout 360° in 5° steps or in 90° steps by reversing the lever mounting or clamp  
(2) Adjustable throughout 360° in 5° steps or in 45° steps by reversing the lever mounting or clamp

# OsiSense XCKJ 限位開關

## Type XCKJ Metal 金屬系列



XCKJ10541



XCKJ10559



ZCKE06



ZCKE08



ZCKE05



ZCKE09



ZCKY41



ZCKY59

### Rotary Heads 旋轉操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Steel Roller Lever	2-pole N/C + N/O	<b>XCKJ10513</b>	\$432.00
Variable Length Thermoplastic Roller Lever	2-pole N/C + N/O	<b>XCKJ10541</b>	\$432.00
Round Thermoplastic Rod Lever, Dia. 6mm	2-pole N/C + N/O	<b>XCKJ10559</b>	\$421.00

### Plunger Heads 柱塞操作頭

Description	Contact Operation	Unit Reference	Unit Price HK\$
Metal End Plunger	2-pole N/C + N/O	<b>XCKJ161</b>	\$320.00
Steel Roller Plunger	2-pole N/C + N/O	<b>XCKJ167</b>	\$397.00

### Body/Contact Assemblies for Plunger or Rotary Heads 本體/觸點

Description	Contact Operation	Unit Reference	Unit Price HK\$
1 C/O Snap Action Contact with Positive Opening Operation		<b>ZCKJ1</b>	\$211.00
2 C/O Snap Action Contact with Positive Opening Operation		<b>ZCKJ2</b>	\$330.00
1st Contact Actuated from Left Spring Return and from Right	Fixed Body	<b>ZCKJ404</b>	\$642.00

### Multi-Directional Heads 多方向操作頭

Description	Unit Reference	Unit Price HK\$
Cat's Whisker	<b>ZCKE06</b>	\$186.00
Spring Rod Lever	<b>ZCKE08</b>	\$212.00

### Plunger Heads 柱塞操作頭

Description	Unit Reference	Unit Price HK\$
End Metal Plunger	<b>ZCKE61</b>	\$109.00
End Reinforced Steel Roller Plunger	<b>ZCKE67</b>	\$186.00

### Rotary Heads 旋轉操作頭

Description	Unit Reference	Unit Price HK\$
Actuation from Right AND/OR Left, Spring Return	<b>ZCKE05</b>	\$159.00
Actuation from Right AND Left, Stay Put	<b>ZCKE09</b>	\$256.00

### Operators 操作器

Description	Unit Reference	Unit Price HK\$
Variable Length Thermoplastic Roller Lever <sup>(1)</sup>	<b>ZCKY41</b>	\$62.00
Round Rod Lever, Dia. 6mm, L=200mm <sup>(2)</sup>	<b>ZCKY59</b>	\$52.00
Variable Length Steel Roller Lever <sup>(1)</sup>	<b>ZCKY43</b>	\$87.00
Steel Roller Lever <sup>(2)</sup>	<b>ZCKY13</b>	\$62.00

(1) Adjustable throughout 360° in 5° steps or in 90° steps by reversing the lever mounting or clamp  
 (2) Adjustable throughout 360° in 5° steps or in 45° steps by reversing the lever mounting or clamp

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Pressure Switches 壓力開關

OsiSense XM

Type XMLA Fixed Differential 固定差動式  
 Type XMLB Adjustable Differential 可調差動式  
 Type XMPA Electromechanical Pressure Switches 電機壓力開關



XMLA\*\*\*D\*S11

Suitable for Fluids: Hydraulic Oils, up to +160°C

Description	Operating Range	Max. Bar	Unit Reference	Unit Price HK\$
With Setting Scale	5	70	<b>XMLA070D2S11</b>	\$732.00
With Setting Scale	10	160	<b>XMLA160D2S11</b>	\$732.00
With Setting Scale	20	300	<b>XMLA300D2S11</b>	\$732.00
With Setting Scale	30	500	<b>XMLA500D2S11</b>	\$732.00



XMLB\*\*\*\*2S11

Suitable for Fluids: Hydraulic Oils, Fresh Water, Sea Water, Air, up to +70°C

Description	Operating Range Min. Bar	Max. Bar	Unit Reference	Unit Price HK\$
With Setting Scale	0.25	4	<b>XMLB004A2S11</b>	\$1,184.00
	0.7	10	<b>XMLB010A2S11</b>	\$933.00
	1.3	20	<b>XMLB020A2S11</b>	\$933.00
	3.5	35	<b>XMLB035A2S11</b>	\$886.00

Suitable for Fluids: Hydraulic Oils, Fresh Water, Sea Water, Air, up to +160°C

Description	Operating Range Min. Bar	Max. Bar	Unit Reference	Unit Price HK\$
With Setting Scale	1.3	20	<b>XMLB020B2S11</b>	\$1,677.00

Switches Without Decompression Valve, Base Case, Adjustable Differential  
 開關無減壓閥可調差動式



XMPA

Size Bar	Fluid Connection (BSP Female)	Contact Operation	Unit Reference	Unit Price HK\$
6	G1/4	2 N/C	<b>XMPA06B2131</b>	\$219.00
6	G1/4	3 N/C	<b>XMPA06C2131</b>	\$325.00
6	G3/8	2 N/C	<b>XMPA06B2242</b>	\$214.00
6	G3/8	3 N/C	<b>XMPA06C2242</b>	\$595.00
12	G1/4	2 N/C	<b>XMPA12B2131</b>	\$189.00
12	G1/4	3 N/C	<b>XMPA12C2131</b>	\$208.00
12	G3/8	2 N/C	<b>XMPA12B2242</b>	\$214.00
25	G1/4	2 N/C	<b>XMPA25B2131</b>	\$623.00
25	G1/4	3 N/C	<b>XMPA25C2131</b>	\$627.00

Type XMLR Pressure Sensor with 4-Digit Display  
Compact Plastic Body, Stainless Steel 316L Fluid Entry  
with Analogue & Solid-State Outputs



XMLR100M1P25

### XMLR Electronic Pressure Sensors 電子壓力感應器

Adjustable Range of Switching Point (PB)	Analogue Output		Unit Reference <sup>(1)</sup>	Unit Price HK\$
-1 to 0 Bar	4-20mA	NPN	<b>XMLRM01G1N25</b>	\$2,497.00
		PNP	<b>XMLRM01G1P25</b>	\$2,497.00
	0-10V	NPN	<b>XMLRM01G1N75</b>	\$2,497.00
0 to 1 Bar	4-20mA	NPN	<b>XMLR001G1N25</b>	\$2,497.00
		PNP	<b>XMLR001G1P25</b>	\$2,497.00
	0-10V	NPN	<b>XMLR2D5G1N25</b>	\$2,497.00
0 to 2.5 Bar	4-20mA	NPN	<b>XMLR2D5G1P25</b>	\$2,497.00
		PNP	<b>XMLR2D5G1N75</b>	\$2,497.00
	0-10V	NPN	<b>XMLR2D5G1P75</b>	\$2,497.00
0 to 10 Bar	4-20mA	NPN	<b>XMLR010G1N25</b>	\$2,497.00
		PNP	<b>XMLR010G1P25</b>	\$2,497.00
	0-10V	NPN	<b>XMLR010G1N75</b>	\$2,497.00
0 to 16 Bar	4-20mA	NPN	<b>XMLR016G1N25</b>	\$2,497.00
		PNP	<b>XMLR016G1P25</b>	\$2,497.00
	0-10V	NPN	<b>XMLR016G1P75</b>	\$2,497.00
0 to 25 Bar	4-20mA	NPN	<b>XMLR025G1N25</b>	\$2,497.00
		PNP	<b>XMLR025G1P25</b>	\$2,497.00
	0-10V	NPN	<b>XMLR040G1N75</b>	\$2,497.00
0 to 40 Bar	4-20mA	NPN	<b>XMLR040G1P75</b>	\$2,497.00
		PNP	<b>XMLR040G1P25</b>	\$2,497.00
	0-10V	NPN	<b>XMLR100M1N25</b>	\$2,622.00
0 to 100 Bar	4-20mA	NPN	<b>XMLR100M1P25</b>	\$2,622.00
		PNP	<b>XMLR100M1N75</b>	\$2,622.00
	0-10V	NPN	<b>XMLR100M1P75</b>	\$2,622.00
0 to 160 Bar	4-20mA	NPN	<b>XMLR160M1N25</b>	\$2,622.00
		PNP	<b>XMLR160M1P25</b>	\$2,622.00
	0-10V	NPN	<b>XMLR160M1N75</b>	\$2,622.00
0 to 400 Bar	4-20mA	NPN	<b>XMLR160M1P75</b>	\$2,622.00
		PNP	<b>XMLR400M1N25</b>	\$2,622.00
	0-10V	NPN	<b>XMLR400M1P25</b>	\$2,622.00
0 to 600 Bar	4-20mA	NPN	<b>XMLR600M1N25</b>	\$2,622.00
		PNP	<b>XMLR600M1P25</b>	\$2,622.00
	0-10V	NPN	<b>XMLR600M1P75</b>	\$2,622.00

### Accessories 附件

Description	Length of Cable	Unit Reference	Unit Price HK\$
Cooler with G 114 A (male) Fluid Connection Usage Temperature: 150°C Max. for the Fluid, 50°C for the Ambient Air	-	<b>XMLZL009<sup>(2)</sup></b>	\$1,033.00
Pre-Wired M12, Female Connect, 4-Pin Metal Clamping Ring	2m	<b>XZCP1141L2</b>	\$124.00

### Trip Wire Switches 急停拉線開關



XY2CE1A250

Description	Operating Cable Length	Cable Anchor Point	Unit Reference	Unit Price HK\$
Emergency Stop	< 50m	Right	<b>XY2CE1A250</b>	\$2,139.00
		Left	<b>XY2CE2A250</b>	\$2,139.00

### Accessories & Spare Parts 附件及備件

Description	Diameter	Length	Unit Reference	Unit Price HK\$
Galvanised Cable, Red Sheath	3.2mm	10.5m	<b>XY2CZ301</b>	\$365.00
		25.5m	<b>XY2CZ302</b>	\$1,243.00
		50.5m	<b>XY2CZ305</b>	\$1,605.00
		100.5m	<b>XY2CZ310</b>	\$2,865.00

(1) Replace last digit "5" with "6" to order 1/4" NPT female fluid connection  
(2) Available with other hydraulic connections: 1/4" NPT and SAE7/16 20UNF

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

## Enclosures & Cabling Accessories 機櫃及接線附件

CRN/S3D/SM/SF Metal Enclosures 金屬制箱	10 - 1
NSYTR Terminal Blocks & Accessories 端子塊及附件	10 - 2
DZ5/AR1 Cable Ends & Markers 電線端子及標誌	10 - 3
Phaseo ABL7/8 Power Supplies 電源供應器	10 - 4
Phaseo ABL2 Power Supplies 電源供應器	10 - 5
Phaseo ABL6/ABT7 Transformers 變壓器	10 - 5



CRN

## CRN: Steel Wall Mounted Enclosures 掛牆式電制箱 (IP66)

Dimensions (H x W x D) mm	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	With Plain Door		Plain Mounting Plate	
300 x 250 x 150	<b>NSYCRN325150</b>	\$421.00	<b>NSYMM3025</b>	\$67.00
300 x 300 x 150	<b>NSYCRN33150</b>	\$441.00	<b>NSYMM33</b>	\$81.00
400 x 300 x 200	<b>NSYCRN43200</b>	\$511.00	<b>NSYMM43</b>	\$97.00
400 x 400 x 200	<b>NSYCRN44200</b>	\$601.00	<b>NSYMM44</b>	\$117.00
400 x 600 x 250	<b>NSYCRN46250</b>	\$898.00	<b>NSYMM64</b>	\$161.00
500 x 400 x 200	<b>NSYCRN54200</b>	\$709.00	<b>NSYMM54</b>	\$138.00
500 x 400 x 250	<b>NSYCRN54250</b>	\$762.00	<b>NSYMM54</b>	\$138.00
600 x 400 x 200	<b>NSYCRN64200</b>	\$797.00	<b>NSYMM64</b>	\$161.00
600 x 400 x 250	<b>NSYCRN64250</b>	\$864.00	<b>NSYMM64</b>	\$161.00
600 x 600 x 250	<b>NSYCRN66250</b>	\$1,065.00	<b>NSYMM66</b>	\$242.00
700 x 500 x 250	<b>NSYCRN75250</b>	\$1,082.00	<b>NSYMM75</b>	\$339.00
800 x 600 x 250	<b>NSYCRN86250</b>	\$1,320.00	<b>NSYMM86</b>	\$379.00
800 x 600 x 300	<b>NSYCRN86300</b>	\$1,390.00	<b>NSYMM86</b>	\$379.00
1000 x 800 x 250	<b>NSYCRN108250</b>	\$2,023.00	<b>NSYMM108</b>	\$638.00
1000 x 800 x 300	<b>NSYCRN108300</b>	\$2,110.00	<b>NSYMM108</b>	\$638.00



S3D

## S3D: Steel Wall Mounted Enclosures 掛牆式電制箱 (IP66)

Dimensions (H x W x D) mm	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	With Plain Door		With Transparent Door <sup>(1)</sup>	
300 x 200 x 150	<b>NSYS3D3215P</b>	\$690.00	-	-
300 x 300 x 150	<b>NSYS3D3315P</b>	\$710.00	-	-
300 x 300 x 200	<b>NSYS3D3320P</b>	\$759.00	-	-
400 x 300 x 200	<b>NSYS3D4320P</b>	\$859.00	<b>NSYS3D4320T</b>	\$1,157.00
400 x 400 x 200	<b>NSYS3D4420P</b>	\$1,020.00	<b>NSYS3D4420T</b>	\$1,331.00
400 x 600 x 200	<b>NSYS3D4620P</b>	\$1,082.00	-	-
500 x 400 x 200	<b>NSYS3D5420P</b>	\$1,090.00	<b>NSYS3D5420T</b>	\$1,404.00
500 x 400 x 250	<b>NSYS3D5425P</b>	\$1,181.00	<b>NSYS3D5425T</b>	\$1,486.00
600 x 400 x 200	<b>NSYS3D6420P</b>	\$1,182.00	<b>NSYS3D6420T</b>	\$1,515.00
600 x 400 x 250	<b>NSYS3D6425P</b>	\$1,188.00	<b>NSYS3D6425T</b>	\$1,605.00
600 x 600 x 250	<b>NSYS3D6625P</b>	\$1,576.00	-	-
700 x 500 x 250	<b>NSYS3D7525P</b>	\$1,618.00	<b>NSYS3D7525T</b>	\$1,922.00
800 x 600 x 250	<b>NSYS3D8625P</b>	\$1,831.00	<b>NSYS3D8625T</b>	\$2,513.00
800 x 600 x 300	<b>NSYS3D8630P</b>	\$2,304.00	<b>NSYS3D8630T</b>	\$2,696.00
1000 x 600 x 250	<b>NSYS3D10625P</b>	\$2,638.00	-	-
1000 x 800 x 250	<b>NSYS3D10825P</b>	\$2,816.00	-	-
1000 x 800 x 300	<b>NSYS3D10830P</b>	\$2,991.00	-	-



SM

## SM: Steel Floor-Standing Compact Metal Enclosures 整體落地式機櫃 (IP55)

Dimensions (H x W x D) mm	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	With Plain Door		With Transparent Door <sup>(1)</sup>	
1400 x 800 x 400	<b>NSYSM14840P</b>	\$6,552.00	<b>NSYSM14840T</b>	\$8,674.00
1600 x 800 x 400	<b>NSYSM16840P</b>	\$8,387.00	<b>NSYSM16840T</b>	\$9,226.00
1800 x 800 x 400	<b>NSYSM18840P</b>	\$8,635.00	<b>NSYSM18840T</b>	\$9,643.00
1800 x 1200 x 400 (2 Doors)	<b>NSYSM1812402DP</b>	\$11,467.00	-	-
2000 x 800 x 400	<b>NSYSM20840P</b>	\$9,092.00	<b>NSYSM20840T</b>	\$10,074.00
2000 x 1200 x 400 (2 Doors)	<b>NSYSM2012402DP</b>	\$12,212.00	-	-



SF

## SF: Steel Floor-Standing Suitable Metal Enclosures 工業機櫃系統 (IP55)

Dimensions (H x W x D) mm	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
	With Plain Door		Side Panels	
1800 x 800 x 500	<b>NSYSF18850P</b>	\$7,577.00	<b>NSY2SP185</b>	\$2,159.00
1800 x 1200 x 500 (2 Doors)	<b>NSYSF1812502DP</b>	\$10,126.00	<b>NSY2SP185</b>	\$2,159.00
2000 x 600 x 500	<b>NSYSF20650P</b>	\$7,233.00	<b>NSY2SP205</b>	\$3,599.00
2000 x 800 x 400	<b>NSYSF20840P</b>	\$7,757.00	<b>NSY2SP204</b>	\$2,878.00
2000 x 800 x 500	<b>NSYSF20850P</b>	\$8,910.00	<b>NSY2SP205</b>	\$3,599.00
2000 x 1000 x 400	<b>NSYSF201040P</b>	\$8,652.00	<b>NSY2SP204</b>	\$2,878.00
2000 x 1000 x 500	<b>NSYSF201050P</b>	\$9,870.00	<b>NSY2SP205</b>	\$3,599.00
2000 x 1200 x 500 (2 Doors)	<b>NSYSF2012502DP</b>	\$10,603.00	<b>NSY2SP205</b>	\$3,599.00


(1) Mounting plate needs to be ordered separately for enclosures with transparent door.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

### Terminal Blocks 接線端子塊



NSYTRV22



NSYTRR22

Description	Conductors c.s.a. mm <sup>2</sup>	M.O.Q.	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
			Screw Type 螺絲夾緊連接		Spring Type 彈簧連接	
Clip-on Mounting on Rails	2.5	100	<b>NSYTRV22</b>	\$4.00	<b>NSYTRR22</b>	\$5.00
	4	100	<b>NSYTRV42</b>	\$5.00	<b>NSYTRR42</b>	\$6.00
	6	100	<b>NSYTRV62</b>	\$7.00	<b>NSYTRR62</b>	\$9.00
	10	100	<b>NSYTRV102</b>	\$10.00	<b>NSYTRR102</b>	\$14.00
	16	100	<b>NSYTRV162</b>	\$11.00	<b>NSYTRR162</b>	\$27.00
	35	100	<b>NSYTRV352</b>	\$24.00	-	-
	50	10	<b>NSYTRV502</b>	\$87.00	-	-
	70	10	<b>NSYTRV702</b>	\$154.00	-	-

### Terminal Blocks for Fuse 菲士端子塊



NSYTRV162SF

Description	Fuse Size	Conductors c.s.a. mm <sup>2</sup>	M.O.Q.	Unit Reference	Unit Price HK\$
For Cylindrical Fuse	5x20mm G-Fuse	16	100	<b>NSYTRV162SF</b>	\$53.00
	6.3x32mm G-Fuse	4	100	<b>NSYTRV42SF5</b>	\$38.00
		16	100	<b>NSYTRV42SF6</b>	\$67.00



NSYTRV22PE



NSYTRR22PE

### Protective Earth Terminal Blocks 接地端子塊

Description	Conductors c.s.a. mm <sup>2</sup>	M.O.Q.	Unit Reference	Unit Price HK\$	Unit Reference	Unit Price HK\$
Clip-On Mounting on Rails	2.5	100	<b>NSYTRV22PE</b>	\$16.00	<b>NSYTRR22PE</b>	\$14.00
	4	100	<b>NSYTRV42PE</b>	\$18.00	<b>NSYTRR42PE</b>	\$19.00
	6	100	<b>NSYTRV62PE</b>	\$19.00	<b>NSYTRR62PE</b>	\$30.00
	10	100	<b>NSYTRV102PE</b>	\$23.00	<b>NSYTRR102PE</b>	\$37.00
	16	100	<b>NSYTRV162PE</b>	\$31.00	<b>NSYTRR162PE</b>	\$49.00
	35	100	<b>NSYTRV352PE</b>	\$45.00	-	-

### Accessories 附件<sup>(1)</sup>



NSYTRAAB35



NSYTRAC22



NSYTRAP22



NSYTRAL220

Description		M.O.Q.	Unit Reference	Unit Price HK\$		
Plastic End Stop	Clip-On, Width 5.2mm	100	<b>NSYTRAAB35</b>	\$4.00		
	with Screw, Width 9.2mm	100	<b>NSYTRAABV35</b>	\$7.00		
End Cover	2.5-10mm <sup>2</sup>	100	<b>NSYTRAC22</b>	\$2.00		
	16mm <sup>2</sup>	100	<b>NSYTRAC162</b>	\$3.00		
Partition		100	<b>NSYTRAP22</b>	\$3.00		
Plug in Bridge	2-pole	2.5mm <sup>2</sup>	100	<b>NSYTRAL22</b>	\$3.00	
		4mm <sup>2</sup>	100	<b>NSYTRAL42</b>	\$3.00	
		6mm <sup>2</sup>	100	<b>NSYTRAL62</b>	\$6.00	
		10mm <sup>2</sup>	10	<b>NSYTRAL102</b>	\$6.00	
		16mm <sup>2</sup>	10	<b>NSYTRAL162</b>	\$8.00	
		35mm <sup>2</sup>	10	<b>NSYTRAL352</b>	\$16.00	
	10-pole	2.5mm <sup>2</sup>	10	<b>NSYTRAL210</b>	\$16.00	
		4mm <sup>2</sup>	10	<b>NSYTRAL410</b>	\$18.00	
		6mm <sup>2</sup>	10	<b>NSYTRAL610</b>	\$26.00	
		20-pole	2.5mm <sup>2</sup>	10	<b>NSYTRAL220</b>	\$32.00
		4mm <sup>2</sup>	10	<b>NSYTRAL420</b>	\$32.00	

(1) Please contact Schneider Electric (Hong Kong) Limited for details of marking accessories.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

## Non-markable Insulated Cable Ends 不帶標誌電線端子

Description	Type	Conductors c.s.a. mm <sup>2</sup>	M.O.Q. <sup>(1)</sup>	Unit Reference	Unit Price HK\$
	Short	0.5	100	<b>DZ5CE005</b>	\$1.00
		1	100	<b>DZ5CE010</b>	\$1.00
		1.5	100	<b>DZ5CE015</b>	\$1.00
		2.5	100	<b>DZ5CE025</b>	\$1.00
	Long	2.5	100	<b>DZ5CE0253</b>	\$1.00

## Markable Cable Ends 帶標誌電線端子

Description	Conductors c.s.a. mm <sup>2</sup>	M.O.Q. <sup>(1)</sup>	Unit Reference	Unit Price HK\$
	1	100	<b>DZ5CA010</b>	\$1.00
	1.5	100	<b>DZ5CA015</b>	\$1.00

## Insulated Cable Ends with Facility for Fitting Clip-in Marker Tags 帶標籤電線端子

Description	Type	Conductors c.s.a. mm <sup>2</sup>	M.O.Q.	Unit Reference	Unit Price HK\$
	Short	4	100 <sup>(1)</sup>	<b>DZ5CA042</b>	\$2.00
		6	100	<b>DZ5CA062</b>	\$2.00
		10	100	<b>DZ5CA102</b>	\$3.00
		16	100	<b>DZ5CA162</b>	\$3.00
	Long	25	100	<b>DZ5CA253</b>	\$4.00

## Markers for Insulated Cable Ends, Facility for Fitting Marker Tags 標誌

Description	M.O.Q.	Unit Reference	Unit Price HK\$	
Clip-On Marker Holder for 1mm <sup>2</sup> and 1.5mm <sup>2</sup> Cables and Terminal Blocks	100	<b>AR1SC02</b>	\$2.00	
Clip-On Marker Tag Holder	100	<b>AR1SC03</b>	\$1.00	
Set of Markers	Letters <sup>(2)</sup>	1 set	<b>AR1MB01</b>	\$1,368.00
	Numbers <sup>(3)</sup>	1 set	<b>AR1MA01</b>	\$680.00

(1) 10pcs per lot

(2) A - Z (200pcs of each)

(3) 0 - 9 (200pcs of each)

Power Supplies for DC Control Circuits 用於直流控制  
Regulated Switch Mode Power Supplies 電路的供應電源

## Single-Phase Regulated Switch Mode Power Supplies 單相穩壓開關型



ABL8MEM12020

Mains Input Voltage 47 - 63 Hz	Output Voltage V	Nominal Power W	Nominal Current A	Protection Reset	Unit Reference	Unit Price HK\$	
100-240VAC	5	20	4	Auto	<b>ABL8MEM05040</b>	\$1,041.00	
Single-Phase Wide Range	12	24	2	Auto	<b>ABL8MEM12020</b>	\$1,041.00	
	60	5	5	Auto/Man	<b>ABL7RP1205<sup>(1)</sup></b>	\$1,943.00	
		24	7	0.3	Auto	<b>ABL8MEM24003</b>	\$652.00
		15	0.6	Auto	<b>ABL8MEM24006</b>	\$730.00	
		30	1.2	Auto	<b>ABL8MEM24012</b>	\$1,041.00	
		60	2.5	Auto	<b>ABL7RM24025</b>	\$1,387.00	
		72	3	Auto	<b>ABL8REM24030</b>	\$1,440.00	
		120	5	Auto	<b>ABL8REM24050</b>	\$1,682.00	
		48	144	2.5	Auto/Man	<b>ABL7RP4803<sup>(1)</sup></b>	\$1,895.00

## Universal Regulated Switch Mode Power Supplies 通用穩壓開關型<sup>(1)</sup>

Mains Input Voltage 47 - 63 Hz	Output Voltage V	Nominal Power W	Nominal Current A	Protection Reset	Diagnostic Relay	Unit Reference	Unit Price HK\$
100-120VAC and 200-500VAC Single-Phase	24	72	3	Auto/Man	No	<b>ABL8RPS24030</b>	\$1,843.00
		120	5	Auto/Man	Yes	<b>ABL8RPS24050</b>	\$2,051.00
		240	10	Auto/Man	Yes	<b>ABL8RPS24100</b>	\$2,681.00
100-120VAC and 200-240VAC Single-Phase	24	480	20	Auto/Man	Yes	<b>ABL8RPM24200</b>	\$4,074.00
380/500VAC Three-Phase	24	480	20	Auto/Man	Yes	<b>ABL8WPS24200</b>	\$3,895.00
		960	40	Auto/Man	Yes	<b>ABL8WPS24400</b>	\$6,516.00

## DC/DC Regulated Power Supplies 直流穩壓供電源<sup>(2)</sup>

Input Voltage V	Output Voltage V	Nominal Current A	Unit Reference	Unit Price HK\$
24	5 - 6.5	6	<b>ABL8DCC05060</b>	\$1,284.00
	7 - 15	2	<b>ABL8DCC12020</b>	\$1,284.00

(1) All power supplies conform to IEC61000-3-2

(2) Compatible with power supplies ABL8RP/ABL8WP only

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

Power Supplies for DC Control Circuits 用於直流控制  
Regulated Switch Mode Power Supplies 電路的供電電源  
Safety and Isolation Transformers, 25 - 250VA 安全及隔離變壓器



ABL2REM24015K



ABL2REM24150K

Single-Phase Panel Power Supplies 單相平板式電源開關

Mains Input Voltage 47 - 63 Hz	Output Voltage V	Nominal Power W	Nominal Current A	Protection Reset	Unit Reference	Unit Price HK\$
100-240VAC	24	35	1.5	Auto	<b>ABL2REM24015K</b>	\$137.00
		50	2	Auto	<b>ABL2REM24020K</b>	\$157.00
		100	4.5	Auto	<b>ABL2REM24045K</b>	\$198.00
100-120VAC 200-240VAC	24	150	6.5	Auto	<b>ABL2REM24065K</b>	\$232.00
		200	8.3	Auto	<b>ABL2REM24085K</b>	\$335.00
		250	10.5	Auto	<b>ABL2REM24100K</b>	\$381.00
		350	14.6	Auto	<b>ABL2REM24150K</b>	\$432.00



ABL6TS

Transformers 25 - 250VA 變壓器<sup>(1)</sup>

Primary Voltage 50/60Hz	Secondary Winding	Output Voltage V	Normal Power VA	Unit Reference <sup>(2)</sup>	Unit Price HK\$
230/400V ±15V Single-Phase	Single Winding	24 <b>(B)</b>	25	<b>ABL6TS02B</b>	\$378.00
		or 115 <b>(G)</b>	40	<b>ABL6TS04B</b>	\$402.00
		or 63	63	<b>ABL6TS06B</b>	\$494.00
		or 100	100	<b>ABL6TS10B</b>	\$530.00
		or 230 <b>(U)</b>	160	<b>ABL6TS16B</b>	\$677.00
	Double Winding	250	250	<b>ABL6TS25B</b>	\$852.00
		24/48 <b>(B)</b>	40	<b>ABT7PDU004B</b>	\$470.00
		or 63	63	<b>ABT7PDU006B</b>	\$510.00
		115/230 <b>(G)</b>	100	<b>ABT7PDU010B</b>	\$527.00
			160	<b>ABT7PDU016B</b>	\$609.00
		250	<b>ABT7PDU025B</b>	\$838.00	

(1) Please consult Schneider Electric (Hong Kong) Limited for details of separate protection and safety devices.  
(2) Replace "B" with "G" or "U" to order other output voltages

# Programmable Logic Controllers & Human Machine Interfaces 可編程控制器及人機界面

Magelis XBTGT Graphic Terminals ..... XBTGT 系列圖形終端	11 - 1
Zelio Logic Smart Relays ..... 邏輯控制器	11 - 3
Modicon M221/M221 Book Programmable Logic Controllers ..... 可編程控制器	11 - 5

# Magelis XBTGT Graphic Terminals

## Magelis XBTGT 系列圖形終端

### Magelis Touch-Sensitive Graphic Terminals 觸摸屏幕終端



HMISTU



HMISTU  
Back View



HMIGTO



HMIDT642

Type of Screen	Size of LCD Screen	Memory Expansion	No. of USB Port	COM1	COM2	On-Board Ethernet	Application Flash EPROM	Backup Data SRAM	DI/DO/ Audio Out	Audio Input	Video Input	Unit Reference	Unit Price HK\$
TFT (320x240)	3.5	No	2	RS 232/485	No	1	16MB	No	No	No	No	<b>HMISTU655</b>	\$3,264.00
TFT (320x240)	5.7	No	2	RS 232/485	No	1	16MB	No	No	No	No	<b>HMISTU855</b>	\$3,978.00
TFT (320x240)	5.7	Yes, SD Card	2	RS 232	RS 485	1	96MB	No	No	No	No	<b>HMIGTO2310</b>	\$6,692.00
TFT (800x480)	7	Yes, SD Card	2	RS 232	RS 485	1	96MB	No	No	No	No	<b>HMIGTO3510</b>	\$8,079.00
Wide Screen w/8 Function Keys													
TFT (640x480)	7.5	Yes, SD Card	2	RS 232	RS 485	1	96MB	No	No	No	No	<b>HMIGTO4310</b>	\$8,201.00
TFT (640x480)	10.4	Yes, SD Card	2	RS 232	RS 485	1	96MB	No	No	No	No	<b>HMIGTO5310</b>	\$11,200.00
TFT (800x600)	12.1	Yes, SD Card	2	RS 232	RS 485	1	96MB	No	No	No	No	<b>HMIGTO6310</b>	\$13,954.00

### Magelis GTU Universal Displays

Data Entry Method	Resolution	Colors	Touch Type	Options	Size	Unit Reference	Unit Price HK\$
Via Touch Screen	1024 x 768	16M	Multi Resistive	Front USB (Type A + Type Mini-B), Brightness Sensor, Scaler	10.4", Format 4/3 Standard	<b>HMIDT642</b>	\$18,400.00
					15", Format 4/3 Standard	<b>HMIDT732</b>	\$21,500.00

### Magelis GTU Universal Box Module

Module	RAM memory	USB Ports	Storage Units	Communication / Multimedia Interface	Operating System	Unit Reference	Unit Price HK\$
Box Module	256 MB	2 Hosts (Type A), 1 Device (Type Mini-B)	2 SD cards	2 Serial 2 Gigabit Ethernet / Sound Output	Real Time	<b>HMIG3U</b>	\$7,700.00

### HMI Configuration Software

	Length	Unit Reference	Unit Price HK\$
Vijeo Designer	Software only	<b>VJDSNDTGSV62M</b>	\$7,708.00
Connection Cable	USB Cable for HMIGTO*, HMISTU*	<b>BMXXCAUSBH018</b>	\$1,131.00
	USB Cable for XBTGT*	<b>XBTZG935</b>	\$2,196.00

### Cables for Connecting XBTGT Terminals to Schneider Electric Products

Automation Product Type, Protocol	Connector Type (Product Side)	To XBTGT Terminal, Physical Link	On XBTGT Port	Length	Unit Reference	Unit Price HK\$
Twido, Modicon TSX Micro, Modicon Premium with Uni-TE (V1/V2) or MODBUS	Terminal Port 8-way Female Mini-DIN	XBTGT6●●●...GT7340, RS485	COM2	2.5m	<b>XBTZ9780</b>	\$376.00
		XBTGT6●●●...GT7340, RS485	COM1 + XBTZG909 (Not Included)	5m	<b>XBTZ9681</b>	\$931.00
Modicon M340	RJ45	MODBUS XBT GT6●●●...7340, RS 485	COM2		<b>XBTZ9980</b>	\$334.00
	USB	Terminal Port XBT GT <sup>(1)</sup> XBT GK/GTW	USB	1.8m	<b>BMXXCAUSBH018</b>	\$1,131.00
Modicon Quantum with MODBUS	9-way Male SUB-D	XBTGT6●●●...GT7340, RS232C	COM1	3.7m	<b>990NAA26320</b>	\$506.00
TeSys U Starter-Controllers, ATV31, ATV61, ATV71 Variable Speed Drives, ATS48 Softstarters, with MODBUS	RJ45	XBTGT6●●●...GT7340, RS485	COM2	3m	<b>VW3A8306R30</b>	\$73.00

### Adaptors for Cordsets to XBTGT Terminals

Description	Connector Type (Automation Product Side)	Connector Type, Physical Link (XBTGT Terminal Side)	Unit Reference	Unit Price HK\$
Adaptor for XBTGT6●●●...GT7340 (Port COM2, RJ45)	25-way SUB-D	RJ45, RS485	<b>XBTZG939</b>	\$139.00
Adaptor for XBTGT●●●...GT7340 (Port COM1, 9-way Sub-D)	25-way SUB-D	9-way Sub-D, RS485	<b>XBTZG909</b>	\$139.00
	25-way SUB-D	9-way Sub-D, RS232C	<b>XBTZG919</b>	\$139.00

### Cordsets to Serial Printer

Printer Type	Connector Type (Printer Side)	Length	Unit Reference	Unit price HK\$
Serial Printer (for all XBTGT Terminals Except XBTGT11●0)	25-way Female SUB-D Type	2.5m	<b>XBTZ915</b>	\$953.00

(1) Except XBT GT1●●0

## Smart Relays - Zelio Logic Compact 一體式邏輯控制器



SR2A201BD



SR2B121BD



SR3B101BD



SR3XT101BD



SR3MBU01BD



SR3NET01BD

No. of I/O	Discrete Input	Analogue Input	Output	Clocks	Unit Reference	Unit Price HK\$
<b>Supply - 12VDC</b>						
12	8	4	4 Relays	Yes	SR2B121JD	\$938.00
20	12	6	8 Relays	Yes	SR2B201JD	\$1,405.00
<b>Supply - 24VDC</b>						
10	6	0	4 Relays	No	SR2A101BD <sup>(1)(3)</sup>	\$810.00
12	8	4	4 Relays	Yes	SR2B121BD <sup>(2)</sup>	\$938.00
			4 Transistors	Yes	SR2B122BD	\$1,368.00
20	12	2	8 Relays	No	SR2A201BD <sup>(1)(3)</sup>	\$1,270.00
		6	8 Relays	Yes	SR2B201BD <sup>(2)</sup>	\$1,404.00
<b>Supply - 24VAC</b>						
12	8	0	4 Relays	Yes	SR2B121B <sup>(2)</sup>	\$1,406.00
20	12	0	8 Relays	Yes	SR2B201B <sup>(2)</sup>	\$1,406.00
<b>Supply - 100/240VAC</b>						
10	6	0	4 Relays	No	SR2A101FU <sup>(1)(3)</sup>	\$836.00
12	8	0	4 Relays	Yes	SR2B121FU <sup>(2)</sup>	\$964.00
20	12	0	8 Relays	No	SR2A201FU <sup>(1)(3)</sup>	\$1,297.00
				Yes	SR2B201FU <sup>(2)</sup>	\$1,430.00

## Smart Relays - Zelio Logic Modular 模塊化邏輯控制器<sup>(4)</sup>

No. of I/O	Discrete Input	Analogue Input	Output	Clocks	Unit Reference	Unit Price HK\$
<b>Supply - 12VDC</b>						
26	16	6	10 Relays	Yes	SR3B261JD	\$1,698.00
<b>Supply - 24VDC</b>						
10	6	4	4 Relays	Yes	SR3B101BD	\$1,002.00
			4 Transistors	Yes	SR3B102BD	\$1,462.00
26	16	6	10 Relays	Yes	SR3B261BD	\$1,698.00
			10 Transistors	Yes	SR3B262BD	\$2,506.00
<b>Supply - 24VAC</b>						
10	6	0	4 Relays	Yes	SR3B101B	\$1,502.00
26	16	0	10 Relays	Yes	SR3B261B	\$1,698.00
<b>Supply - 100/240VAC</b>						
10	6	0	4 Relays	Yes	SR3B101FU	\$1,542.00
26	16	0	10 Relays	Yes	SR3B261FU	\$1,725.00

## I/O Expansion & Communication Modules 擴展I/O及通訊模塊

For use with	Number of I/O	Discrete Input	Relay Output	Unit Reference <sup>(5)</sup>	Unit Price HK\$
Only for use with Zelio Logic Modular	6	4	2	SR3XT61BD	\$422.00
	10	6	4	SR3XT101BD	\$477.00
	14	8	6	SR3XT141BD	\$666.00
Type	Supply Voltage				
MODBUS (slave)		24VDC		SR3MBU01BD	\$1,075.00
Ethernet		24VDC		SR3NET01BD	\$937.00
Analogue I/O <sup>(6)</sup>		24VDC		SR3XT43BD	\$816.00

## Power Supply 電源 (47-63Hz)

Input Voltage	Nominal Output Voltage	Nominal Output Current	Unit Reference	Unit Price HK\$
100-240V	12V	2A	ABL8MEM12020	\$1,041.00
100-240V	24V	1.2A	ABL8MEM24012	\$1,041.00

(1) Replace "A" with "D" to order a Zelio Logic compact without display (e.g. SR2D101BD)

(2) Replace the first "B" with "E" to order a Zelio Logic compact without display (e.g. SR2E121BD)

(3) Programming on smart relay in LADDER language only

(4) Each modular base can be fitted with 1 x communication module and 1 x I/O expansion module.

(5) Substitute to JD for 12VDC supply, BD for 24VDC supply, B for 24VAC or FU for 100/240VAC supply.

(6) 2 analogue inputs: 0-10V, 0-20mA, Pt100  
2 analogue outputs: 0-10V

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。



SR2PACK

## Starter Packs

Voltage Supply	No. of I/O	Composition	Unit Reference	Unit Price HK\$
<b>Compact 一體式</b>				
24VDC	12	1 x SR2B121BD Relay + 1 Connecting Cable + 1 Software CD	<b>SR2PACKBD</b>	\$1,342.00
	20	1 x SR2B201BD Relay + 1 Connecting Cable + 1 Software CD	<b>SR2PACK2BD</b>	\$1,832.00
100-240VAC	12	1 x SR2B121FU Relay + 1 Connecting Cable + 1 Software CD	<b>SR2PACKFU</b>	\$1,342.00
	20	1 x SR2B201FU Relay + 1 Connecting Cable + 1 Software CD	<b>SR2PACK2FU</b>	\$1,832.00
<b>Modular 模塊式</b>				
24VDC	10	1 x SR3B101BD Relay + 1 Connecting Cable + 1 Software CD	<b>SR3PACKBD</b>	\$1,907.00
	26	1 x SR3B261BD Relay + 1 Connecting Cable + 1 Software CD	<b>SR3PACK2BD</b>	\$2,265.00
100-240VAC	10	1 x SR3B101FU Relay + 1 Connecting Cable + 1 Software CD	<b>SR3PACKFU</b>	\$1,907.00
	26	1 x SR3B261FU Relay + 1 Connecting Cable + 1 Software CD	<b>SR3PACK2FU</b>	\$2,265.00

## Zelio Soft Multilingual Software 多語言軟件

Description	Unit Reference	Unit Price HK\$
<b>Zelio Soft 2 Programming Software 編程軟件</b>		
Zelio Soft 2 Programming Software for PC	<b>SR2SFT01</b>	\$181.00
PC Connecting Cable, L=3m	<b>SR2CBL01</b>	\$537.00
PC Connecting Cable (USB), L=3m	<b>SR2USB01</b>	\$566.00
<b>Communication Interface 通訊界面</b>		
Communication Interface (Including SR2 CBL07)	12/24VDC Supply <b>SR2COM01</b>	\$2,016.00
Analogue PSTN Modem (Including 2m Telephone Cable)	12-24VDC Supply <b>SR2MOD01</b>	\$5,479.00
GSM Modem (Including 1.5m Supply Cable Fixing Lugs 0.5m Modem Cable Antenna with 2m Cable)	12-24VDC Supply <b>SR2MOD02</b>	\$3,709.00
Software - Zelio Logic Alarm	<b>SR2SFT02</b>	\$620.00
Connecting Cable, L=1.8m	PC to Modem <b>SR1CBL03</b>	\$318.00
	Communication Interface to Modem <b>SR2CBL07</b>	\$477.00
<b>Accessories Documentation 附件文檔</b>		
EEPROM Memory Card	<b>SR2MEM02</b>	\$230.00

# Modicon Programmable Logic Controllers

## M221 可編程控制器

### Modicon M221 Logic Controllers<sup>(1)</sup>

Number of Logic I/O	Logic Inputs	Logic Outputs	Analog Inputs	Integrated Communication Ports <sup>(2)</sup>		Unit Reference	Unit Price HK\$
				Ethernet (RJ 45)	Serial Link (RJ 45)		
<b>100-240 V~ Power Supply</b>							
16 Inputs/ Outputs	9 Sink/Source 24V~ Inputs, inc. 4 High-Speed Inputs	7 Relay Outputs	2 x 0-10V Inputs	-	1	<b>TM221C16R</b>	\$2,566.00
				1	1	<b>TM221CE16R</b>	\$2,226.00
24 Inputs/ Outputs	14 Sink/Source 24V~ Inputs, inc. 4 High-Speed Inputs	10 Relay Outputs	2 x 0-10V Inputs	-	1	<b>TM221C24R</b>	\$2,823.00
				1	1	<b>TM221CE24R</b>	\$2,620.00
40 Inputs/ Outputs	24 Sink/Source 24V~ Inputs, inc. 4 High-Speed Inputs	16 relay Outputs	2 x 0-10V Inputs	-	1	<b>TM221C40R</b>	\$3,105.00
				1	1	<b>TM221CE40R</b>	\$3,406.00
<b>24 V~ Power Supply</b>							
16 Inputs/ Outputs	9 Sink/Source 24V~ Inputs, inc. 4 High-Speed Inputs	7 Source Transistor Outputs, inc. 2 High-Speed Outputs	2 x 0-10V Inputs	-	1	<b>TM221C16T</b>	\$2,566.00
				1	1	<b>TM221CE16T</b>	\$2,226.00
24 Inputs/ Outputs	14 Sink/Source 24V~ Inputs, inc. 4 High-Speed Inputs	10 Source Transistor Outputs, inc. 2 High-Speed Outputs	2 x 0-10V Inputs	-	1	<b>TM221C24T</b>	\$2,823.00
				1	1	<b>TM221CE24T</b>	\$2,620.00
40 Inputs/ Outputs	24 Sink/Source 24V~ Inputs, inc. 4 High-Speed Inputs	16 Source Transistor Outputs, inc. 2 High-Speed Outputs	2 x 0-10V Inputs	-	1	<b>TM221C40T</b>	\$3,105.00
				1	1	<b>TM221CE40T</b>	\$3,406.00



TM221CE16T



TM221CE40T

### Options for Modicon M221 Logic Controllers<sup>(3)</sup>

Description	Function	Unit Reference	Unit Price HK\$
I/O Cartridges	2 Analog Inputs (12-bit Resolution) which can be configured as: - 0-10V Voltage - 0-20mA/4-20mA Current Connection via Screw Terminal Block	<b>TMC2AI2</b>	\$562.00
	2 Analog Outputs (12-bit Resolution) 0-10V Voltage Connection via Screw Terminal Block	<b>TMC2AQ2V</b>	\$562.00
I/O Cartridges	2 Analog Outputs (12-bit Resolution) 4-20mA Current Connection via Screw Terminal Block	<b>TMC2AQ2C</b>	\$562.00
	2 Temperature Inputs (12-bit Resolution) Type K, J, R, S, B, E, T, N, C, PT100, PT1000, NI100, NI1000 Connection via Screw Terminal Block	<b>TMC2TI2</b>	\$562.00
Communication Cartridge	1 Additional Serial Link on Screw Terminal Block	<b>TMC2SL1</b>	\$562.00
Cartridges for Hoisting Application Specific Application	2 Analog Inputs	<b>TMC2HOIS01</b>	\$618.00
	2 Analog Inputs	<b>TMC2PACK01</b>	\$618.00
	1 Serial Link	<b>TMC2CONV01</b>	\$618.00

(1) M221 controllers are supplied with:  
 - Removable screw terminal blocks for connecting I/O  
 - A removable screw terminal block for connecting power supply  
 - A button cell backup battery (BR2032)  
 - A cable for connecting analog inputs

(2) Each M221 logic controller consists of an embedded USB mini-B programming port.

(3) 1 cartridge for controllers with 16 and 24 I/O and a maximum of 2 cartridges for controllers with 40 I/O, only one of which can be a communication cartridge.

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

## Modicon M221 Book Logic Controllers<sup>(1)</sup>

### 24 V $\overline{\text{---}}$ Power Supply

Number of Logic I/O	Logic Inputs	Logic Outputs	Analog Inputs	Embedded Communication Ports <sup>(2)</sup>		Term. Block for I/O Conn. Interval (mm/in.)	Unit Reference	Unit Price HK\$	
				Ethernet (RJ 45)	Serial Link (RJ 45)				
16 Inputs/ Outputs	8 Sink/Source 24V $\overline{\text{---}}$ Inputs, inc. 4 High-Speed Inputs	8 Relay Outputs	2 x 0-10V Inputs	-	1	1	Screw (3.81/0.15)	<b>TM221M16R</b>	\$2,428.00
				-	1	1	Spring (3.81/0.15)	<b>TM221M16RG</b>	\$2,428.00
				1	1	-	Screw (3.81/0.15)	<b>TM221ME16R</b>	\$2,523.00
				1	1	-	Spring (3.81/0.15)	<b>TM221ME16RG</b>	\$2,523.00
				-	1	1	Screw (3.81/0.15)	<b>TM221M16T</b>	\$2,670.00
				-	1	1	Spring (3.81/0.15)	<b>TM221M16TG</b>	\$2,670.00
32 Inputs/ Outputs	16 Sink/Source 24V $\overline{\text{---}}$ Inputs, inc. 4 High-Speed Inputs	16 Source Transistor Outputs, inc. 2 High-Speed Outputs	2 x 0-10V Inputs	-	1	1	Screw (3.81/0.15)	<b>TM221M16T</b>	\$2,670.00
				-	1	1	Spring (3.81/0.15)	<b>TM221M16TG</b>	\$2,670.00
				1	1	-	Screw (3.81/0.15)	<b>TM221ME16T</b>	\$2,774.00
				1	1	-	Spring (3.81/0.15)	<b>TM221ME16TG</b>	\$2,774.00
32 Inputs/ Outputs	16 Sink/Source 24V $\overline{\text{---}}$ Inputs, inc. 4 High-Speed Inputs	16 Source Transistor Outputs, inc. 2 High-Speed Outputs	2 x 0-10V Inputs	-	1	1	HE 10 Connector	<b>TM221M32TK</b>	\$2,773.00
				1	1	-	HE 10 Connector	<b>TM221ME32TK</b>	\$3,051.00



TM221M16RG



TM221M32TK



TMH2GDB

## Common Options for Modicon M221 & M221 Book Logic Controllers

Description	Function	Unit Reference	Unit Price HK\$
Graphic Display Unit	Display and Modification of Data	<b>TMH2GDB</b>	\$1,348.00
SD Memory Card	Application Backup and Program Transfer Capacity: 256MB	<b>TMASD1</b>	\$462.00

## Separate Parts for Modicon M221 & M221 Book Logic Controllers

Description	Details	Unit Reference	Unit Price HK\$
Mounting Kit Sold in Lots of 10	For Plate or Panel Mounting of M221 and M221 Book Controllers	<b>TMAM2</b>	\$20.00

## Replacement Parts

Description	Details	Unit Reference	Unit Price HK\$
Set of Terminal Blocks for Connecting the Power Supply on M221 and M221 Book Logic Controllers	8 Removable Screw Terminal Blocks	<b>TMAT2PSET</b>	\$450.00
Set of Terminal Blocks for Connecting the I/O and M221 Controllers	Removable Screw Terminal Connectors: 8 Different Connectors for equipping a TM221C ●●●● Logic Controller (8 x I/O)	<b>TMAT2CSET</b>	\$1,096.00
Set of Terminal Blocks for Connecting the I/O and M221 Book Controllers	4 x 10-Way and 4 x 11-Way Removable Terminal Blocks with Screw Terminals	<b>TMAT2MSET</b>	\$1,217.00
	4 x 10-Way and 4 x 11-Way Removable Terminal Blocks with Spring Terminals	<b>TMAT2MSETG</b>	\$884.00
Backup Battery	The battery supplied with each controller is not available for purchase separately. If battery replacements are required, Panasonic BR2032 battery type can be used only.	-	-

- (1) M221 controllers are supplied with:  
 - Removable terminal blocks (screw or spring-type depending on controller model) for connecting I/O  
 - A removable screw terminal block for connecting power supply  
 - A button cell backup battery (BR2032)  
 - A cable for connecting analog inputs
- (2) Each M221 book logic controller consists of an embedded USB mini-B programming port.


All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information.  
 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。



TMAT2PSET



TMAT2CSET



TMAT2MSETG

### Cordsets



TCSXCNAMUM3P



TMACBL1

Description	Usage	Length m/ft	Unit Reference	Unit Price HK\$
Programming Cables	From the PC USB Port to the USB Mini-B Port on M221 and M221 Book Controllers	3/9.8	<b>TCSXCNAMUM3P<sup>(1)</sup></b>	\$1,192.00
		1.8/5.90	<b>BMXXCAUSBH018</b>	\$1,131.00
Cable for Connecting the Analog Inputs Embedded in M221 and M221 Book Controllers	Equipped with 1 dedicated removable connector at one end and bare wires at the other end	1/3.28	<b>TMACBL1</b>	\$899.00

(1) Unshielded cable without grounding is to be used only for temporary connections. For permanent connections, please use programming cable with unit reference BMXXCAUSBH018.

Thermostats .....	12 - 1
溫度控制器	
Fan Coil Valves & Actuators .....	12 - 1
風機盤管閥門及執行器	
Damper Actuators .....	12 - 2
風門執行器	
Butterfly Valves & Actuators .....	12 - 2
蝶閥及執行器	

### Standalone Thermostats 獨立溫度控制器



TC103

Description	Unit Reference	Unit Price HK\$
2 Pipe, 2 Wired Fan Coil Unit Thermostat with Fan Continued Operation	<b>TC103-3A2</b>	\$142.00
4 Pipe, 2 Wired Fan Coil Unit Thermostat with Fan Continued Operation	<b>TC103-3A4</b>	\$142.00
2 Pipe, Digital FCU Thermostat	<b>TC303-3A2L</b>	\$250.00
4 Pipe, Digital FCU Thermostat	<b>TC303-3A4L</b>	\$370.00
2 Pipe, Dry Contact, Remote Sensor, Digital Thermostat	<b>TC303-3A2DLS</b>	\$288.00
4 Pipe, Dry Contact, Remote Sensor, Digital Thermostat	<b>TC303-3A4DLS</b>	\$380.00

### Networked Thermostats 中央溫度控制器



TC300  
TC350

Description	Unit Reference	Unit Price HK\$
2 Pipe, Dry Contact, Remote Sensor, Modbus Thermostat	<b>TC303-3A2DLS</b>	\$692.00
4 Pipe, Dry Contact, Remote Sensor, Modbus Thermostat	<b>TC303-3A4DLS</b>	\$729.00
2 Pipe, Dry Contact, Remote Sensor, Modbus Thermostat, 0-10V	<b>TC303-3A2DPS</b>	\$750.00
4 Pipe, Dry Contact, Remote Sensor, Modbus Thermostat, 0-10V	<b>TC303-3A4DPS</b>	\$790.00

### SE8000 Series Room Controllers 多功能溫度控制器



SE8000

Description	Unit Reference	Unit Price HK\$
<b>White Casing and Fascia</b>		
Programmable BACnet Room Controller with Humidity Control	<b>SE8350U0B11</b>	\$3,655.00
Programmable BACnet Room Controller with Humidity Control and PIR Motion Sensor	<b>SE8350U5B11</b>	\$4,620.00
<b>Silver Casing and Fascia</b>		
Programmable BACnet Room Controller with Humidity Control	<b>SE8350U0B00</b>	\$3,655.00
Programmable BACnet Room Controller with Humidity Control and PIR Motion Sensor	<b>SE8350U5B00</b>	\$4,620.00
Mixed Voltage Relay Packs for SE8300 Room Controller	<b>SC2300E5045</b>	\$1,300.00
<b>Fascia</b>		
Silver	<b>FAS-00</b>	\$250.00
White	<b>FAS-01</b>	\$250.00
Glossy Translucent White	<b>FAS-03</b>	\$250.00
Light Tan Wood	<b>FAS-05</b>	\$300.00
Dark Brown Wood	<b>FAS-06</b>	\$300.00
Dark Black Wood	<b>FAS-07</b>	\$300.00
Brushed Steel Finish	<b>FAS-10</b>	\$360.00

### Fan Coil Valves & Actuators 風機盤管閥門及執行器



Zone Valve & Actuator



Actuator

Description	Unit Reference	Unit Price HK\$
VLV 2POS 2W 15mm KV3.0 NPT	<b>VT2223</b>	\$180.00
VLV 2POS 2W 15mm KV3.0 RP	<b>VT2233</b>	\$180.00
VLV 2POS 2W 20mm KV4.3 NPT	<b>VT2325</b>	\$230.00
VLV 2POS 2W 20mm KV4.3 RP	<b>VT2335</b>	\$230.00
VLV 2POS 2W 25mm KV7.0 NPT	<b>VT2427</b>	\$320.00
VLV 2POS 2W 25mm KV7.0 RP	<b>VT2437</b>	\$320.00
VLV 2POS 3W 15mm KV3.5 RP	<b>VT3233</b>	\$260.00
VLV 2POS 3W 15mm KV3.0 NPT	<b>VT3223</b>	\$260.00
VLV 2POS 3W 20mm KV4.3 NPT	<b>VT3325</b>	\$280.00
VLV 2POS 3W 20mm KV4.3 RP	<b>VT3335</b>	\$280.00
VLV 2POS 3W 25mm KV7.0 RP	<b>VT3437</b>	\$400.00
VLV 2POS 3W 25mm KV7.0 NPT	<b>VT3427</b>	\$400.00
ACT 2POS 230V NC GCO	<b>AG13U000</b>	\$280.00
ACT 2POS 230V NC GCO 18IN WIRE	<b>AG13U020</b>	\$340.00
ACT 2POS 230V NC HCO	<b>AH13U000</b>	\$280.00
ACT 2POS 230V NC HCO 18IN WIRE	<b>AH13U020</b>	\$340.00

Damper Actuators 風門執行器



Damper Actuator

Description	Unit Reference	Unit Price HK\$
4Nm, On/Off, 24VAC	8740003000	\$1,262.00
4Nm, On/Off, 230VAC	8750003000	\$1,442.00
5Nm, On/Off, 230VAC	8751001000	\$669.00
5Nm, On/Off or 3 Point with Auxilliary Switch, 230VAC	8751003000	\$750.00
5Nm, On/Off or 3 Point, 24VAC	8751005000	\$673.00
5Nm, On/Off or 3 Point with Auxilliary Switch, 24VAC	8751007000	\$779.00
5Nm, Modulating, 24VAC	8751009000	\$1,000.00
10Nm, On/Off, 230VAC	8751011000	\$779.00
10Nm, On/Off, 24VAC	8751015000	\$779.00
10Nm, Modulating, 24VAC	8751019000	\$1,250.00
20Nm, On/Off, 230VAC	8751021000	\$1,154.00
20Nm, On/Off, 24VAC	8751025000	\$1,115.00
20Nm, Modulating, 24VAC	8751029000	\$1,569.00
40Nm, On/Off, 24VAC	8751035000	\$1,683.00
40Nm, Modulating, 24VAC	8751039000	\$2,185.00
40Nm, On/Off with Spring Return, 24VAC	8770003000	\$1,690.00



Butterfly Valve

Butterfly Valves & Actuators 蝶閥及執行器 (DN50-DN200)

Description	Unit Reference	Unit Price HK\$
<b>Butterfly Valves</b>		
DN50, Kv124	VF209W-50CN	\$692.00
DN65, Kv243	VF209W-65CN	\$808.00
DN80, Kv397	VF209W-80CN	\$923.00
DN100, Kv723	VF209W-100CN	\$1,462.00
DN125, Kv1083	VF209W-125CN	\$1,769.00
DN150, Kv1591	VF209W-150CN	\$2,038.00
DN200, Kv2852	VF209W-200CN	\$2,885.00
DN250, Kv4670	VF209W-250CN	\$3,846.00
DN300, Kv6946	VF209W-300CN	\$6,325.00
DN350, Kv9063	VF209W-350CN	\$10,565.00
DN400, Kv12044	VF209W-400CN	\$14,552.00
DN450, Kv14804	VF209W-450CN	\$19,838.00
DN500, Kv19212	VF209W-500CN	\$26,702.00



Actuator

<b>Actuators</b>		
230V, 68Nm, DN050-150 Float.	MF68-230F	\$9,000.00
24V, 68Nm, DN050-150 Float.	MF68-24F	\$9,000.00
24V, 68Nm, DN050-150 Mod.	MF68-24M	\$14,800.00
230V, 200Nm, DN200-250 Float.	MF200-230F	\$12,500.00
24V, 200Nm, DN200-250 Float.	MF200-24F	\$12,500.00
24V, 200Nm, DN200-250 Mod.	MF200-24M	\$19,800.00
24V, 550Nm, DN250-450 Float.	MF550-24F	\$18,800.00
24V, 550Nm, DN250-450 Mod.	MF550-24M	\$26,000.00
230V, 700Nm, DN250-500 Float.	MF700-230F	\$14,000.00
230V, 1450Nm, DN400-450 Float.	MF1450-230F	\$39,000.00
230V, 2050Nm, DN500 Float.	MF2050-230F	\$45,000.00



Handlever

<b>Accessories</b>		
Handlever for VF 2x9 DN50-80	9160080000	\$154.00
Handlever for VF 2x9 DN100	9160100000	\$154.00
Handlever for VF 2x9 DN125-150	9160150000	\$154.00
Handlever for VF 2x9 DN200	9160200000	\$210.00
Gearbox for VF2x9 DN250-300	9170300000	\$1,144.00
Gearbox for VF2x9 DN350-400	9170400000	\$1,619.00
Gearbox for VF2x9 DN450-500	9170500000	\$3,313.00



Gearbox

All prices are subject to change without prior notice. Please contact Schneider Electric (Hong Kong) Limited for more information. 價格如有更改，恕不另行通知。詳情請向施耐德電氣(香港)有限公司查詢。

# Index

Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page
<b>1</b>														
13975	105.00	1-5	33611	877.00	2-6	48491	1,310.00	2-20	8751001000	669.00	12-2	A9F73110	45.00	1-1
13976	139.00	1-5	33612	877.00	2-6	48494	1,310.00	2-20	8751003000	750.00	12-2	A9F73116	45.00	1-1
13977	148.00	1-5	33613	877.00	2-6	48501	1,310.00	2-20	8751005000	673.00	12-2	A9F73120	45.00	1-1
13978	168.00	1-5	33614	1,499.00	2-6	48504	1,310.00	2-20	8751007000	779.00	12-2	A9F73125	45.00	1-1
13979	172.00	1-5	33615	1,499.00	2-6	48511	1,310.00	2-20	8751009000	1,000.00	12-2	A9F73132	45.00	1-1
13981	453.00	1-5	33616	1,499.00	2-6	48514	1,310.00	2-20	8751011000	779.00	12-2	A9F73140	61.00	1-1
13982	552.00	1-5	33617	1,499.00	2-6	48527	7,130.00	2-20	8751015000	779.00	12-2	A9F73150	61.00	1-1
13983	682.00	1-5	33622	1,703.00	2-7	48536	485.00	2-21	8751019000	1,250.00	12-2	A9F73163	61.00	1-1
13984	845.00	1-5	33623	2,271.00	2-7	48539	188.00	2-21	8751021000	1,154.00	12-2	A9F73206	199.00	1-1
13985	866.00	1-5	33648	246.00	2-7	48541	485.00	2-21	8751025000	1,115.00	12-2	A9F73210	199.00	1-1
13986	1,097.00	1-5	33659	394.00	2-7	48542	1,207.00	2-21	8751029000	1,569.00	12-2	A9F73216	199.00	1-1
13987	1,548.00	1-5	33661	1,718.00	2-5	48543	1,562.00	2-21	8751035000	1,683.00	12-2	A9F73220	199.00	1-1
15335	312.00	1-5	33662	1,718.00	2-5	48545	604.00	2-21	8751039000	2,185.00	12-2	A9F73225	199.00	1-1
15336	415.00	1-5	33664	1,718.00	2-5	48545-2L1K	1,582.00	2-21	8770003000	1,690.00	12-2	A9F73232	199.00	1-1
15366	623.00	1-5	33668	1,718.00	2-5	48545-3L2K	2,307.00	2-21				A9F73240	216.00	1-1
16314	2,096.00	1-4	33670	1,718.00	2-5	48545-5L3K	3,844.00	2-21	<b>9</b>			A9F73250	216.00	1-1
16315	2,096.00	1-4	33671	1,718.00	2-5	48547	1,207.00	2-21	9160080000	154.00	12-2	A9F73263	216.00	1-1
16316	727.00	1-4	33673	1,718.00	2-5	48554	1,391.00	2-21	9160100000	154.00	12-2	A9F73306	323.00	1-1
16317	2,018.00	1-4	33682	1,696.00	2-20	48564	112.00	2-21	9160150000	154.00	12-2	A9F73310	323.00	1-1
16329	3,389.00	1-4	33685	1,696.00	2-20	48565	1,207.00	2-21	9160200000	210.00	12-2	A9F73316	323.00	1-1
16330	5,001.00	1-4	33718	1,315.00	2-20	48566	1,562.00	2-21	9170300000	1,144.00	12-2	A9F73320	323.00	1-1
16331	7,960.00	1-4	33722	270.00	2-9	48568	604.00	2-21	9170400000	1,619.00	12-2	A9F73325	323.00	1-1
16332	9,654.00	1-4	33727	6,177.00	2-9	48579	781.00	2-21	9170500000	3,313.00	12-2	A9F73332	323.00	1-1
16360	2,820.00	1-4	33725	7,415.00	2-9	48580	781.00	2-21	990NAA26320	506.00	11-2	A9F73340	369.00	1-1
16361	4,321.00	1-4	33726	7,847.00	2-9	48582	295.00	2-21				A9F73350	369.00	1-1
16362	6,890.00	1-4	33727	9,517.00	2-9	48595	437.00	2-21	<b>A</b>			A9F73363	369.00	1-1
16363	8,517.00	1-4	33763	430.00	2-9	48596	539.00	2-21	A9A26476	323.00	1-3	A9F73406	533.00	1-1
			33764	491.00	2-9	48603	560.00	2-21	A9A26924	246.00	1-3	A9F73410	533.00	1-1
			33767	655.00	2-21	48604	1,967.00	2-21	A9A26927	265.00	1-3	A9F73416	533.00	1-1
			33768	394.00	2-7	48605	708.00	2-21	A9A26929	313.00	1-3	A9F73420	533.00	1-1
26970	102.00	1-3	33799	424.00	2-5	48608	10,723.00	2-22	A9A26947	321.00	1-3	A9F73425	533.00	1-1
27145	419.00	1-3	33800	424.00	2-5	48609	10,723.00	2-22	A9A26948	321.00	1-3	A9F73432	533.00	1-1
28900	512.00	2-23	33801	424.00	2-5	48610	10,723.00	2-22	A9A26949	828.00	1-3	A9F73435	576.00	1-1
28901	555.00	2-23	33852	2,224.00	2-22	48612	5,470.00	2-22	A9A26960	321.00	1-3	A9F73440	576.00	1-1
28902	590.00	2-23	33855	1,855.00	2-22	48614	4,822.00	2-21	A9A26970	315.00	1-3	A9F73450	576.00	1-1
28903	651.00	2-23	33857	614.00	2-9	48616	73.00	2-24	A9A27049	287.00	1-6	A9F73463	576.00	1-1
28904	654.00	2-23	33863	833.00	2-6	48619	123.00	2-24	A9C15405	312.00	1-6	A9F74106	42.00	1-1
28905	744.00	2-23	33868	123.00	2-6	48620	239.00	2-24	A9C15410	216.00	1-6	A9F74110	42.00	1-1
28908	837.00	2-23	33869	563.00	2-6	48626	99.00	2-24	A9C15413	355.00	1-6	A9F74116	42.00	1-1
28909	932.00	2-23	33871	563.00	2-6	48627	155.00	2-24	A9C15414	299.00	1-6	A9F74120	42.00	1-1
28910	913.00	2-23	33878	896.00	2-6	48643	138.00	2-24	A9C30012	600.00	1-6	A9F74125	42.00	1-1
28911	1,002.00	2-23	33879	1,267.00	2-6	48644	169.00	2-24	A9C30111+A9C32116	299.00	1-6	A9F74132	42.00	1-1
28912	1,020.00	2-23	33899	435.00	2-6				A9C30112	299.00	1-6	A9F74140	57.00	1-1
28913	1,101.00	2-23	33902	804.00	2-6	<b>5</b>			A9C30115	299.00	1-6	A9F74150	57.00	1-1
28959	115.00	2-23	33904	1,605.00	2-6	54440	2,038.00	2-16	A9C30211+A9C32216	600.00	1-6	A9F74163	57.00	1-1
29370	91.00	2-6	34035	5,274.00	2-22	54444	2,038.00	2-7	A9C30212	299.00	1-6	A9F74206	181.00	1-1
			34036	6,323.00	2-22				A9C30311	221.00	1-6	A9F74210	181.00	1-1
29450	223.00	2-5	33492ATSS	50,030.00	2-4				A9C30311+A9C32316	600.00	1-6	A9F74216	181.00	1-1
29450 + LV429451	280.00	2-5	33493ATSS	68,670.00	2-4				A9C30312	299.00	1-6	A9F74220	181.00	1-1
29470	9,730.00	2-4	33494ATSS	74,848.00	2-4				A9C30811+A9C32816	600.00	1-6	A9F74225	181.00	1-1
29471	9,730.00	2-4	33495ATSS	88,801.00	2-4	<b>6</b>			A9C30812	299.00	1-6	A9F74232	181.00	1-1
29472	12,164.00	2-4	<b>4</b>						A9C30812+A9C32816	678.00	1-6	A9F74240	198.00	1-1
29473	12,164.00	2-4	42888-2L1K	399.00	2-6	61003	28.00	1-2	A9C30831	299.00	1-6	A9F74250	198.00	1-1
2*47926 + 1*33209	5,741.00	2-22	47074	1,184.00	2-6	61005	28.00	1-2	A9C30831+2*A9C32836	1,057.00	1-6	A9F74263	198.00	1-1
			47342	84.00	2-20	61006	28.00	1-2	A9C30831+3*A9C32836	1,436.00	1-6	A9F74306	293.00	1-1
			47350	713.00	2-20	61007	28.00	1-2	A9C30831+A9C32836	678.00	1-6	A9F74310	293.00	1-1
31052	361.00	2-23	47353	1,310.00	2-20	61008	28.00	1-2	A9C32016	379.00	1-6	A9F74316	293.00	1-1
31102	1,358.00	2-23	47360	1,310.00	2-20	61009	28.00	1-2	A9C32116	379.00	1-6	A9F74320	293.00	1-1
31103	1,474.00	2-23	47363	1,310.00	2-20	61010	39.00	1-2	A9C32216	379.00	1-6	A9F74325	293.00	1-1
31106	1,416.00	2-23	47370	1,310.00	2-20	61011	39.00	1-2	A9C32316	379.00	1-6	A9F74330	293.00	1-1
31107	1,532.00	2-23	47373	1,310.00	2-20	61015	133.00	1-2	A9C32836	379.00	1-6	A9F74340	337.00	1-1
31108	2,369.00	2-23	47380	1,310.00	2-20	61016	133.00	1-2	A9C33111	421.00	1-6	A9F74350	337.00	1-1
31109	2,802.00	2-23	47383	1,310.00	2-20	61017	133.00	1-2	A9C33211	421.00	1-6	A9F74363	337.00	1-1
31110	2,526.00	2-23	47406	5,563.00	2-22	61018	133.00	1-2	A9C62210	5,064.00	1-3	A9F74406	486.00	1-1
31111	2,984.00	2-23	47849	84.00	2-20	61019	133.00	1-2	A9C62216	5,064.00	1-3	A9F74410	486.00	1-1
31112	3,683.00	2-23	47887	1,122.00	2-20	61020	133.00	1-2	A9C62225	5,064.00	1-3	A9F74416	486.00	1-1
31113	4,234.00	2-23	48134	1,007.00	2-20	61021	145.00	1-2	A9C62240	5,210.00	1-3	A9F74420	486.00	1-1
31114	4,089.00	2-23	48135	1,918.00	2-20	61022	145.00	1-2	A9C62263	5,224.00	1-3	A9F74425	486.00	1-1
31115	4,736.00	2-23	48139	1,007.00	2-20	61023	145.00	1-2	A9C62310	5,496.00	1-3	A9F74432	486.00	1-1
31288	464.00	2-23	48140	1,918.00	2-20									

Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page
A9F84110	67.00	1-1	ABL2REM24065K	232.00	10-5	ATV212HD15N4	10,672.00	7-4	B10008R	281.00	1-9	B84400	4,606.00	2-25
A9F84116	67.00	1-1	ABL2REM24085K	335.00	10-5	ATV212HD18N4	13,498.00	7-4	B10010R	315.00	1-9	B84500	6,073.00	2-25
A9F84120	67.00	1-1	ABL2REM24100K	381.00	10-5	ATV212HD22N4	17,523.00	7-4	B10012R	376.00	1-9	B84630	6,646.00	2-25
A9F84125	67.00	1-1	ABL2REM24150K	432.00	10-5	ATV212HD30N4	19,995.00	7-4	B10014R	414.00	1-9	BF10-006	212.00	1-7
A9F84132	67.00	1-1	ABL6TS02B	378.00	10-5	ATV212HD37N4	22,586.00	7-4	B10016R	458.00	1-9	BF10-008	250.00	1-7
A9F84140	93.00	1-1	ABL6TS04B	402.00	10-5	ATV212HD45N4	28,852.00	7-4	B10044R	298.00	1-9	BF10-010	281.00	1-7
A9F84150	93.00	1-1	ABL6TS06B	494.00	10-5	ATV212HD55N4	35,117.00	7-4	B10084R	366.00	1-9	BF10-012	335.00	1-7
A9F84163	93.00	1-1	ABL6TS10B	530.00	10-5	ATV212HD75N4	42,951.00	7-4	B10104R	403.00	1-9	BF10-014	369.00	1-7
A9F84206	306.00	1-1	ABL6TS16B	677.00	10-5	ATV212HU15N4	3,526.00	7-4	B10106R	439.00	1-9	BF10-016	407.00	1-7
A9F84210	306.00	1-1	ABL6TS25B	852.00	10-5	ATV212HU22N4	3,867.00	7-4	B10202R	247.00	1-9	BF10-017	505.00	1-7
A9F84216	306.00	1-1	ABL7RM24025	1,387.00	10-4	ATV212HU30N4	4,452.00	7-4	B10303R	269.00	1-9	BF10-022	219.00	1-7
A9F84220	306.00	1-1	ABL7RP1205	1,943.00	10-4	ATV212HU40N4	5,134.00	7-4	B12104RM160	1,386.00	1-9	BF10-033	240.00	1-7
A9F84225	306.00	1-1	ABL7RP4803	1,895.00	10-4	ATV212HU55N4	5,925.00	7-4	B12104RM250	1,456.00	1-9	BF10-044	266.00	1-7
A9F84232	306.00	1-1	ABL8DCC05060	1,284.00	10-4	ATV212HU75N4	6,467.00	7-4	B12106RM160	1,538.00	1-9	BF10-064	315.00	1-7
A9F84240	335.00	1-1	ABL8DCC12020	1,284.00	10-4	ATV212W075N4	4,322.00	7-4	B12106RM250	1,621.00	1-9	BF10-084	326.00	1-7
A9F84250	335.00	1-1	ABL8MEM05040	1,041.00	10-4	ATV212W11N4	14,664.00	7-4	B12108RM160	1,725.00	1-9	BF10-086	360.00	1-7
A9F84263	335.00	1-1	ABL8MEM12020	1,041.00	10-4	ATV212W15N4	16,757.00	7-4	B12108RM250	1,855.00	1-9	BF10-104	360.00	1-7
A9F84306	499.00	1-1			11-3	ATV212WD18N4	19,713.00	7-4	B12110RM160	2,080.00	1-9	BF12-004	1,233.00	1-7
A9F84310	499.00	1-1	ABL8MEM24003	652.00	10-4	ATV212WD22N4	23,192.00	7-4	B12110RM250	2,184.00	1-9	BF12-006	1,421.00	1-7
A9F84316	499.00	1-1	ABL8MEM24006	730.00	10-4	ATV212WD30N4	25,994.00	7-4	B12112RM160	2,549.00	1-9	BF12-008	1,648.00	1-7
A9F84320	499.00	1-1	ABL8MEM24012	1,041.00	2-7	ATV212WD37N4	30,013.00	7-4	B12112RM250	2,636.00	1-9	BF12-010	1,901.00	1-7
A9F84325	499.00	1-1			2-17	ATV212WD45N4	39,155.00	7-4	B12114RM160	2,741.00	1-9	BF12-012	2,464.00	1-7
A9F84332	499.00	1-1			10-4	ATV212WD55N4	40,093.00	7-4	B12114RM250	2,832.00	1-9	BF12-014	2,903.00	1-7
A9F84340	570.00	1-1			11-3	ATV212WD75N4	51,826.00	7-4	B12116RM160	2,935.00	1-9	BF12-016	3,285.00	1-7
A9F84350	570.00	1-1	ABL8REM24030	1,440.00	10-4	ATV212WU15N4	4,531.00	7-4	B12116RM250	3,025.00	1-9	BF12-018	3,433.00	1-7
A9F84363	570.00	1-1	ABL8REM24050	1,682.00	10-4	ATV212WU22N4	5,209.00	7-4	B12118RM160	3,129.00	1-9	BF12-020	5,093.00	1-7
A9F84406	824.00	1-1	ABL8RPM24200	4,074.00	10-4	ATV212WU30N4	5,975.00	7-4	B12118RM250	3,218.00	1-9	BF12-022	6,079.00	1-7
A9F84410	824.00	1-1	ABL8RPS24030	1,843.00	10-4	ATV212WU40N4	6,675.00	7-4	B12120RM160	4,070.00	1-9	BF12-024	6,900.00	1-7
A9F84416	824.00	1-1	ABL8RPS24050	2,051.00	10-4	ATV212WU55N4	7,344.00	7-4	B12120RM250	4,070.00	1-9	BF12-104SD	1,297.00	1-8
A9F84420	824.00	1-1	ABL8RPS24100	2,681.00	10-4	ATV212WU75N4	8,644.00	7-4	B12122RM160	4,843.00	1-9	BF12-104SDRM160	1,236.00	1-8
A9F84425	824.00	1-1	ABL8RPS24200	3,895.00	10-4	ATV320D11N4B	7,986.00	7-5	B12122RM250	4,843.00	1-9	BF12-104SDTN	1,492.00	1-8
A9F84432	824.00	1-1	ABL8RPS24400	6,516.00	10-4	ATV320D15N4B	9,616.00	7-5	B17104R	844.00	1-7	BF12-104SDTNRM160	1,420.00	1-8
A9F84440	887.00	1-1	ABT7PDU004B	470.00	10-5	ATV320U02M2B	2,530.00	7-5	B17106R	908.00	1-7	BF12-106SD	1,445.00	1-8
A9F84450	887.00	1-1	ABT7PDU006B	510.00	10-5	ATV320U02M2C	1,779.00	7-5	B17108R	1,032.00	1-7	BF12-106SDRM160	1,371.00	1-8
A9F84463	887.00	1-1	ABT7PDU010B	527.00	10-5	ATV320U04M2B	2,732.00	7-5	B17110R	1,208.00	1-7	BF12-106SDTN	1,667.00	1-8
A9L00002	627.00	1-4	ABT7PDU016B	609.00	10-5	ATV320U04M2C	2,027.00	7-5	B17112R	1,342.00	1-7	BF12-106SDTNRM160	1,587.00	1-8
A9L08012	396.00	1-4	AG13U000	838.00	10-5	ATV320U04N4B	2,789.00	7-5	B17114R	1,476.00	1-7	BF12-108SD	1,654.00	1-8
A9L08501	1,240.00	1-4	AG13U020	280.00	12-1	ATV320U04N4C	2,470.00	7-5	B17116R	1,676.00	1-7	BF12-108SDRM160	1,538.00	1-8
A9L08601	2,169.00	1-4	AG13U020	340.00	12-1	ATV320U06M2B	2,853.00	7-5	B17118R	1,947.00	1-7	BF12-108SDTN	2,198.00	1-8
A9L16292	1,970.00	1-4	AH13U000	280.00	12-1	ATV320U06M2C	2,132.00	7-5	B17120R	2,121.00	1-7	BF12-108SDTNRM160	2,093.00	1-8
A9L16294	4,158.00	1-4	AH13U020	340.00	12-1	ATV320U06N4B	2,955.00	7-5	B17122R	2,283.00	1-7	BF12-110SD	1,946.00	1-8
A9L16295	1,707.00	1-4	AR1MA01	680.00	10-3	ATV320U06N4C	2,618.00	7-5	B31202	5,762.00	2-29	BF12-110SDRM160	1,854.00	1-8
A9L16297	2,846.00	1-4	AR1MB01	1,368.00	10-3	ATV320U07M2B	2,930.00	7-5	B31204	6,890.00	2-29	BF12-110SDTN	2,696.00	1-8
A9L16298	1,676.00	1-4	AR1SC02	2.00	10-3	ATV320U07M2C	2,217.00	7-5	B31206	8,012.00	2-29	BF12-110SDTNRM160	2,566.00	1-8
A9L16300	2,738.00	1-4	AR1SC03	1.00	10-3	ATV320U07N4B	3,103.00	7-5	B31208	9,139.00	2-29	BF12-112SD	2,350.00	1-8
A9L16310	523.00	1-4	ATS01N103FT	1,064.00	7-1	ATV320U07N4C	2,626.00	7-5	B31210	10,261.00	2-29	BF12-112SDRM160	2,273.00	1-8
A9L16311	412.00	1-4	ATS01N106FT	1,320.00	7-1	ATV320U11M2B	3,019.00	7-5	B31212	11,387.00	2-29	BF12-112SDTN	3,415.00	1-8
A9L16312	396.00	1-4	ATS01N109FT	1,579.00	7-1	ATV320U11M2C	2,541.00	7-5	B31214	12,513.00	2-29	BF12-112SDTNRM160	3,252.00	1-8
A9L16313	627.00	1-4	ATS01N112FT	1,852.00	7-1	ATV320U11N4B	3,258.00	7-5	B31216	13,634.00	2-29	BF12-114SD	2,525.00	1-8
A9L20102	412.00	1-4	ATS01N206QN	1,974.00	7-1	ATV320U11N4C	2,752.00	7-5	B31402	7,863.00	2-29	BF12-114SDRM160	2,444.00	1-8
A9L20500	1,022.00	1-4	ATS01N209QN	2,247.00	7-1	ATV320U15M2B	3,312.00	7-5	B31404	9,910.00	2-29	BF12-114SDTN	3,745.00	1-8
A9L20501	1,278.00	1-4	ATS01N212QN	2,508.00	7-1	ATV320U15M2C	2,837.00	7-5	B31406	10,261.00	2-29	BF12-114SDTNRM160	3,567.00	1-8
A9L20600	1,789.00	1-4	ATS01N222QN	3,157.00	7-1	ATV320U15N4B	3,421.00	7-5	B31408	12,062.00	2-29	BF12-116SD	2,696.00	1-8
A9L20601	2,235.00	1-4	ATS01N232QN	3,689.00	7-1	ATV320U15N4C	2,910.00	7-5	B31410	13,410.00	2-29	BF12-116SDRM160	2,615.00	1-8
A9L40102	523.00	1-4	ATS22C11Q	12,559.00	7-1	ATV320U22M2B	3,887.00	7-5	B31412	14,761.00	2-29	BF12-116SDTN	3,809.00	1-8
A9L40500	1,447.00	1-4	ATS22C14Q	14,272.00	7-1	ATV320U22M2C	3,298.00	7-5	B31414	16,109.00	2-29	BF12-116SDTNRM160	3,627.00	1-8
A9L40501	1,552.00	1-4	ATS22C17Q	16,733.00	7-1	ATV320U22N4B	3,581.00	7-5	B31416	17,461.00	2-29	BF12-118SD	2,869.00	1-8
A9L40600	3,256.00	1-4	ATS22C21Q	21,146.00	7-1	ATV320U22N4C	3,581.00	7-5	B31602	9,139.00	2-29	BF12-118SDRM160	2,790.00	1-8
A9L40601	3,581.00	1-4	ATS22C25Q	23,750.00	7-1	ATV320U30N4B	4,287.00	7-5	B31604	10,714.00	2-29	BF12-118SDTN	3,962.00	1-8
A9L65102	627.00	1-4	ATS22C32Q	27,151.00	7-1	ATV320U30N4C	4,287.00	7-5	B31606	12,288.00	2-29	BF12-118SDTNRM160	3,773.00	1-8
A9L65501	2,073.00	1-4	ATS22C41Q	30,529.00	7-1	ATV320U40N4B	4,310.00	7-5	B31608	13,862.00	2-29	BF12-120SD	3,802.00	1-8
A9L65601	3,685.00	1-4	ATS22C48Q	37,322.00	7-1	ATV320U40N4C	4,310.00	7-5	B31610	15,438.00	2-29	BF12-120SDRM160	3,802.00	1-8
A9MEM2010	1,100.00	4-1	ATS22C59Q	47,795.00	7-1	ATV320U55N4B	5,802.00	7-5	B31612	17,010.00	2-29	BF12-122SD	4,523.00	1-8
A9MEM2055	1,200.00	4-1	ATS22D17Q	5,588.00	7-1	ATV320U75N4B	6,300.00	7-5	B31614	18,586.00	2-29	BF12-122SDRM160	4,523.00	1-8
A9MEM2150	2,850.00	4-1	ATS22D32Q	5,787.00	7-1	ATV630C11N4	76,105.00	7-7	B31616	20,161.00	2-29	BF12-124SD	5,122.00	1-8
A9MEM3155	2,300.00	4-1	ATS22D47Q	7,333.00	7-1	ATV630C13N4	87,672.00	7-7	B32100X	533.00	2-29	BF12-124SDRM160	5,122.00	1-8
A9MEM3165	2,680.00	4-1	ATS22D62Q	8,781.00	7-1	ATV630C16N4	101,960.00	7-7	B32109	230.00	2-29	BF17-004	881.00	1-7
A9MEM3355	2,900.00	4-1	ATS22D75Q	9,865.00	7-1	ATV630C22N4	123,266.00	7-7	B32250X	-829.00	2-29	BF17-006	1,081.00	1-7
A9MEM3365	3,300.00	4-1	ATS22D88Q	10,061.00	7-1	ATV630C25N4	141,241.00	7-7	B32400X	1,968.00	2-29	BF17-008	1,211.00	1-7
A9N18357	390.00	1-2	ATS48C11Q	14,557.00	7-2	ATV630C31N4	174,980.00	7-7	B39001	142.00	2-29	BF17-010	1,369.00	1-7
A9N18358	430.00	1-2	ATS48C14Q	16,741										

# Index

Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	
BF3-0404250	5,719.00	2-26	BF3-1824SD250	35,311.00	2-27	DL6BB	256.00	8-8	GB2CD21	224.00	6-4	HAFNTK	AN	16,749.00	2-13
BF3-0406250	6,898.00	2-26	BF3-2100	508.00	2-28	DL6BM	256.00	8-8	GB2CD22	224.00	6-4	HAGNTJ	AN	16,135.00	2-13
BF3-0408250	8,475.00	2-26	BF3-2100TN	508.00	2-28	DZ5CA010	1.00	10-3	GF1610B7	212.00	6-22	HAGNTK	AN	19,924.00	2-13
BF3-0410250	9,656.00	2-26	BF3-2109	218.00	2-28	DZ5CA015	1.00	10-3	GF1610E7	212.00	6-22	HAHNTJ	AN	16,135.00	2-13
BF3-0412250	10,841.00	2-26	BF3-2250	789.00	2-28	DZ5CA042	2.00	10-3	GF1610F7	212.00	6-22	HAHNTK	AN	19,924.00	2-13
BF3-0414250	12,024.00	2-26	BF3-2250TN	789.00	2-28	DZ5CA062	2.00	10-3	GF1610M7	212.00	6-22	HAINJT	AN	20,785.00	2-13
BF3-0416250	13,205.00	2-26	BF3-2400	1,874.00	2-28	DZ5CA102	3.00	10-3	GF1610U7	212.00	6-22	HAINTK	AN	26,126.00	2-13
BF3-0418250	14,965.00	2-26	BF3-2400TN	1,874.00	2-28	DZ5CA162	3.00	10-3	GF1611B7	244.00	6-22	HAJNTJ	AN	23,835.00	2-13
BF3-0420250	15,919.00	2-26	BF39001	124.00	2-28	DZ5CA253	4.00	10-3	GF1611E7	244.00	6-22	HAJNTK	AN	30,185.00	2-13
BF3-0422250	17,276.00	2-26	BF39003	124.00	2-28	DZ5CE005	1.00	10-3	GF1611F7	244.00	6-22	HGA3600S15		2,616.00	2-30
BF3-0424250	18,817.00	2-26	BLRCH182A218B44	1,651.00	3-1	DZ5CE010	1.00	10-3	GF1611M7	244.00	6-22	HGA36020		1,744.00	2-30
BF3-0604250	6,898.00	2-26	BLRCH200A240B44	1,676.00	3-1	DZ5CE015	1.00	10-3	GF1611U7	244.00	6-22	HGA36025		1,744.00	2-30
BF3-0606250	8,281.00	2-26	BLRCH225A300B44	1,803.00	3-1	DZ5CE025	1.00	10-3	GF1620B7	259.00	6-22	HGA36030		1,744.00	2-30
BF3-0608250	9,656.00	2-26	BLRCH285A342B44	1,858.00	3-1	DZ5CE0253	1.00	10-3	GF1620E7	259.00	6-22	HGA36035		1,744.00	2-30
BF3-0610250	11,036.00	2-26	BLRCH315A378B44	2,329.00	3-1				GF1620F7	259.00	6-22	HGA36040		1,744.00	2-30
BF3-0612250	12,363.00	2-26	BLRCH335A401B44	2,399.00	3-1				GF1620M7	259.00	6-22	HGA36045		1,744.00	2-30
BF3-0614250	13,794.00	2-26	BLRCS150A180B40	845.00	3-1	EBX510	9,925.00	4-1	GF1620U7	259.00	6-22	HGA36050		1,744.00	2-30
BF3-0616250	15,174.00	2-26	BLRCS167A200B40	929.00	3-1	EGX150	5,392.00	4-1	GV1G02	33.00	6-3	HGA36055		1,744.00	2-30
BF3-0618250	16,736.00	2-26	BLRCS200A240B40	1,017.00	3-1	EZADINR	58.00	2-11	GV1G09	129.00	6-3	HGA36070		1,744.00	2-30
BF3-0620250	18,403.00	2-26	BLRCS222A266B40	1,038.00	3-1	EZAFASB2	37.00	2-11	GV1G10	31.00	6-3	HGA36080		1,744.00	2-30
BF3-0622250	20,139.00	2-26	BLRCS250A300B40	1,062.00	3-1	EZALOCK	48.00	2-11	GV2G05	171.00	6-3	HGA36090		1,744.00	2-30
BF3-0624250	21,875.00	2-26	BLRCS277A332B40	1,160.00	3-1	EZALUG0502	72.00	2-11	GV2G245	61.00	6-3	HGA36100		1,744.00	2-30
BF3-0804250	10,362.00	2-26	BMXXCAUSBH018	1,131.00	11-1	EZALUG0503	77.00	2-11	GV2G254	61.00	6-3	HGA36110		2,300.00	2-30
BF3-0806250	12,336.00	2-26			11-2	EZALUG1002	72.00	2-11	GV2G272	89.00	6-3	HGA36125		2,300.00	2-30
BF3-0808250	14,310.00	2-26			11-7	EZALUG1003	77.00	2-11	GV2G345	68.00	6-3	HGL36015		1,717.00	2-31
BF3-0810250	16,284.00	2-26				EZAROTDS	257.00	2-11	GV2G354	84.00	6-3	HGL36020		1,717.00	2-31
BF3-0812250	18,292.00	2-26	<b>C</b>			EZAROTE	357.00	2-11	GV2G445	89.00	6-3	HGL36025		1,717.00	2-31
BF3-0814250	20,266.00	2-26	CA2KN22**	137.00	6-19	EZASHT100AC	320.00	2-11	GV2G452	179.00	6-3	HGL36030		1,717.00	2-31
BF3-0816250	22,240.00	2-26	CA2KN31**	137.00	6-19	EZASHT200AC	320.00	2-11	GV2G474	370.00	6-3	HGL36035		1,717.00	2-31
BF3-0818250	24,180.00	2-26	CA2KN40**	137.00	6-19	EZASHT380AC	320.00	2-11	GV2G554	97.00	6-3	HGL36040		1,717.00	2-31
BF3-0820250	26,154.00	2-26	CA3KN22**	180.00	6-19	EZASSCR	37.00	2-11	GV2LE07	298.00	6-2	HGL36045		1,717.00	2-31
BF3-0822250	28,269.00	2-26	CA3KN31**	180.00	6-19	EZATSHD3P	61.00	2-11	GV2LE08	298.00	6-2	HGL36050		1,717.00	2-31
BF3-0824250	30,243.00	2-26	CA3KN40**	180.00	6-19	EZAUVR110AC	749.00	2-11	GV2LE10	298.00	6-2	HGL36055		1,717.00	2-31
BF3-12045D	6,033.00	2-27	CAD32**(AC)	165.00	6-19	EZAUVR200AC	749.00	2-11	GV2LE14	319.00	6-2	HGL36060		1,717.00	2-31
BF3-12045DTN	7,970.00	2-28	CAD32**(DC)	224.00	6-19	EZAUVR277AC	749.00	2-11	GV2LE16	319.00	6-2	HGL36070		1,717.00	2-31
BF3-1206SD	7,017.00	2-27	CAD50**(AC)	165.00	6-19	EZAUVR380AC	749.00	2-11	GV2LE20	371.00	6-2	HGL36080		1,717.00	2-31
BF3-1206SDTN	9,494.00	2-28	CAD50**(DC)	224.00	6-19	EZAUVR440AC	749.00	2-11	GV2LE22	371.00	6-2	HGL36090		1,717.00	2-31
BF3-1208SD	8,003.00	2-27	CCT15262	261.00	1-5	EZAU01	153.00	2-11	GV2LE32	602.00	6-2	HGL36100		1,717.00	2-31
BF3-1208SDTN	10,836.00	2-28	CCT15263	489.00	1-5	EZAU10	168.00	2-11	GV2ME01	356.00	6-1	HGL36110		2,192.00	2-31
BF3-1210SD	8,986.00	2-27	CCT15285	692.00	1-5	EZAU11	253.00	2-11	GV2ME02	356.00	6-1	HGL36125		2,192.00	2-31
BF3-1210SDTN	11,957.00	2-28	CCT15365	474.00	1-5	EZC100B3015	283.00	2-11	GV2ME03	356.00	6-1	HHCNTJ	NN	12,380.00	2-13
BF3-1212SD	9,973.00	2-27	CCT15369	1,218.00	1-5	EZC100B3025	283.00	2-11	GV2ME04	356.00	6-1	HHCNTK	NN	15,374.00	2-13
BF3-1212SDTN	15,026.00	2-28	CCT15441	890.00	1-5	EZC100B3020	283.00	2-11	GV2ME05	356.00	6-1	HHDNTJ	NN	12,380.00	2-13
BF3-1214SD	10,958.00	2-27	CCT15483	2,866.00	1-5	EZC100B3030	283.00	2-11	GV2ME06	356.00	6-1	HHDNTK	NN	15,374.00	2-13
BF3-1214SDTN	16,586.00	2-28	CCT15551	1,205.00	1-5	EZC100B3040	283.00	2-11	GV2ME07	356.00	6-1	HHENTJ	NN	12,380.00	2-13
BF3-1216SD	11,940.00	2-27	CCT15854	980.00	1-5	EZC100B3050	283.00	2-11	GV2ME08	356.00	6-1	HHENTK	NN	18,549.00	2-13
BF3-1216SDTN	18,344.00	2-28	CCT15940	3,770.00	1-5	EZC100H2016	283.00	2-11	GV2ME09	356.00	6-1	HHFNTJ	NN	12,380.00	2-13
BF3-1218SD	13,651.00	2-27	CCT16364	276.00	1-5	EZC100H2020	268.00	2-11	GV2ME10	411.00	6-1	HHFNTK	NN	15,374.00	2-13
BF3-1218SDTN	18,797.00	2-28				EZC100H2025	268.00	2-11	GV2ME14	411.00	6-1	HHGNTJ	NN	14,760.00	2-13
BF3-1220SD	15,284.00	2-27				EZC100H2100	268.00	2-11	GV2ME16	411.00	6-1	HHGNTK	NN	18,549.00	2-13
BF3-1222SD	17,114.00	2-27	DF101	32.00	6-21	EZC100H2100	268.00	2-11	GV2ME20	457.00	6-1	HHHNTJ	NN	14,760.00	2-13
BF3-1224SD	18,507.00	2-27	DF101V	95.00	6-21	EZC100H2200	268.00	2-11	GV2ME21	411.00	6-1	HHHNTK	NN	18,549.00	2-13
BF3-14045SD250	7,802.00	2-27	DF103	152.00	6-21	EZC100H2050	268.00	2-11	GV2ME22	457.00	6-1	HHINTJ	NN	19,410.00	2-13
BF3-14045SDTN250	10,004.00	2-28	DF103V	308.00	6-21	EZC100H2060	297.00	2-11	GV2ME32	606.00	6-1	HHINTK	NN	24,751.00	2-13
BF3-1406SD250	8,986.00	2-27	DF10AP	18.00	6-21	EZC100H2075	353.00	2-11	GV2P01	593.00	6-1	HHJNTJ	NN	22,460.00	2-13
BF3-1406SDTN250	11,788.00	2-28	DF10AP	18.00	6-21	EZC100H2080	353.00	2-11	GV2P02	593.00	6-1	HHJNTK	NN	28,810.00	2-13
BF3-1408SD250	10,562.00	2-27	DF141	104.00	6-21	EZC100H2100	353.00	2-11	GV2P03	646.00	6-1	HJA36020		2,318.00	2-30
BF3-1408SDTN250	13,423.00	2-28	DF141V	135.00	6-21	EZC100H2100	353.00	2-11	GV2P04	646.00	6-1	HJA36025		2,318.00	2-30
BF3-1410SD250	11,743.00	2-27	DF143C	357.00	6-21	EZC100H3015	597.00	2-11	GV2P05	741.00	6-1	HJA36030		2,318.00	2-30
BF3-1410SDTN250	15,032.00	2-28	DF143VC	446.00	6-21	EZC100H3020	597.00	2-11	GV2P06	741.00	6-1	HJA36035		2,318.00	2-30
BF3-1412SD250	12,925.00	2-27	DF144P	26.00	6-21	EZC100H3025	597.00	2-11	GV2P07	741.00	6-1	HJA36040		2,318.00	2-30
BF3-1412SDTN250	18,501.00	2-28	DF14N	125.00	6-21	EZC100H3030	597.00	2-11	GV2P08	741.00	6-1	HJA36045		2,318.00	2-30
BF3-1414SD250	14,107.00	2-27	DF221	137.00	6-21	EZC100H3040	597.00	2-11	GV2P09	741.00	6-1	HJA36050		2,318.00	2-30
BF3-1414SDTN250	19,304.00	2-28	DF221V	166.00	6-21	EZC100H3050	597.00	2-11	GV2P10	741.00	6-1	HJA36055		2,318.00	2-30
BF3-1416SD250	15,291.00	2-27	DF223C	451.00	6-21	EZC100H3060	597.00	2-11	GV2P14	907.00	6-1	HJA36060		2,464.00	2-30
BF3-1416SDTN250	20,477.00	2-28	DF223CV	541.00	6-21	EZC100H3075	597.00	2-11	GV2P16	971.00	6-1	HJA36070		2,464.00	2-30
BF3-1418SD250	17,202.00	2-27	DF22AP	26.00	6-21	EZC100H3080	597.00	2-11	GV2P20	990.00	6-1	HJA36080		2,464.00	2-30
BF3-1418SDTN250	22,566.00	2-28	DF22N	164.00	6-21	EZC100H3100	597.00	2-11	GV2P21	1,019.00	6-1	HJA36090		2,464.00	2-30
BF3-1420SD250	18,263.00	2-27	DF2CA001	32.00	6-20	EZC100H3300	360.00	2-11	GV2P22	1,159.00	6-1	HJA36100		2,464.00	2-30
BF3-1422SD250	19,750.00	2-27	DF2CA002	32.00	6-20	EZC100N3020	360.00	2-11	GV3P22	1,159.00	6-1	HJA36110		2,754.00	2-30
BF3-1424SD250	21,449.00	2-27	DF2CA005	32.00	6-20	EZC100N3025	360.00	2-11	GV3L25	902.00	6-2	HJA36125		2,75	

Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page
JJA36175	4,500.00	2-30	LAD4V3E	151.00	6-13	LC1F400*(DC)	8,350.00	6-5	LE1M35Q714	385.00	6-18	LV429300	2,439.00	2-9
JJA36200	4,500.00	2-30	LAD4V3G	151.00	6-13	LC1F400**	11,200.00	6-8	LE1M35Q716	385.00	6-18	LV429329	133.00	2-7
JJA36225	4,500.00	2-30	LAD4V3U	151.00	6-13	LC1F500*(AC)	11,051.00	6-5	LE1M35Q721	385.00	6-18			2-23
JJA36250	4,500.00	2-30	LAD4VE	151.00	6-13	LC1F500*(DC)	14,735.00	6-5	LE1M35Q722	385.00	6-18	LV429337	233.00	2-6
JUL36150	4,283.00	2-31	LAD4VU	151.00	6-13	LC1F500**	14,588.00	6-8	LGA36000S40X	11,884.00	2-30			2-10
JUL36175	4,283.00	2-31	LAD6K10*	313.00	6-12	LC1F630*(AC)	14,735.00	6-5	LGA36000S60X	11,884.00	2-30	LV429338	310.00	2-6
JUL36200	4,283.00	2-31	LAD703*	390.00	6-16	LC1F630*(DC)	18,666.00	6-5	LGA36400U31X	10,414.00	2-30			2-10
JUL36225	4,283.00	2-31	LAD7B106	78.00	6-16	LC1F630**	21,364.00	6-8	LGA36600U31X	10,414.00	2-30	LV429344	132.00	2-6
JUL36250	4,283.00	2-31	LAD7C1	72.00	6-16	LC1F780*(AC)	48,146.00	6-5	LGL36400U31X	10,852.00	2-31	LV429387	452.00	2-5
			LAD7C2	75.00	6-16	LC1F780*(DC)	56,641.00	6-5	LGL36600U31X	10,852.00	2-31			2-10
<b>K</b>			LAD8N02	78.00	6-12	LC1F780**	50,976.00	6-8	LGY112510	441.00	1-5	LV429388	452.00	2-5
K1D023MCH	201.00	8-11	LAD8N11	78.00	6-12	LC1F800FW	19,888.00	6-5	LGY116013	537.00	1-5			2-10
K1D023MLH	171.00	8-11	LAD8N20	78.00	6-12	LC1F800MW	19,888.00	6-5	LGY125014	709.00	1-5	LV429390	452.00	2-5
K1D024MCH	201.00	8-11	LAD9E560	239.00	6-16	LC1K0601*(AC)	114.00	6-5	LGY140028	279.00	1-5	LV429391	452.00	2-5
K1D024MLH	171.00	8-11	LAD9R1	112.00	6-10	LC1K0610*(AC)	114.00	6-5	LGY142548	480.00	1-5			2-10
K1D033MCH	151.00	8-11	LAD9R1V	151.00	6-10	LC1K0900**	177.00	6-8	LGY142560	590.00	1-5	LV429393	452.00	2-5
K1D033MLH	151.00	8-11	LAD9R3	390.00	6-10	LC1K09008**	211.00	6-8	LGY16048	848.00	1-5	LV429403E5	5,883.00	2-2
K1D034MCH	151.00	8-11	LAD9V2	56.00	6-10	LC1K0901*(AC)	121.00	6-5	LJA36400U31X	11,884.00	2-30	LV429403E6	5,777.00	2-3
K1D034MLH	151.00	8-11	LADALLENA	109.00	6-16	LC1K0910*(AC)	121.00	6-5	LJA36600U31X	11,884.00	2-30	LV429406E5	6,328.00	2-2
K1E025MCH	212.00	8-11	LADC22	149.00	6-12	LC2D09**	476.00	6-6	LJL36400U31X	11,944.00	2-31	LV429406E6	6,222.00	2-3
K1E025MLH	187.00	8-11	LADN01	115.00	6-12	LC2D115**	5,900.00	6-6	LJL36600U31X	11,944.00	2-31	LV429407	699.00	2-5
K1E035MCH	165.00	8-11	LADN02	61.00	6-12	LC2D115004EM7	7,515.00	6-9	LP1D40008*(DC)	1,981.00	6-8	LV429408	699.00	2-5
K1E035MLH	165.00	8-11	LADN04	97.00	6-12	LC2D12**	592.00	6-6	LP1D65008*(DC)	3,006.00	6-8			2-10
K1F003MCH	259.00	8-11	LADN10	115.00	6-12	LC2D150**	7,072.00	6-6	LP1D80004*(DC)	3,126.00	6-8	LV429408E5	6,469.00	2-2
K1F003MLH	240.00	8-11	LADN11	61.00	6-12	LC2D18**	814.00	6-6	LP1D80008*(DC)	3,425.00	6-8	LV429408E6	6,532.00	2-3
K1F013MCH	259.00	8-11	LADN13	97.00	6-12	LC2D25**	1,030.00	6-6	LP1K0601*(DC)	165.00	6-5	LV429410	699.00	2-5
K1F013MLH	240.00	8-11	LADN20	61.00	6-12	LC2D32**	1,181.00	6-6	LP1K0610*(DC)	165.00	6-5	LV429411	699.00	2-5
K1F027MCH	246.00	8-11	LADN22	97.00	6-12	LC2D38**	1,400.00	6-6	LP1K0901*(DC)	180.00	6-5			2-10
K1F027MLH	236.00	8-11	LADN31	97.00	6-12	LC2D40**	2,181.00	6-6	LP1K0910*(DC)	180.00	6-5	LV429411E5	7,082.00	2-2
K1H026MCH	239.00	8-11	LADN40	97.00	6-12	LC2D50A**	2,396.00	6-6	LR2K0304	192.00	6-16	LV429411E6	7,145.00	2-3
K1H026MLH	214.00	8-11	LADS2	374.00	6-12	LC2D65A**	2,653.00	6-6	LR2K0305	192.00	6-16	LV429413	699.00	2-5
K1H036MCH	195.00	8-11	LADT0	354.00	6-12	LC2D80**	3,684.00	6-6	LR2K0306	192.00	6-16	LV429434A	3,614.00	2-5
K1H036MLH	195.00	8-11	LADT2	354.00	6-12	LC2D80004EM7	5,333.00	6-9	LR2K0307	192.00	6-16	LV429435A	3,614.00	2-5
			LADT4	369.00	6-12	LC2D80004M7	5,218.00	6-9	LR2K0308	192.00	6-16	LV429436A	4,604.00	2-5
			LADT9R1	266.00	6-10	LC2D95**	4,421.00	6-6	LR2K0310	192.00	6-16	LV429438A	4,604.00	2-5
L1A1KN02	61.00	6-13	LADT9R1V	301.00	6-10	LC2D125M7	1,047.00	6-9	LR2K0312	192.00	6-16	LV429521	1,823.00	2-7
L1A1KN04	98.00	6-13	LC1D09*(AC)	138.00	6-5	LC2D140EM7	1,486.00	6-9	LR2K0314	192.00	6-16	LV429629	824.00	2-3
L1A1KN11	61.00	6-13	LC1D09*(DC)	212.00	6-5	LC2D240M7	1,451.00	6-9	LR9D5367	1,944.00	6-15	LV429630	1,128.00	2-2
L1A1KN13	98.00	6-13	LC1D115*(AC)	1,696.00	6-5	LC2D260AM7	2,585.00	6-9	LR9D5369	1,954.00	6-15	LV429631	1,128.00	2-2
L1A1KN20	61.00	6-13	LC1D115*(DC)	2,360.00	6-5	LC2D280AM7	3,720.00	6-9	LR9D67	2,384.00	6-15	LV429632	1,128.00	2-2
L1A1KN22	98.00	6-13	LC1D115004*(AC)	3,318.00	6-8	LC2F115**22H	4,346.00	6-6	LR9D69	2,976.00	6-15	LV429633	1,128.00	2-2
L1A1KN31	98.00	6-13	LC1D115004*(DC)	4,421.00	6-8	LC2F1154M722H	8,327.00	6-9	LR9F5357	1,628.00	6-15	LV429634	1,128.00	2-2
L1A1KN40	98.00	6-13	LC1D12*(AC)	164.00	6-5	LC2F1154M722V	8,561.00	6-9	LR9F5363	1,628.00	6-15	LV429635	1,128.00	2-2
L4A0A2E	151.00	6-13	LC1D12*(DC)	260.00	6-5	LC2F150**22H	5,377.00	6-6	LR9F5367	1,597.00	6-15	LV429636	1,128.00	2-2
L4A0A2U	151.00	6-13	LC1D128*(AC)	298.00	6-8	LC2F1504M722H	9,653.00	6-9	LR9F5369	1,637.00	6-15	LV429637	1,128.00	2-2
L4A0B2B	151.00	6-13	LC1D128*(DC)	681.00	6-8	LC2F1504M722V	9,889.00	6-9	LR9F5371	1,938.00	6-15	LV429639	1,164.00	2-3
L4A0B2S	151.00	6-13	LC1D150*(AC)	2,212.00	6-5	LC2F185**22H	6,586.00	6-6	LR9F7375	2,532.00	6-15	LV429639ATSS	17,091.00	2-4
L4A0B3B	151.00	6-13	LC1D150*(DC)	2,582.00	6-5	LC2F1854M722H	11,303.00	6-9	LR9F7379	3,273.00	6-15	LV429640	1,529.00	2-2
L4A0B3S	151.00	6-13	LC1D18*(AC)	222.00	6-5	LC2F1854M722V	11,536.00	6-9	LR9F7381	4,050.00	6-15	LV429641	1,529.00	2-2
L4A0E2E	151.00	6-13	LC1D18*(DC)	415.00	6-5	LC2F225**22H	8,062.00	6-6	LRD01	196.00	6-15	LV429642	1,529.00	2-2
L4A0E2U	151.00	6-13	LC1D25*(AC)	342.00	6-5	LC2F2254M722H	13,657.00	6-9	LRD02	196.00	6-15	LV429643	1,529.00	2-2
L4A0E3E	151.00	6-13	LC1D25*(DC)	517.00	6-5	LC2F2254M722V	13,895.00	6-9	LRD03	196.00	6-15	LV429644	1,529.00	2-2
L4A0E3G	151.00	6-13	LC1D258*(AC)	665.00	6-8	LC2F265**22H	11,023.00	6-6	LRD04	196.00	6-15	LV429645	1,529.00	2-2
L4A4K1A	151.00	6-13	LC1D258*(DC)	1,282.00	6-8	LC2F2654M722H	13,763.00	6-9	LRD05	196.00	6-15	LV429646	1,529.00	2-2
L4A4E1B	151.00	6-13	LC1D32*(AC)	439.00	6-5	LC2F2654M722V	14,888.00	6-9	LRD06	196.00	6-15	LV429647	1,529.00	2-2
L4A4E1E	151.00	6-13	LC1D32*(DC)	738.00	6-5	LC2F330**22H	13,379.00	6-6	LRD07	196.00	6-15	LV429740	974.00	2-1
L4A4E1UG	151.00	6-13	LC1D38*(AC)	517.00	6-5	LC2F3304M722H	17,137.00	6-9	LRD08	196.00	6-15	LV429741	974.00	2-1
LA7D03*	564.00	6-16	LC1D38*(DC)	856.00	6-5	LC2F3304M722V	18,263.00	6-9	LRD10	196.00	6-15	LV429742	974.00	2-1
LA7D3064	251.00	6-16	LC1D4008*(AC)	1,282.00	6-8	LC2F400**22H	16,031.00	6-6	LRD12	196.00	6-15	LV429743	974.00	2-1
LA7K0064	61.00	6-16	LC1D40A*(AC)	704.00	6-5	LC2F4004M722H	22,914.00	6-9	LRD14	196.00	6-15	LV429744	974.00	2-1
LA9D11502	301.00	6-10	LC1D40A*(DC)	1,066.00	6-5	LC2F4004M722V	23,986.00	6-9	LRD16	196.00	6-15	LV429745	974.00	2-1
LA9D11569	917.00	6-10	LC1D50A*(AC)	872.00	6-5	LC2F500**22H	22,514.00	6-6	LRD21	196.00	6-15	LV429750	1,423.00	2-1
LA9D11570	826.00	6-10	LC1D50A*(DC)	1,210.00	6-5	LC2F5004M722H	29,587.00	6-9	LRD22	237.00	6-15	LV429751	1,423.00	2-1
LA9D11571	629.00	6-10	LC1D65008*(AC)	1,976.00	6-8	LC2F5004M722V	30,894.00	6-9	LRD32	254.00	6-15	LV429752	1,423.00	2-1
LA9D4002	239.00	6-10	LC1D65A*(AC)	1,114.00	6-5	LC2F630**22H	30,055.00	6-6	LRD325	449.00	6-15	LV429753	1,423.00	2-1
LA9D50978	122.00	6-10	LC1D65A*(DC)	1,676.00	6-5	LC2F6304M722H	43,315.00	6-9	LRD332	449.00	6-15	LV429754	1,423.00	2-1
LA9D511	58.00	6-12	LC1D80*(AC)	1,234.00	6-5	LC2F6304M722V	44,493.00	6-9	LRD3361	607.00	6-15	LV		

# Index

Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page
LV430775	3,149.00	2-2	LV43289AATSA	46,321.00	2-4	LV847353	1,336.00	2-14	METSEPM5110	2,408.00	4-1	NSYS3D4320P	859.00	10-1
LV430780	3,898.00	2-2	LV43289BATS	49,389.00	2-4	LV847360	1,336.00	2-14	METSEPM5320	4,013.00	4-1	NSYS3D4320T	1,157.00	10-1
LV430785	4,314.00	2-2	LV432948	7,251.00	2-1	LV847363	1,336.00	2-14	METSEPM5330	3,612.00	4-1	NSYS3D4420T	1,020.00	10-1
LV430830	1,709.00	2-1	LV432949	7,740.00	2-1	LV847370	1,336.00	2-14	METSEPM5560	5,517.00	4-1	NSYS3D4420T	1,331.00	10-1
LV430832	2,017.00	2-1	LV432956	5,119.00	2-3	LV847373	1,336.00	2-14	METSEPM8240	13,000.00	4-1	NSYS3D4620P	1,082.00	10-1
LV430840	2,215.00	2-2	LV432957	6,970.00	2-3	LV847380	1,336.00	2-14	MF1450-230F	39,000.00	12-2	NSYS3D5420P	1,090.00	10-1
LV430841	1,871.00	2-2	LV432957ATSS	39,806.00	2-4	LV847383	1,336.00	2-14	MF200-230F	12,500.00	12-2	NSYS3D5420T	1,404.00	10-1
LV430850	3,015.00	2-2	LV434000	1,122.00	2-7	LV847849SP	86.00	2-14	MF200-24F	12,500.00	12-2	NSYS3D5425P	1,181.00	10-1
LV430850ATS	20,791.00	2-4			LV847914SP	797.00	2-15	MF200-24M	19,800.00	12-2	NSYS3D5425T	1,486.00	10-1	
LV430851	2,629.00	2-2	LV434001	4,467.00	2-7	LV847926SP	2,491.00	2-16	MF2050-230F	45,000.00	12-2	NSYS3D6420P	1,182.00	10-1
LV431050	224.00	2-23	LV434002	4,521.00	2-7	LV847930SP	2,959.00	2-16	MF550-24F	18,800.00	12-2	NSYS3D6420T	1,515.00	10-1
LV431403E5	8,054.00	2-2	LV434010	4,467.00	2-17	LV847964SP	1,027.00	2-14	MF550-24M	26,000.00	12-2	NSYS3D6425P	1,188.00	10-1
LV431403E6	7,730.00	2-3	LV434011	4,521.00	2-17	LV847965SP	1,371.00	2-14	MF68-230F	9,000.00	12-2	NSYS3D6425T	1,605.00	10-1
LV431406E5	8,344.00	2-2	LV434063	5,259.00	2-7	LV847966SP	1,027.00	2-14	MF68-24F	9,000.00	12-2	NSYS3D6625P	1,576.00	10-1
LV431406E6	8,020.00	2-3			LV847967SP	1,371.00	2-14	MF68-24M	14,800.00	12-2	NSYS3D7525P	1,618.00	10-1	
LV431408E5	9,334.00	2-2	LV434128	6,941.00	2-7	LV847968SP	1,956.00	2-14	MF700-230F	14,000.00	12-2	NSYS3D7525T	1,922.00	10-1
LV431408E6	8,751.00	2-3			LV847969SP	2,606.00	2-14	MGA36700	15,755.00	2-30	NSYS3D8625P	1,831.00	10-1	
LV431411E5	9,844.00	2-2	LV434195	320.00	2-22	LV848198	1,380.00	2-14	MGA36800	15,755.00	2-30	NSYS3D8625T	2,513.00	10-1
LV431411E6	9,261.00	2-3	LV434196	346.00	2-22	LV848200	427.00	2-14	MGL36700	14,878.00	2-31	NSYS3D8630P	2,304.00	10-1
LV431535	4,200.00	2-5	LV434197	368.00	2-22	LV848212	7,273.00	2-14	MGL36800	14,878.00	2-31	NSYS3D8630T	2,696.00	10-1
LV431536	5,163.00	2-5	LV434200	460.00	2-7	LV848449	1,491.00	2-14	MJA36700	17,330.00	2-30	NSYSF1812502DP	10,126.00	10-1
LV431541A	4,300.00	2-5	LV434201	488.00	2-7	LV848452	1,491.00	2-14	MJA36800	17,330.00	2-30	NSYSF18850P	7,577.00	10-1
LV431542A	4,300.00	2-5	LV434202	515.00	2-7	LV848458	1,491.00	2-14	MJL36700	16,362.00	2-31	NSYSF201040P	8,652.00	10-1
LV431543A	5,429.00	2-5	LV434205	1,167.00	2-7	LV848461	1,491.00	2-14	MJL36800	16,362.00	2-31	NSYSF201050P	9,870.00	10-1
LV431545A	5,429.00	2-5	LV434206	2,766.00	2-7	LV848468	1,380.00	2-14				NSYSF2012502DP	10,603.00	10-1
LV431563	111.00	2-7	LV438572	1,080.00	2-1	LV848469	727.00	2-14				NSYSF20650P	7,233.00	10-1
			LV438574	1,080.00	2-1	LV848475	427.00	2-14	NS08H3FA	11,443.00	2-3	NSYSF20840P	7,757.00	10-1
LV431564	153.00	2-7	LV438576	1,080.00	2-1	LV848477SP	372.00	2-14	NS08H3FC	12,379.00	2-3	NSYSF20850P	8,910.00	10-1
			LV438578	1,080.00	2-1	LV848481	1,336.00	2-14	NS08H4FA	14,249.00	2-3	NSYSM14840P	6,552.00	10-1
LV431629	1,945.00	2-3	LV438579	1,080.00	2-1	LV848484	1,336.00	2-14	NS08H4FC	15,493.00	2-3	NSYSM14840T	8,674.00	10-1
LV431630	2,678.00	2-2	LV438580	1,080.00	2-1	LV848491	1,336.00	2-14	NS08N3FA	9,961.00	2-3	NSYSM16840P	9,387.00	10-1
LV431631	2,678.00	2-2	LV438581	1,080.00	2-1	LV848494	1,336.00	2-14	NS08N3FC	10,897.00	2-3	NSYSM16840T	8,266.00	10-1
LV431639	2,756.00	2-3	LV438582	1,178.00	2-1	LV848501	1,336.00	2-14	NS08N4FA	12,417.00	2-3	NSYSM1812402DP	11,467.00	10-1
LV431639ATSS	21,672.00	2-4	LV438583	1,178.00	2-1	LV848504	1,336.00	2-14	NS08N4FC	13,661.00	2-3	NSYSM18840P	8,635.00	10-1
LV431640	3,642.00	2-2	LV438584	1,178.00	2-1	LV848511	1,336.00	2-14	NS08N4FA	6,524.00	2-3	NSYSM18840T	9,643.00	10-1
LV431641	3,642.00	2-2	LV438585	1,178.00	2-1	LV848514	1,336.00	2-14	NS08NA4FA	8,710.00	2-3	NSYSM2012402DP	12,212.00	10-1
LV431748	2,798.00	2-1	LV438586	1,178.00	2-1	LV848527	7,273.00	2-14	NS08NATSA	52,658.00	2-4	NSYSM20840P	9,092.00	10-1
LV431752	3,173.00	2-1	LV438589	1,178.00	2-1	LV848536SP	495.00	2-15	NS08NATSC	54,882.00	2-4	NSYSM20840T	10,074.00	10-1
LV431770	3,527.00	2-2	LV438590	1,178.00	2-1	LV848539SP	192.00	2-15	NS10H3FA	17,065.00	2-3	NSYTRAAB35	4.00	10-2
LV431780	4,815.00	2-2	LV438602	874.00	2-1	LV848541SP	495.00	2-15	NS10H3FC	18,001.00	2-3	NSYTRAABV35	7.00	10-2
LV431830	2,968.00	2-2	LV438604	874.00	2-1	LV848542SP	1,231.00	2-15	NS10H4FA	23,660.00	2-3	NSYTRAC12	3.00	10-2
LV431831	2,968.00	2-2	LV438605	874.00	2-1	LV848543SP	1,593.00	2-15	NS10H4FC	24,904.00	2-3	NSYTRAC22	2.00	10-2
LV431840	4,152.00	2-2	LV438606	874.00	2-1	LV848564SP	114.00	2-15	NS10N3FA	14,813.00	2-3	NSYTRAL102	6.00	10-2
LV431840ATS	24,467.00	2-4	LV438608	874.00	2-1	LV848565SP	1,231.00	2-15	NS10N3FC	15,749.00	2-3	NSYTRAL162	8.00	10-2
LV431841	4,152.00	2-2	LV438609	874.00	2-1	LV848566SP	1,593.00	2-15	NS10N4FA	20,438.00	2-3	NSYTRAL210	16.00	10-2
LV431841ATS	23,754.00	2-4	LV438610	874.00	2-1	LV848596SP	550.00	2-15	NS10N4FC	21,682.00	2-3	NSYTRAL22	3.00	10-2
LV431870	3,817.00	2-2	LV480408C	1,018.00	2-24	LV848601SP	472.00	2-15	NS10NA3FA	10,625.00	2-3	NSYTRAL220	32.00	10-2
LV431875	5,325.00	2-2	LV480409C	1,642.00	2-24	LV848603SP	571.00	2-15	NS10NA4FA	14,334.00	2-3	NSYTRAL352	16.00	10-2
LV432403E5	9,235.00	2-2	LV480419C	1,288.00	2-24	LV848604SP	2,006.00	2-15	NS10NATSA	68,963.00	2-4	NSYTRAL410	18.00	10-2
LV432403E6	8,485.00	2-3	LV480420C	1,994.00	2-24	LV848605SP	722.00	2-15	NS10NATSC	71,188.00	2-4	NSYTRAL42	3.00	10-2
LV432408E5	10,671.00	2-2	LV480421C	1,590.00	2-24	LV848608SP	10,937.00	2-16	NS12H3FA	20,994.00	2-3	NSYTRAL420	32.00	10-2
LV432408E6	9,807.00	2-3	LV480422C	2,625.00	2-24	LV848609SP	10,937.00	2-16	NS12H3FC	21,930.00	2-3	NSYTRAL610	26.00	10-2
LV432413E5	8,878.00	2-2	LV480515C	2,067.00	2-24	LV848610SP	10,937.00	2-16	NS12H4FA	28,015.00	2-3	NSYTRAL62	6.00	10-2
LV432413E6	8,128.00	2-3	LV480516C	3,390.00	2-24	LV848611SP	4,918.00	2-15	NS12H4FC	29,259.00	2-3	NSYTRAP22	3.00	10-2
LV432415E5	10,394.00	2-2	LV480517C	2,277.00	2-24	LV850002	Standard	2-12	NS12N3FA	18,607.00	2-3	NSYTRR102	14.00	10-2
LV432415E6	9,530.00	2-3	LV480518C	3,689.00	2-24	LV850003	4,412.00	2-12	NS12N3FC	19,543.00	2-3	NSYTRR102PE	37.00	10-2
LV432455	6,358.00	2-5	LV480519C	3,321.00	2-24	LV850004	1,658.00	2-12	NS12N4FA	24,644.00	2-3	NSYTRR162	27.00	10-2
LV432456	7,320.00	2-5	LV480520C	4,716.00	2-24	LV850005	1,097.00	2-12	NS12N4FC	25,888.00	2-3	NSYTRR162PE	49.00	10-2
LV432477	1,194.00	2-6	LV480521C	6,107.00	2-24	LV850006	3,060.00	2-12	NS12NA3FA	13,590.00	2-3	NSYTRR22	5.00	10-2
LV432478	1,692.00	2-6	LV480522C	7,160.00	2-24	LV850007	3,366.00	2-12	NS12NA4FA	19,427.00	2-3	NSYTRR22PE	14.00	10-2
LV432490	369.00	2-7	LV480523C	9,398.00	2-24	LV850009	16,218.00	2-12	NS12NATSA	78,792.00	2-4	NSYTRR42	6.00	10-2
			LV480524C	12,463.00	2-24	LV850011	2,780.00	2-12	NS12NATSC	81,018.00	2-4	NSYTRR42PE	19.00	10-2
LV432491	469.00	2-7	LV480530	253.00	2-24	LV850012	2,780.00	2-12	NS16H3FA	22,686.00	2-3	NSYTRR62	9.00	10-2
			LV480532	253.00	2-24	LV850014	969.00	2-12	NS16H3FC	23,622.00	2-3	NSYTRR62PE	30.00	10-2
LV432492	432.00	2-7	LV480536	271.00	2-24	LV850015SP	283.00	2-16	NS16H4FA	29,429.00	2-3	NSYTRV102	10.00	10-2
LV43249														

Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page
QO120VSC10	85.00	1-10	RM22JA31MR	1,320.00	6-25	RXG15M7	73.00	6-29	SQDLC108-200	5,572.00	1-11	TM221CE40R	3,406.00	11-5
QO120VSC6	38.00	1-10	RM22TA33	1,547.00	6-26	RXG15ND	46.00	6-29	SQDLC110-100	2,014.00	1-11	TM221CE40T	3,406.00	11-5
QO132C06RCB030	394.00	1-10	RM22TG20	630.00	6-26	RXG15P7	73.00	6-29	SQDLC110-200	5,637.00	1-11	TM221M16R	2,428.00	11-6
QO132C10RCB030	492.00	1-10	RM22TR31	1,295.00	6-26	RXG15RD	46.00	6-29	SQDLC112-100	2,100.00	1-11	TM221M16RG	2,428.00	11-6
QO132C10RCB030F	541.00	1-10	RM22TR33	1,295.00	6-26	RXG21B7	99.00	6-29	SQDLC112-200	5,720.00	1-11	TM221M16T	2,670.00	11-6
QO132VSC10	85.00	1-10	RM22TU21	696.00	6-26	RXG21BD	71.00	6-29	SQDLC114-100	2,190.00	1-11	TM221M16TG	2,670.00	11-6
QO132VSC6	38.00	1-10	RM22TU23	696.00	6-26	RXG21E7	99.00	6-29	SQDLC114-200	5,785.00	1-11	TM221M32TK	2,773.00	11-6
QO140C06RCB030	394.00	1-10	RM22UA31MR	1,319.00	6-25	RXG21ED	71.00	6-29	SQDLC116-100	2,261.00	1-11	TM221ME16R	2,523.00	11-6
QO140C10RCB030	492.00	1-10	RM22UA32MR	1,319.00	6-25	RXG21F7	99.00	6-29	SQDLC116-200	5,871.00	1-11	TM221ME16RG	2,523.00	11-6
QO140C10RCB030F	541.00	1-10	RM22UA33MR	1,319.00	6-25	RXG21FD	71.00	6-29	SQDLC118-100	2,533.00	1-11	TM221ME16T	2,774.00	11-6
QO140VSC10	107.00	1-10	RM35JA32MR	1,425.00	6-25	RXG21GD	71.00	6-29	SQDLC118-200	6,456.00	1-11	TM221ME16TG	2,774.00	11-6
QO140VSC6	54.00	1-10	RM35JA32MT	1,425.00	6-25	RXG21M7	99.00	6-29	SQDLC120-100	2,784.00	1-11	TM221ME32TK	3,051.00	11-6
QO150C06RCB030	394.00	1-10	RMNF22TB30	979.00	6-23	RXG21ND	71.00	6-29	SQDLC120-200	7,101.00	1-11	TMACBL1	899.00	11-7
QO150C10RCB030	492.00	1-10	RSB1A120B7	32.00	6-30	RXG21P7	99.00	6-29	SR1CBL03	318.00	11-4	TMAM2	20.00	11-6
QO150C10RCB030F	541.00	1-10	RSB1A120BD	17.00	6-30	RXG21RD	71.00	6-29	SR2A101BD	810.00	11-3	TMASD1	462.00	11-6
QO150VSC10	107.00	1-10	RSB1A120E7	32.00	6-30	RXG22B7	108.00	6-29	SR2A101FU	836.00	11-3	TMATZCSET	1,096.00	11-6
QO150VSC6	54.00	1-10	RSB1A120E7	17.00	6-30	RXG22BD	82.00	6-29	SR2A201BD	1,270.00	11-3	TMATZMSET	1,217.00	11-6
QO163VSC10	107.00	1-10	RSB1A120F7	43.00	6-30	RXG22E7	108.00	6-29	SR2A201FU	1,297.00	11-3	TMATZMSETG	884.00	11-6
QO163VSC6	54.00	1-10	RSB1A120FD	29.00	6-30	RXG22ED	82.00	6-29	SR2B121B	1,406.00	11-3	TMATZPSET	450.00	11-6
QO2100MBX	277.00	1-11	RSB1A120JD	18.00	6-30	RXG22F7	108.00	6-29	SR2B121BD	938.00	11-3	TMC2AI2	562.00	11-5
QO232VSC10	206.00	1-10	RSB1A120M7	45.00	6-30	RXG22FD	82.00	6-29	SR2B121FU	964.00	11-3	TMC2AQ2C	562.00	11-5
QO232VSC6	161.00	1-10	RSB1A120ND	42.00	6-30	RXG22JD	82.00	6-29	SR2B121JD	938.00	11-3	TMC2AQ2V	562.00	11-5
QO240VSC10	264.00	1-10	RSB1A120P7	45.00	6-30	RXG22M7	108.00	6-29	SR2B122BD	1,368.00	11-3	TMC2CONV01	618.00	11-5
QO240VSC6	206.00	1-10	RSB1A120U7	50.00	6-30	RXG22ND	82.00	6-29	SR2B201B	1,406.00	11-3	TMC2HOIS01	618.00	11-5
QO263VSC10	264.00	1-10	RSB1A160B7	34.00	6-30	RXG22P7	108.00	6-29	SR2B201BD	1,404.00	11-3	TMC2PACK01	618.00	11-5
QO263VSC6	206.00	1-10	RSB1A160BD	20.00	6-30	RXG22RD	82.00	6-29	SR2B201FU	1,430.00	11-3	TMC2SL1	562.00	11-5
QO310VSC10	287.00	1-10	RSB1A160E7	34.00	6-30	RXG23B7	90.00	6-29	SR2B201JD	1,405.00	11-3	TMC2T12	562.00	11-5
QO310VSC6	212.00	1-10	RSB1A160ED	24.00	6-30	RXG23BD	62.00	6-29	SR2CBL01	537.00	11-4	TMH2GDB	1,348.00	11-6
QO316VSC10	287.00	1-10	RSB1A160F7	50.00	6-30	RXG23E7	90.00	6-29	SR2CBL06	1,257.00	6-22	TRV00121	1,785.00	2-7
QO316VSC6	212.00	1-10	RSB1A160FD	31.00	6-30	RXG23ED	62.00	6-29	SR2CBL07	477.00	11-4	TRV00217	361.00	2-7
QO320VSC10	287.00	1-10	RSB1A160JD	20.00	6-30	RXG23F7	90.00	6-29	SR2COM01	2,016.00	11-4		2-17	
QO320VSC6	212.00	1-10	RSB1A160M7	50.00	6-30	RXG23FD	62.00	6-29	SR2MEM02	230.00	11-4	TRV00803	585.00	2-7
QO332VSC10	287.00	1-10	RSB1A160ND	24.00	6-30	RXG23JD	62.00	6-29	SR2MOD01	5,479.00	11-4		2-17	
QO332VSC6	212.00	1-10	RSB1A160P7	52.00	6-30	RXG23M7	90.00	6-29	SR2MOD02	3,709.00	11-4	TRV00806	659.00	2-7
QO340VSC10	377.00	1-10	RSB1A160U7	52.00	6-30	RXG23ND	62.00	6-29	SR2PACK2BD	1,832.00	11-4		2-17	
QO340VSC6	320.00	1-10	RSB2A080B7	38.00	6-30	RXG23P7	90.00	6-29	SR2PACK2FU	1,832.00	11-4	TRV00810	538.00	2-7
QO350VSC10	377.00	1-10	RSB2A080BD	24.00	6-30	RXG23RD	62.00	6-29	SR2PACKBD	1,342.00	11-4		2-17	
QO350VSC6	320.00	1-10	RSB2A080E7	38.00	6-30	RXG25B7	86.00	6-29	SR2PACKFU	1,342.00	11-4	TRV00820	829.00	2-7
QO363VSC10	377.00	1-10	RSB2A080ED	24.00	6-30	RXG25BD	58.00	6-29	SR2SFT01	181.00	11-4		2-17	
QO363VSC6	320.00	1-10	RSB2A080F7	50.00	6-30	RXG25E7	86.00	6-29	SR2SFT02	620.00	11-4	TRV00830	1,157.00	2-7
			RSB2A080FD	38.00	6-30	RXG25ED	58.00	6-29	SR2USB01	566.00	11-4		2-17	
			RSB2A080JD	24.00	6-30	RXG25F7	86.00	6-29	SR3B101B	1,502.00	11-3	TRV00850	355.00	2-7
			RSB2A080M7	50.00	6-30	RXG25FD	58.00	6-29	SR3B101BD	1,002.00	11-3		2-17	
			RSB2A080ND	24.00	6-30	RXG25JD	58.00	6-29	SR3B101FU	1,542.00	11-3	TRV00880	290.00	2-7
			RSB2A080P7	50.00	6-30	RXG25M7	86.00	6-29	SR3B102BD	1,462.00	11-3		2-17	
			RSB2A080U7	54.00	6-30	RXG25ND	58.00	6-29	SR3B261B	1,698.00	11-3		2-17	
			RSLZ2	22.00	6-32	RXG25P7	86.00	6-29	SR3B261BD	1,698.00	11-3	VF209W-100CN	1,462.00	12-2
			RSLZ3	55.00	6-32	RXG25RD	58.00	6-29	SR3B261FU	1,725.00	11-3	VF209W-125CN	1,769.00	12-2
			RSLZ5	55.00	6-32	RXM021BN	27.00	6-27	SR3B261JD	1,698.00	11-3	VF209W-150CN	2,038.00	12-2
			RSZE1S35M	33.00	6-30	RXM021FP	27.00	6-27	SR3B262BD	2,506.00	11-3	VF209W-200CN	2,885.00	12-2
			RSZE1S48M	31.00	6-30	RXM040W	15.00	6-27	SR3MBU01BD	1,075.00	11-3	VF209W-250CN	3,846.00	12-2
			RSZL300	5.00	6-30	RXM041FU7	27.00	6-27	SR3NET01BD	937.00	11-3	VF209W-300CN	6,325.00	12-2
			RSZR215	5.00	6-30	RXM2AB1**	35.00	6-27	SR3PACK2BD	2,265.00	11-4	VF209W-350CN	10,565.00	12-2
			RUMC21**	82.00	6-31	RXM2AB2**	42.00	6-27	SR3PACK2FU	2,265.00	11-4	VF209W-400CN	14,552.00	12-2
			RUMC22**	100.00	6-31	RXM2LB1**	28.00	6-27	SR3PACKBD	1,907.00	11-4	VF209W-450CN	19,838.00	12-2
			RUMC31**	87.00	6-31	RXM2LB2**	31.00	6-27	SR3PACKFU	1,907.00	11-4	VF209W-500CN	26,702.00	12-2
			RUMC32**	102.00	6-31	RXM3AB1**	37.00	6-27	SR3XT101BD	477.00	11-3	VF209W-50CN	692.00	12-2
			RUW101MW	383.00	6-31	RXM3AB2**	44.00	6-27	SR3XT141BD	666.00	11-3	VF209W-65CN	808.00	12-2
			RUW240BD	19.00	6-31	RXM4AB1**	40.00	6-27	SR3XT43BD	816.00	11-3	VF209W-80CN	923.00	12-2
			RUW241P7	30.00	6-31	RXM4AB2**	45.00	6-27	SR3XT61BD	422.00	11-3	VJDSNDTGSV62M	7,708.00	11-1
			RUW242B7	28.00	6-31	RXM4LB1**	33.00	6-27	SSL1A12BD	82.00	6-32	VPL06N	3,200.00	3-1
			RUW242P7	28.00	6-31	RXM4LB2**	35.00	6-27	SSL1A12BDR	87.00	6-32	VPL12N	4,200.00	3-1
			RUCZ200	12.00	6-31	RUCZ400	6.00	6-27	SSL1A12JD	82.00	6-32	VT2223	180.00	12-1
			RUCZ2M	34.00	6-31	RUCZ2M	34.00	6-31	SSL1A12JDR	87.00	6-32	VT2233	180.00	12-1
			RUCZ3M	38.00	6-31	RUCZ3M	38.00	6-31	SSL1A12ND	82.00	6-32	VT2325	230.00	12-1
			RUIZL420	184.00	6-31	RUCZ420	184.00	6-31	SSL1A12NDR	87.00	6-32	VT2335	230.00	12-1
			RUIZS2	8.00	6-31	RUCZS2	8.00	6-31	SSL1D03BD	124.00	6-32	VT2427	320.00	12-1
			RUIZSC2M	50.00	6-31	RUCZSC2M	50.00	6-31	SSL1D03JD	124.00	6-32	VT2437	320.00	12-1
			RXG11B7	88.00	6-29	RUCZS2M114M	30.00	6-27	SSL1D03ND	124.00	6-32	VT3223	260.00	12-1
			RXG11BD	60.00	6-29	RUCZS2S108M	30.00	6-27	SSL1D101BD	74.00	6-32	VT3233	280.00	12-1
			RXG11E7	88.00	6-29	RUCZS2S111M	30.00	6-27	SSL1D101JD	74.00	6-32	VT3325	280.00	12-1
			RXG11ED	60.00	6-2									

# Index

Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page	Unit Reference	Unit Price HK\$	Page
VW3A46113	44,091.00	7-10	<b>X</b>	XBSA3311	53.00	8-1	XB6AA25B	87.00	8-7	XMLR010G1P25	2,497.00	9-11		
VW3A46114	49,513.00	7-10		XBSA3341	53.00	8-1	XB6AA31B	70.00	8-7	XMLR010G1P75	2,497.00	9-11		
VW3A46115	57,914.00	7-10		XBSA3351	53.00	8-1	XB6AA45B	87.00	8-7	XMLR016G1N25	2,497.00	9-11		
VW3A46116	62,798.00	7-10		XBSA442	51.00	8-1	XB6AV1BB	95.00	8-7	XMLR016G1P25	2,497.00	9-11		
VW3A46118	81,999.00	7-10		XBSA44322	53.00	8-1	XB6AV3BB	95.00	8-7	XMLR016G1P75	2,497.00	9-11		
VW3A46119	99,026.00	7-10		XBSA215	82.00	8-1	XB6AV4BB	95.00	8-7	XMLR025G1N25	2,497.00	9-11		
VW3A46120	11,254.00	7-10		XBSA221	66.00	8-1	XB6AV5BB	95.00	8-7	XMLR025G1P25	2,497.00	9-11		
VW3A46121	13,502.00	7-10		XBSA281	1,026.00	8-12	XB6CA22B	70.00	8-7	XMLR040G1N75	2,497.00	9-11		
VW3A46122	13,930.00	7-10		XBSA471	1,278.00	8-12	XB6CA35B	87.00	8-7	XMLR040G1P75	2,497.00	9-11		
VW3A46123	15,710.00	7-10		XBSA481	1,410.00	8-12	XB6CA42B	70.00	8-7	XMLR100M1N25	2,622.00	9-11		
VW3A46124	18,337.00	7-10		XBSA671	1,631.00	8-12	XB6CA45B	87.00	8-7	XMLR100M1N75	2,622.00	9-11		
VW3A46125	20,058.00	7-10		XBSA681	1,855.00	8-12	XB6CD225B	99.00	8-7	XMLR100M1P25	2,622.00	9-11		
VW3A46126	25,227.00	7-10		XBSA871	2,020.00	8-12	XB6CD235B	99.00	8-7	XMLR100M1P75	2,622.00	9-11		
VW3A46127	27,805.00	7-10		XBSA881	2,299.00	8-12	XB6CG55B	210.00	8-7	XMLR160M1N25	2,622.00	9-11		
VW3A46128	32,508.00	7-10		XALD101H29	149.00	8-9	XB6CGH5B	210.00	8-7	XMLR160M1N75	2,622.00	9-11		
VW3A46129	36,800.00	7-10		XALD102	149.00	8-9	XB6CV3BB	95.00	8-7	XMLR160M1P25	2,622.00	9-11		
VW3A46130	44,025.00	7-10		XALD111H29	149.00	8-9	XB6CV4BB	95.00	8-7	XMLR160M1P75	2,622.00	9-11		
VW3A46131	52,916.00	7-10		XALD112	149.00	8-9	XB6DA22B	70.00	8-7	XMLR2D5G1N25	2,497.00	9-11		
VW3A46132	61,828.00	7-10		XALD114	149.00	8-9	XB6DA31B	70.00	8-7	XMLR2D5G1N75	2,497.00	9-11		
VW3A46133	67,996.00	7-10		XALD115	169.00	8-9	XB6DA42B	70.00	8-7	XMLR2D5G1P25	2,497.00	9-11		
VW3A46134	72,924.00	7-10		XALD116	169.00	8-9	XB6DA45B	87.00	8-7	XMLR2D5G1P75	2,497.00	9-11		
VW3A46135	86,229.00	7-10		XALD134	186.00	8-9	XB6DD225B	99.00	8-7	XMLR400M1N25	2,622.00	9-11		
VW3A46137	119,770.00	7-10		XALD144E	310.00	8-9	XB6DD235B	99.00	8-7	XMLR400M1P25	2,622.00	9-11		
VW3A46138	146,240.00	7-10		XALD211H29	149.00	8-9	XB6DV3BB	95.00	8-7	XMLR600M1P25	2,622.00	9-11		
VW3A4701	2,156.00	7-10		XALD213	240.00	8-9	XB6DV4BB	95.00	8-7	XMLR600M1P75	2,622.00	9-11		
VW3A4702	4,286.00	7-10		XALD213E	324.00	8-9	XB6E3B1B	135.00	8-7	XMLR600M1P25	2,622.00	9-11		
VW3A4703	8,262.00	7-10		XALD214	240.00	8-9	XB6E3B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11		
VW3A4706	12,882.00	7-10		XALD215	240.00	8-9	XB6E4B2B	135.00	8-7	XMLR600M1P25	2,622.00	9-11		
VW3A4709	21,120.00	7-10		XALD324	324.00	8-10	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11		
VW3A4710	19,456.00	7-10		XALD325	324.00	8-10	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11		
VW3A5106	20,429.00	7-11		XALD328	352.00	8-10	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11		
VW3A5107	27,390.00	7-11		XALD334	324.00	8-10	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11		
VW3A5209	110,007.00	7-12		XALD339	324.00	8-10	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11		
VW3A5210	204,626.00	7-12		XALD363G	396.00	8-9	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11		
VW3A5301	3,108.00	7-11		XALD363M	396.00	8-9	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11		
VW3A5302	4,307.00	7-11		XALK178	152.00	8-10	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11		
VW3A5303	4,584.00	7-11		XALK178C	132.00	8-10	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11		
VW3A5304	7,394.00	7-11		XALK178F	169.00	8-10	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11		
VW3A5305	11,277.00	7-11		XALK188	298.00	8-10	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11		
VW3A5307	13,988.00	7-11		XALK188F	324.00	8-10	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11		
VW3A53901	228.00	7-12	XALK198	345.00	8-10	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
VW3A53902	303.00	7-11	XAPM1501	316.00	8-10	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
VW3A53904	364.00	7-12	XAPM1502	316.00	8-10	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
VW3A53905	492.00	7-11	XAPM2503	443.00	8-10	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
VW3A5402	7,673.00	7-12	XAPM2504	443.00	8-10	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
VW3A5404	16,724.00	7-12	XARSK12D18W	24,938.00	8-12	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
VW3A5405	30,035.00	7-12	XARSK8D18W	22,285.00	8-12	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
VW3A5406	42,447.00	7-12	XARSK8L12W	17,510.00	8-12	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
VW3A5407	67,249.00	7-12	XB4BA*1	63.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
2xVW3A5506	37,106.00	7-12	XB4BA3311	74.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
VW3A5501	1,976.00	7-12	XB4BA3341	74.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
2xVW3A5501	3,952.00	7-12	XB4BA3351	74.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
VW3A5501+VW3A5502	4,457.00	7-12	XB4BA42	63.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
VW3A5502	2,481.00	7-12	XB4BA422	74.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
2xVW3A5502	4,962.00	7-12	XB4BC21	99.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
VW3A5503	7,932.00	7-12	XB4BD21	90.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
2xVW3A5503	15,864.00	7-12	XB4BD25	117.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
VW3A5503+VW3A5504	17,189.00	7-12	XB4BD33	117.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
VW3A5504	9,257.00	7-12	XB4BD35	117.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
2xVW3A5504	18,514.00	7-12	XB4BD912R100K	572.00	8-3	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
VW3A5505	14,275.00	7-12	XB4BD912R10K	572.00	8-3	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
2xVW3A5505	28,550.00	7-12	XB4BD912R1K	572.00	8-3	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
VW3A5506	18,553.00	7-12	XB4BD912R470K	572.00	8-3	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
VW3A8106	880.00	6-22	XB4BD912R4K7	572.00	8-3	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
VW3A8306R03	41.00	7-9	XB4BG03	202.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
VW3A8306R10	48.00	7-9	XB4BG21	183.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
VW3A8306R30	73.00	7-9	XB4BG33	202.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
VW3A8306RC	24.00	7-9	XB4BG41	183.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
VW3A8306TF03	180.00	7-9	XB4BG61	208.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
VW3A8306TF10	264.00	7-9	XB4BJ21	97.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
VW3A9613	18,254.00	7-11	XB4BP2	74.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11			
VW3G48101	889.00	7-2	XB4BS442	90.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11			
WACFA	ANN**ANN	46,093.00	2-12	XB4BS445	134.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11		
WACFA	NN**ANN	32,903.00	2-12	XB4BS942	195.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P25	2,622.00	9-11		
WACFAA	NN**ANN	26,552.00	2-12	XB4BS945	240.00	8-1	XB6E4B5B	168.00	8-7	XMLR600M1P75	2,622.00	9-11		

Unit Reference	Unit Price HK\$	Page
XVMB2RAGSB	575.00	8-8
XVMB2RAGSSB	667.00	8-8
XVMC21	65.00	8-8
XVMC29B	163.00	8-8
XVMC29M	198.00	8-8
XVMC33	57.00	8-8
XVMC34	57.00	8-8
XVMC35	57.00	8-8
XVMC36	57.00	8-8
XVMC37	57.00	8-8
XVMM1RAG	327.00	8-8
XVMM1RAGS	401.00	8-8
XVMM2RAGSB	575.00	8-8
XVMM2RAGSSB	667.00	8-8
XVMZ02	56.00	8-8
XVMZ02T	65.00	8-8
XVMZ03	74.00	8-8
XVMZ03T	92.00	8-8
XVMZ04	111.00	8-8
XVMZ04T	147.00	8-8
XVR10B04	1,270.00	8-8
XVR10B05	1,270.00	8-8
XVR12B04	1,270.00	8-8
XVR12B04S	1,495.00	8-8
XVR12B05	1,270.00	8-8
XVR12B05S	1,495.00	8-8
XY2CE1A250	2,139.00	9-11
XY2CE2A250	2,139.00	9-11
XY2CZ301	365.00	9-11
XY2CZ302	1,243.00	9-11
XY2CZ305	1,605.00	9-11
XY2CZ310	2,865.00	9-11
XZCP1141L2	124.00	9-11
<b>Z</b>		
ZB4BZ009	17.00	8-5
ZB5AZ009	14.00	8-5
ZB5AZ021	53.00	8-2
ZB5AZ022	53.00	8-2
ZB5AZ023	58.00	8-2
ZB5AZ024	58.00	8-2
ZB5AZ025	58.00	8-2
ZB5AZ026	58.00	8-2
ZB5AZ905	59.00	7-9
ZB5FA*	53.00	8-6
ZB5FA0	51.00	8-6
ZB5FA9	85.00	8-6
ZB5FV0*3	50.00	8-6
ZB5FW3*3	139.00	8-6
ZBE101	32.00	8-5
ZBE102	32.00	8-5
ZBE203	75.00	8-5
ZBE204	75.00	8-5
ZBE205	75.00	8-5
ZBSP1	52.00	8-3
ZBSP2	210.00	8-3
ZBSP3	980.00	8-3
ZBZX13	18.00	8-8
ZCKD01	64.00	9-8
ZCKD02	84.00	9-8
ZCKD06	64.00	9-8
ZCKD08	64.00	9-8
ZCKD10	52.00	9-8
ZCKD15	108.00	9-8
ZCKD21	64.00	9-8
ZCKD23	120.00	9-8
ZCKD31	96.00	9-8
ZCKD41	109.00	9-8
ZCKD59	89.00	9-8
ZCKE05	159.00	9-9
ZCKE06	186.00	9-9
ZCKE08	212.00	9-9
ZCKE09	256.00	9-9
ZCKE61	109.00	9-9
ZCKE67	186.00	9-9
ZCKJ1	211.00	9-9
ZCKJ2	330.00	9-9
ZCKJ404	642.00	9-9
ZCKM1	131.00	9-8
ZCKS1	133.00	9-7
ZCKY13	62.00	9-9
ZCKY41	62.00	9-9
ZCKY43	87.00	9-9
ZCKY59	52.00	9-9
ZCP21	95.00	9-5
ZCPEG11	11.00	9-5
ZCPEP16	10.00	9-5
ZCT21P16	151.00	9-5

## Notes

---

Life Is On

**Schneider**  
Electric  
施耐德電氣



To know more about our products  
and solutions.

了解更多我們的產品和  
解決方案

### Schneider Electric (Hong Kong) Limited 施耐德電氣(香港)有限公司

Hong Kong Office 香港辦事處 :

11th Floor, Kerry Centre, 683 King's Road,  
Quarry Bay, Hong Kong

香港鰂魚涌英皇道683號嘉里中心11樓

Tel 電話 : (852) 2565 0621 Fax 傳真 : (852) 2811 1029

Customer Care Centre 客戶服務中心電郵 : [customercare.hk@se.com](mailto:customercare.hk@se.com)

Customer Care Centre 客戶服務中心電話 : (852) 2579 9699

 [Schneider Electric Hong Kong](#) 

Macau Branch Office 澳門分支辦事處 :

Alameda Dr Carlos D'Assumpcao 180,  
Tong Nam Ah Central Comercio 13G, H & I, Macau

澳門新口岸宋玉生廣場180號東南亞商業中心13樓G, H及I室

Tel 電話 : (853) 2871 7488 Fax 傳真 : (853) 2871 7499

Customer Care Centre 客戶服務中心電郵 : [customercare.hk@se.com](mailto:customercare.hk@se.com)

Customer Care Centre 客戶服務中心電話 : (853) 2875 1738